

GLYCERIN - glycerin suppository
Chain Drug Consortium LLC

Premier Value Pediatric Glycerin Supp

Active ingredient (in each suppository)

Glycerin 1 g

Purpose

Hyperosmotic laxative

Uses

- for relief of occasional constipation
- this product generally produces a bowel movement in 1/4 to 1 hour

Warnings

For rectal use only

May cause rectal discomfort of burning sensation

Ask a Doctor before using laxative if child has

- abdominal pain, nausea or vomiting
- a sudden change in bowel habits lasting more than two weeks
- already used a laxative for more than 1 week

Stop use and consult a doctor if child has

- rectal bleeding
- no bowel movement within 1 hour of using this product

These symptoms may indicate a serious condition.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Single daily dosage

children 2 to	1 suppository or as
under 6 years	directed by a doctor
children under 2	ask a doctor
years	

Insert suppository well up into rectum.

Suppository need not melt completely to produce laxative action.

Other information

- Store container tightly closed.
- Keep away from excessive heat.

Inactive ingredients

purified water, sodium hydroxide, stearic acid

Pediatric Glycerin Suppositories, 25 count

PremVal722.jpg


The product package shown above represents a sample of that currently in use. Additional packaging may also be available.

Pediatric Glycerin Suppositories, 25 count

Distributed by Pharmacy Value Alliance, LLC

407 East Lancaster Avenue

Wayne, PA 19087



PEDIATRIC Glycerin Suppositories
LAXATIVE
25 Suppositories

COMPARE TO THE ACTIVE INGREDIENT IN FLEET®*

MOUTH OF JAR SEALED FOR SAFETY.
IF FOIL IS BROKEN OR MISSING, DO NOT USE.

Drug Facts

Active ingredient
(in each suppository)
Glycerin 1g.....Hyperosmotic laxative

Purpose

Uses

- for relief of occasional constipation
- this product generally produces bowel movement in 1/4 to 1 hour

Warnings

For rectal use only
May cause rectal discomfort or a burning sensation.

Ask a doctor before using laxative if child has

- abdominal pain, nausea or vomiting
- a sudden change in bowel habits lasting more than 2 weeks
- already used a laxative for more than 1 week

Stop use and consult a doctor if child has

- rectal bleeding
- no bowel movement within after 1 hour of using this product

These symptoms may indicate a serious condition.
Keep out of reach of children.
If swallowed, get medical help or contact a Poison Control Center right away.

Directions *Single daily dosage*

children 2 to under 6 years	1 suppository or as directed by doctor
children under 2 years	ask a doctor

Insert suppository well up into rectum.
Suppository need not melt completely to produce laxative action.


Other information

- Store container tightly closed.
- Keep away from excessive heat.

Inactive ingredients
purified water, sodium hydroxide, stearic acid

Questions or comments?
1-800-492-5988

Distributed By:
Pharmacy Value Alliance, LLC
407 East Lancaster Avenue,
Wayne, PA 19087



19-10151 PRE1C
40986 01578 6

*This product is not manufactured or distributed by C.B. Fleet Co., owner of the registered trademark Fleet®

NO VARNISH AREA
THIS BOX & TEXT DO NOT PRINT

GLYCERIN

glycerin suppository

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68016-161
Route of Administration	RECTAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

GLYCERIN (UNII: PDC6A3C0OX) (GLYCERIN - UNII:PDC6A3C0OX)			GLYCERIN	1 g
Inactive Ingredients				
Ingredient Name			Strength	
WATER (UNII: 059QF0KO0R)				
SODIUM HYDROXIDE (UNII: 55X04QC32I)				
STEARIC ACID (UNII: 4ELV7Z 65AP)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68016-161-00	25 in 1 JAR; Type 0: Not a Combination Product	03/21/2012	
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug		M007	03/21/2012	

Labeler - Chain Drug Consortium LLC (101668460)

Registrant - DSC Laboratories, Inc. (097807374)

Establishment

Name	Address	ID/FEI	Business Operations
DSC Laboratories, Inc.		097807374	manufacture(68016-161)

Revised: 12/2023

Chain Drug Consortium LLC