

**GLYCERIN - glycerin suppository**  
**Chain Drug Consortium LLC**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**Premier Value Pediatric Glycerin Supp**

**Active ingredient (in each suppository)**

Glycerin 1 g

**Purpose**

Hyperosmotic laxative

**Uses**

- for relief of occasional constipation
- this product generally produces a bowel movement in 1/4 to 1 hour

**Warnings**

**For rectal use only**

May cause rectal discomfort or burning sensation

**Ask a Doctor before using laxative if child has**

- abdominal pain, nausea or vomiting
- a sudden change in bowel habits lasting more than two weeks
- already used a laxative for more than 1 week

**Stop use and consult a doctor if child has**

- rectal bleeding
- no bowel movement within 1 hour of using this product

These symptoms may indicate a serious condition.

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

**Single daily dosage**

---

children 2 to 1 suppository or as

under 6 years directed by a doctor  
 children under 2 ask a doctor  
 years

Insert suppository well up into rectum.

Suppository need not melt completely to produce laxative action.

**Other information**

- Store container tightly closed.
- Keep away from excessive heat.

**Inactive ingredients**

purified water, sodium hydroxide, stearic acid

**Pediatric Glycerin Suppositories, 25 count**

PremVal722.jpg

The product package shown above represents a sample of that currently in use. Additional packaging may also be available.

Pediatric Glycerin Suppositories, 25 count

Distributed by Pharmacy Value Alliance, LLC

407 East Lancaster Avenue

Wayne, PA 19087

**Premier Value**  
**PEDIATRIC Glycerin Suppositories**  
 LAXATIVE  
 25 Suppositories

COMPARE TO THE ACTIVE INGREDIENT IN FLEET®\*

MOUTH OF JAR SEALED FOR SAFETY. IF FOIL IS BROKEN OR MISSING, DO NOT USE.

**Drug Facts**

**Active Ingredient (in each suppository)**  
 Glycerin 1g.....Hyperosmotic laxative

**Uses**

- for relief of occasional constipation
- this product generally produces bowel movement in 1/4 to 1 hour

**Warnings**

For rectal use only  
 May cause rectal discomfort or a burning sensation.

**Ask a doctor before using laxative if child has**

- abdominal pain, nausea or vomiting
- a sudden change in bowel habits lasting more than 2 weeks
- already used a laxative for more than 1 week

**Stop use and consult a doctor if child has**

- rectal bleeding
- no bowel movement within after 1 hour of using this product

These symptoms may indicate a serious condition.  
 Keep out of reach of children.  
 If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** *Single daily dosage*

children 2 to under 6 years	1 suppository or as directed by doctor
children under 2 years	ask a doctor

Insert suppository well up into rectum.  
 Suppository need not melt completely to produce laxative action.

**Other information**

- Store container tightly closed.
- Keep away from excessive heat.

**Inactive ingredients**  
 purified water, sodium hydroxide, stearic acid

**Questions or comments?**  
 1-800-492-5588

Distributed By:  
 Pharmacy Value Alliance, LLC  
 407 East Lancaster Avenue,  
 Wayne, PA 19087

19-10151PRE1C  
 40986 01578 6

NO VARNISH AREA  
 THIS BOX & TEXT DO NOT PRINT

\*This product is not manufactured or distributed by C.B. Fleet Co., owner of the registered trademark Fleet®

**GLYCERIN**

glycerin suppository

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:68016-161
<b>Route of Administration</b>	RECTAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
GLYCERIN (UNII: PDC6A3C00X) (GLYCERIN - UNII:PDC6A3C00X)	GLYCERIN	1 g

**Inactive Ingredients**

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68016-161-00	25 in 1 JAR; Type 0: Not a Combination Product	03/21/2012	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part334	03/21/2012	

**Labeler** - Chain Drug Consortium LLC (101668460)**Registrant** - DSC Laboratories, Inc. (097807374)**Establishment**

Name	Address	ID/FEI	Business Operations
DSC Laboratories, Inc.		097807374	manufacture(68016-161)

Revised: 11/2021

Chain Drug Consortium LLC