

**HYDROGEN PEROXIDE 3 PERCENT- hydrogen peroxide liquid
Dolgenercorp, Inc. (DOLLAR GENERAL & REXALL)**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredient

Hydrogen peroxide 3%

Purpose

first aid antiseptic/oral debriding agent

Uses

- first aid to help prevent the risk of infection in minor cuts, scrapes and burns
- aids in the removal of phlegm, mucus, or other secretions associated with occasional sore mouth

Warnings

For external use only.

Do not use

- in the eyes or apply over large areas of the body
- longer than one week

Ask a doctor before use if you have

- deep or puncture wounds, animal bites or serious burns

Stop use and ask a doctor if

- swelling, rash, or fever develops
- the condition persists or gets worse
- sore mouth symptoms do not improve in 7 days
- irritation, pain or redness persists or worsens

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

For use as a first aid antiseptic:

- clean affected area
- if bandaged, let dry first
- apply small amount of product on affected area 1-3 times a day
- may be covered with a sterile bandage

For use as an oral debriding agent (oral rinse):

- **adults and children 2 years of age and over:**
 - mix with an equal amount of water
 - swish around in the mouth over affected area for at least 1 minute and then spit out. Do not swallow.
 - use up to 4 times daily after meals and at bedtime or as directed by a dentist or doctor
- **children under 12 years** should be supervised in the use of this product
- **children under 2 years of age:** consult a dentist or doctor

Other information

- Keep tightly closed and in a dark place at room temperature.
- Do not shake bottle. Hold away from face when opening.

Inactive ingredient

purified water

Questions or comments?

Call toll free 1-866-4-REXALL

Principals Display Panel

Hydrogen Peroxide USP

Topical Solution USP 3% H₂ O₂

First Aid Antiseptic

Oral Debriding Agent

- For treatment of minor cuts and abrasions


FL OZ (mL)

**TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS
BROKEN OR MISSING.**

DISTRIBUTED BY OLD EAST MAIN CO.

100 MISSION RIDGE, GOODLETTSVILLE, TN 37072

Package Label



REXALL Hydrogen Peroxide

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

Drug Facts	Active ingredient Hydrogen peroxide 3%....	Purpose First aid antiseptic/oral debriding agent
Uses ■ first aid to help prevent the risk of infection in minor cuts, scrapes, and burns ■ aids in the removal of phlegm, mucus, or other secretions associated with occasional sore mouth		
Warnings For external use only. Do not use ■ in the eyes or apply over large areas of the body ■ longer than one week Ask a doctor before use if you have ■ deep puncture wounds, animal bites or serious burns Stop use and ask a doctor if ■ swelling, rash, or fever develops ■ the condition persists or gets worse ■ sore mouth symptoms do not improve in 7 days ■ irritation, pain, or redness persists or worsens Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.		
Directions For use as a first aid antiseptic: ■ clean affected area ■ if bandaged, let dry first ■ apply small amount of product on affected area 1-3 times a day ■ may be covered with a sterile bandage For use as an oral debriding agent (oral rinse): ■ adults and children 2 years of age and over: ■ mix with an equal amount of water ■ swish around in the mouth over affected area for at least 1 minute and then spit out. Do not swallow. ■ use up to 4 times daily after meals and at bedtime or as directed by a dentist or doctor ■ children under 12 years should be supervised in the use of this product ■ children under 2 years of age: consult a doctor or dentist		
Other information ■ keep tightly closed and in a dark place at room temperature ■ do not shake bottle. Hold away from face when opening.		
Inactive ingredient purified water		PLD-B220C LB004021

HYDROGEN PEROXIDE 3 PERCENT

hydrogen peroxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55910-268
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HYDROGEN PEROXIDE (UNII: BBX060AN9V) (HYDROGEN PEROXIDE - UNII:BBX060AN9V)	HYDROGEN PEROXIDE	2.65 mL in 100 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55910-268-32	946 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	07/30/2020	01/31/2025
2	NDC:55910-268-16	473 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	07/30/2020	01/31/2025

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part356	07/30/2020	01/31/2025

Labeler - Dolgencorp, Inc. (DOLLAR GENERAL & REXALL) (068331990)

Revised: 10/2022

Dolgencorp, Inc. (DOLLAR GENERAL & REXALL)