XT ULTRA CONCENTRATE PART A- lactic acid solution solution AgroChem Inc

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

XT ULTRA Concentrate Part A

XT ULTRA Concentrate Part A

WARNING

AVOID FREEZING.

CAUSES EYE IRRITATION.

KEEP OUT OF DIRECT SUNLIGHT.

KEEP OUT OF REACH OF CHILDREN.

FOR FARM AND INDUSTRIAL USE ONLY.

PREVENTION: Wash skin thoroughly after handling. Wear eye protection/ face protection.

FIRST AID / RESPONSE:

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

STORAGE: Store locked up.

DISPOSAL: Dispose of contents/ container to an approved waste disposal plant.

EMERGENCY TELEPHONE NUMBER (Chemtrec) 800-424-9300 CCN205494

ACTIVE INGREDIENTS:

Lactic Acid - 15 %

Dodecyl Benzene Sulfonic Acid - 2.0 %

Emollient Package (lanolin, glycerine) - 30%

XT ULTRA Concentrate is a two-part Chlorine Dioxide sytem teat dip and can be effectively used to reduce the spread of mastitis causing organisms. XT ULTRA is designed with an emollient package ideal for skin conditioning. Recommended for pre milking applications.

Directions:

IMPORTANT THIS IS A TWO-PART CONCENTRATE - MUST BE MIXED PRIOR TO USE. MIX RATIO is (58 Water : 1 Part A : 1 Part B). In a clean container, add (58) parts water, then add (1) part XT ULTRA Part A, next add (1) part ULTRA Part B. CREATES CHLORINE DIOXIDE.

General Use

Use a teat dip cup to apply. Clean dip cup just prior to use.

If cow's teats are sore or chapped, consult a veterinarian before starting or continuing to use teat dip.

If transferred from this container to any other, make sure that the other container is thoroughly pre-cleaned and bears the proper container labeling for this product.

If product in dip cup becomes visibly dirty, discard contents and replenish with undiluted product. Do not reuse or return any unused product to the original container.

Teat Sprays can also be foamed or sprayed using recommended equipment.

Pre Dipping Use

Perform forestripping and inspect teats for clinical mastitis.

Pre-wash teats thoroughly just prior milking with appropriate udder wash solution or pre-milking teat dip. Teats should then be dried with single-service towels

Just before each cow is milked, dip, foam, or spray, each teat full-length into the teat dip or foam cup containing product.

Allow product to stand for 30 seconds.

Wipe teats dry after dipping, using single-service towels to avoid contamination of milk.

Post Dipping Use

Immediately after each milking, use product.

Dip each teat full-length into the teat dip cup containing product. Allow to air dry. Do not wipe.

If outside temperature is below freezing, allow to air dry on the teat before cow leaves the parlor.

Extended Use

When a cow is being dried off, the teats should be dipped in product, once a day for 3-4 days after the last milking.

Dipping should be resumed at least twice daily one week before calving.

XT ULTRA CONCENTRATE

PART A

TEAT DIP

WARNING

AVOID FREEZING. KEEP OUT OF DIRECT SUNLIGHT. CAUSES SERIOUS EYE IRRITATION. KEEP OUT OF REACH OF CHILDREN. FOR FARM AND INDUSTRIAL USE ONLY.

PREVENTION: Wash skin thoroughly after handling. Wear eye protection/face protection.

FIRST AID / RESPONSE:

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention.

STORAGE: Store locked up.

DISPOSAL: Dispose of contents/ container to an approved waste disposal plant.

EMERGENCY TELEPHONE NUMBER (Chemtrec) 800-424-9300 CON205494

ACTIVE INGREDIENTS:

lactic Acid Dodecyl Benzene Sulfonic Acid - 2.0% Emollient Package (lanolin, glycerine) - 30%

NET CONTENTS: 55 GALLON

XT ULTRA Concentrate is a two-part Chlorine Dioxide sytem teat dip and can be effectively used to reduce the spread of mastitis causing organisms. XT ULTRA is designed with an emollient package ideal for skin conditioning. Recommended for pie milking applications.

IMPORTANT THIS IS A TWO-PART CONCENTRATE - MUST BE MIXED PRIOR TO USE. MIX RATIO is (58 Water: 1 Part A: 1 Part B). In a clean container, add (58) parts water, then add (1) part XT ULTRA Part A, next add (1) part ULTRA Part B. CREATES CHIORINE DIOXIDE.

Use a leaf dip cup to apply. Clean dip cup just prior to use.

If cow's leafs are sole or chapped, consult a veterinarian before starting or continuing to use teat dip.

If transferred from this container to any other, make sure that the other container is thoroughly pre-cleaned and bears the proper container labeling

If product in dip cup becomes visibly dirty, discard contents and replenish with undituted product. Do not reuse or return any unused product to the

Teat Sprays can also be foamed or sprayed using recommended equipment.

Pre Dipping Use

Perform forestripping and inspect tests for clinical mastitis.

Pre-wash teats thoroughly just prior milking with appropriate udder wash solution or pre-milking teat dip. Teats should then be dried with singleservice towels

lust before each cow is milled, dip, foam, or spray, each teat full-length into the teat dip or foam cup containing product.

Allow product to stand for 30 seconds

Wipe tests dry after dipping, using single service towels to avoid contamination of milk.

Post Dipping Use Immediately after each milking, use product.

Dip each leaf full-length into the leaf dip cup containing product. Allow to air dry. Do not wipe. If outside temperature is below freezing, allow to air dry on the teat before cow leaves the parlor.

When a cow is being dried off, the teats should be dipped in product, once a day for 3-4 days after the last milking. Dipping should be resumed at least twice daily one week before calving.





XT ULTRA CONCENTRATE PART A

lactic acid solution solution

Product Information

Product Type OTC ANIMAL DRUG **Item Code (Source)** NDC:17307-3791

Route of Administration TOPICAL

Active Ingredient/Active Moiety

· · · · · · · · · · · · · · · · · · ·					
Ingredient Name	Basis of Strength	Strength			
DODECYLBENZENESULFONIC ACID (UNII: 60NSK897G9) (DODECYLBENZENESULFONIC ACID - UNII:60NSK897G9)	DODECYLBENZ ENES ULFONIC ACID	0.02 kg in 1 kg			
LACTIC ACID (UNII: 33X04XA5AT) (LACTIC ACID - UNII:33X04XA5AT)	LACTIC ACID	0.17 kg in 1 kg			

Inactive Ingredients

Ingredient Name Strength

WATER (UNII: 059QF0KO0R)

Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:17307-3791-1	19 kg in 1 CONTAINER			
2	NDC:17307-3791-2	57 kg in 1 DRUM			
3	NDC:17307-3791-3	208 kg in 1 DRUM			
4	NDC:17307-3791-4	1040 kg in 1 CONTAINER			

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
approved drug ner		03/16/2021		
		03/16/2021		

Labeler - AgroChem Inc (805427700)

Registrant - AgroChem Inc (805427700)

Establishment				
Name	Address	ID/FEI	Business Operations	
AgroChem Inc		805427700	api manufacture, manufacture	

Revised: 3/2021 AgroChem Inc