## ZINGIBER OFFICINALE- zingiber officinale pellet Hahnemann Laboratories, INC.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

## ZINGIBER OFFICINALIS 6C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901
TWIST TO OPEN - USE ONLY IF SEALED

## ZINGIBER OFFICINALIS 6C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



# ZINGIBER OFFICINALIS 6C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



## ZINGIBER OFFICINALIS 12C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



## ZINGIBER OFFICINALIS 12C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



# ZINGIBER OFFICINALIS 12C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



#### Hahnemann Labs Inc.

## ZINGIBER OFFICINALIS 30C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE HPUS
Active ingredient:
Listed above
Use:Traditional use
such as diarrhea.
Keep out of reach
of children
Directions: Take 5
pellets orally once
Inactive ingredients:

00000

sucrose

nemann Labs Inc. 1940 Fourth St. San Rafael, CA

# ZINGIBER OFFICINALIS 30C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



# ZINGIBER OFFICINALIS 30C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

health professional before use. 

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



# ZINGIBER OFFICINALIS 30C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



#### Hahnemann Labs Inc.

## ZINGIBER OFFICINALIS 100C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE HPUS
Active ingredient:
Listed above
Use:Traditional use
such as diarrhea.
Keep out of reach
of children
Directions: Take 5
pellets orally once
Inactive ingredients:
sucrose

00000

nemann Labs Inc. 1940 Fourth St. San Rafael, C.
TWIST TO OPEN - USE ONLY IF SEALE

# Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 9490 TWIST TO OPEN - USE ONLY IF SEALED

# ZINGIBER OFFICINALIS 100C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



# ZINGIBER OFFICINALIS 100C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



# ZINGIBER OFFICINALIS 100C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



#### Hahnemann Labs Inc.

## ZINGIBER OFFICINALIS 200C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE HPUS
Active ingredient:
Listed above
Use:Traditional use
such as diarrhea.
Keep out of reach
of children
Directions: Take 5
pellets orally once
Inactive ingredients:

sucrose

memann Labs Inc. 1940 Fourth St. San Rafael, CA
TWIST TO OPEN - USE ONLY IF SEALE

# ZINGIBER OFFICINALIS 200C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



# ZINGIBER OFFICINALIS 200C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



# ZINGIBER OFFICINALIS 200C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

health professional before use. 

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



#### Hahnemann Labs Inc.

## ZINGIBER OFFICINALIS 500C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE HPUS
Active ingredient:
Listed above
Use:Traditional use
such as diarrhea.
Keep out of reach
of children
Directions: Take 5
pellets orally once
Inactive ingredients:

00000

sucrose

nemann Labs Inc. 1940 Fourth St. San Rafael, CA
TWIST TO OPEN - USE ONLY IF SEALE

# ZINGIBER OFFICINALIS 500C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



# ZINGIBER OFFICINALIS 500C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



# ZINGIBER OFFICINALIS 500C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



#### Hahnemann Labs Inc.

## ZINGIBER OFFICINALIS 1M

Min. net wt: 1g
HOMEOPATHIC
MEDICINE HPUS
Active ingredient:
Listed above
Use:Traditional use
such as diarrhea.
Keep out of reach
of children
Directions: Take 5
pellets orally once
Inactive ingredients:
sucrose

nemann Labs Inc. 1940 Fourth St. San Rafael, C./
TWIST TO OPEN - USE ONLY IF SEALE

# ZINGIBER OFFICINALIS 1M

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



# ZINGIBER OFFICINALIS 1M

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



# ZINGIBER OFFICINALIS 1M

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

## ZINGIBER OFFICINALIS LM1

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

#### **ZINGIBER OFFICINALE**

zingiber officinale pellet

#### **Product Information**

Product Type HUMAN (

HUMAN OTC DRUG

Item Code (Source)

NDC:37662-3702

**Route of Administration** 

ORAL

**Active Ingredient/Active Moiety** 

Ingredient Name	Basis of Strength	Strength
GINGER (UNII: C5529G5JPQ) (GINGER - UNII:C5529G5JPQ)	GINGER	1 [hp_M]

#### **Inactive Ingredients**

Ingredient Name	Strength
-----------------	----------

SUCROSE (UNII: C151H8M554)

Product Characteristics				
Color	white	Score	no score	
Shape	ROUND	Size	2mm	
Flavor		Imprint Code		
Contains				

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:37662- 3702-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	08/10/2023		
2	NDC:37662- 3702-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	08/10/2023		
3	NDC:37662- 3702-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	08/10/2023		
4	NDC:37662- 3702-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	08/10/2023		

Marketing Information				
Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
	08/10/2023			
	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date		

#### ZINGIBER OFFICINALE

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-3696	
Route of Administration	ORAL			

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
GINGER (UNII: C5529G5JPQ) (GINGER - UNII:C5529G5JPQ)	GINGER	6 [hp_C]

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics				
Color	white	Score	no score	
Shape	ROUND	Size	3mm	
Flavor		Imprint Code		
Contains				

P	ackaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37662- 3696-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	08/10/2023	
2	NDC:37662- 3696-2	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	08/10/2023	
3	NDC:37662- 3696-3	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	08/10/2023	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		08/10/2023	

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-3698	
Route of Administration	ORAL			

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
GINGER (UNII: C5529G5JPQ) (GINGER - UNII:C5529G5JPQ)	GINGER	30 [hp_C]

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics					
ColorwhiteScoreno score					
Shape	ROUND	Size	3mm		
Flavor		Imprint Code			
Contains	Contains				

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:37662- 3698-1	80 in 1 VIAL, GLASS; Type 0: Not a Combination Product	08/10/2023		
2	NDC:37662- 3698-2	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	08/10/2023		
3	NDC:37662- 3698-3	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	08/10/2023		
4	NDC:37662- 3698-4	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	08/10/2023		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		08/10/2023	

<b>Product Information</b>			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-3699
Route of Administration	ORAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
GINGER (UNII: C5529G5JPQ) (GINGER - UNII:C5529G5JPQ)	GINGER	100 [hp_C]

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics			
Color	white	Score	no score
Shape	ROUND	Size	2mm

Flavor	Imprint Code	
Contains		

Packaging				
# Item Co	ode	Package Description	Marketing Start Date	Marketing End Date
NDC:3766 3699-1	2- 200 in Produc	1 VIAL, GLASS; Type 0: Not a Combination	08/10/2023	
NDC:3766 3699-2	2- 500 in Produc	1 VIAL, GLASS; Type 0: Not a Combination	08/10/2023	
NDC:3766 3699-3		n 1 BOTTLE, GLASS; Type 0: Not a nation Product	08/10/2023	
4 NDC:3766 3699-4		in 1 BOTTLE, GLASS; Type 0: Not a nation Product	08/10/2023	

Marketing Information				
Marketing Application Number or Monograph Marketing Start Marketing End Category Citation Date Date				
	08/10/2023			
	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date		

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-3701	
Route of Administration	ORAL			

Active Ingredient/Active Moiety		
Ingredient Name	<b>Basis of Strength</b>	Strength
GINGER (UNII: C5529G5JPQ) (GINGER - UNII:C5529G5JPQ)	GINGER	500 [hp_C]

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics						
Color	white	Score	no score			
Shape	ROUND	Size	2mm			
Flavor		Imprint Code				
Contains						

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:37662- 3701-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	08/10/2023			
2	NDC:37662- 3701-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	08/10/2023			
3	NDC:37662- 3701-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	08/10/2023			
4	NDC:37662- 3701-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	08/10/2023			

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved homeopathic		08/10/2023		

zingiber officinale pellet

<b>Product</b>	Inform	ation

Product Type HUMAN OTC DRUG Item Code (Source) NDC:37662-3703

**Route of Administration** ORAL

#### **Active Ingredient/Active Moiety**

Ingredient Name

Basis of Strength

GINGER (UNII: C5529G5JPQ) (GINGER - UNII:C5529G5JPQ)

GINGER

1 [hp\_Q]

#### **Inactive Ingredients**

Ingredient Name Strength
SUCROSE (UNII: C151H8M554)

#### **Product Characteristics**

Color	white	Score	no score
Shape	ROUND	Size	1mm
Flavor		Imprint Code	
Contains			

		-	
	/ DA	1110	ч
Pac			ш
I GC			л

Item Code Package Description Marketing Start Marketing End
Date Date

1	NDC:37662- 3703-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	08/10/2023	
2	NDC:37662- 3703-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	08/10/2023	
3	NDC:37662- 3703-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	08/10/2023	
4	NDC:37662- 3703-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	08/10/2023	

Marketing Information				
Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
	08/10/2023			
	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date		

zingiber officinale pellet

#### **Product Information**

Product Type HUMAN OTC DRUG Item Code (Source) NDC:37662-3697

**Route of Administration** ORAL

#### **Active Ingredient/Active Moiety**

Ingredient Name
Basis of Strength
GINGER (UNII: C5529G5JPQ) (GINGER - UNII:C5529G5JPQ)
GINGER
12 [hp\_C]

#### **Inactive Ingredients**

Ingredient Name Strength

SUCROSE (UNII: C151H8M554)

#### **Product Characteristics**

Color	white	Score	no score	
Shape	ROUND	Size	3mm	
Flavor		Imprint Code		
Contains				

# Packaging # Item Code

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
	NDC:37662- 3697-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	08/10/2023	
2	NDC:37662- 3697-2	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	08/10/2023	

3	NDC:37662-	4000 in 1 BOTTLE, GLASS; Type 0: Not a	08/10/2023	
-	3697-3	Combination Product	00/10/2023	

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
unapproved homeopathic		08/10/2023			

zingiber officinale pellet

Droduct	Information
PICKILL	IIII OHIIIAI KOH

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-3700
--------------	----------------	--------------------	----------------

Route of Administration ORAL

#### **Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
GINGER (UNII: C5529G5JPQ) (GINGER - UNII:C5529G5JPQ)	GINGER	200 [hp_C]

#### **Inactive Ingredients**

	Ingredient Name	Strength
- 1		

SUCROSE (UNII: C151H8M554)

#### **Product Characteristics**

Color	white	Score	no score
Shape	ROUND	Size	2mm
Flavor		Imprint Code	
Contains			

	P	Packaging					
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
	1	NDC:37662- 3700-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	08/10/2023			
	2	NDC:37662- 3700-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	08/10/2023			
	3	NDC:37662- 3700-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	08/10/2023			
	4	NDC:37662- 3700-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	08/10/2023			
П							

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved homeopathic		08/10/2023		

#### Labeler - Hahnemann Laboratories, INC. (147098081)

Establishment			
Name	Address	ID/FEI	Business Operations
Hahnemann Laboratories, INC.		147098081	manufacture(37662-3697, 37662-3696, 37662-3698, 37662-3699, 37662-3700, 37662-3701, 37662-3702, 37662-3703)

Revised: 8/2023 Hahnemann Laboratories, INC.