MOTION SICKNESS- motion sickness patch patch Zhengzhou Zhuoqing Trading Co., Ltd.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Active ingredient

Menthol 2%

Purpose

Refreshing

Uses

temporarily relieves these symptoms due to motion. vomiting nauseas dizziness

Warnings

Warnings: For external use only.

Ask a doctor before use if you have

- 1 . Not recommended for children under 4 years of age
- 2. Do not use on allergic, wounds or damaged skin

Ask adoctor or phamacistbefore use if you are taking tranquilizers or sedatives

Do not use

When using this product. Do not use this product if you have heart disease , high blood pressurethyroid disease , diabetes . unless directed by a doctor . Ask a doctor or pharmacist before use if you are presently taking aprescription drug for high blood pressure or depression

When using this product. Do not use this product if you have heart disease, high blood pressurethyroid disease, diabetes unless directed by a doctor. Ask a doctor or pharmacist before use if you are presently taking aprescription drug for high blood pressure or depression

Keep out of reach of children. in case of Excessive use , get help from a health professional right away

Directions

- 1 . Remove the protective layer , apply the patch behind the earsand on the belly button at the same time if motion sickness serious
- 2. Please use it ten minutes before travel, The effectcan last for 1 to 3 days

Other information

Store in a cool dry place away for direct sunlight

Inactive ingredients

PTFE , Borneol , Wormwood , Non-woven fabric ,Pressure sensitive adhesive for medical purposes , A combination of chitin









MOTION SICKNESS PATCH

75*15*105mm 盒子尺寸



Manufactured by:
Henan Zhooqing Trading Co., Ltd
Henan Zhooqing Trading Co. Ltd
Kangqiao Kangdheng No.9 Courtyard, Erqi District, Zhengzhou City
Henan Province P.C. 450000

behind ear **Motion Sickness Patch**



Drug Facts
Active ingredient (in each patch)
MENTHOL 2%.
Uses temporarily relieves these symptoms due to motion ..Refreshing

Uses temporarily relieves these symptoms due to motion.

■vomiting ■ nausea ■ dizziness

Warnings: For external use only.
Ask a doctor before use if you have

1. Not recommended for children under 4 years of age.

2. Do not use on allergic, wounds or damaged skin.
Ask a doctor or pharmacist before use if you are taking tranquilizers or earlatives.

Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives
When using this product
**Do not use this product if you have heart disease, high blood pressure, thyroid disease, diabetes, unless directed by a doctor.
**Ask a doctor or pharmacist before use if you are presently taking a prescription drug for high blood pressure or depression.
If pregnant or breast-leeding, ask a health professional before use.
Keep out of reach of children. In case of Excessive use, get help from a health professional right away.
Directions

Directions

1. Remove the protective layer, apply the patch behind the ears, and on the belify button at the same time if motion sickness serious.

2. Please use it ten minutes before travel, The effectcan last for 1 to 3 days.

Other information
Store in a cool dry place away for direct sunlight Inactive ingredients PTFE, Borneol, Wormwood, Non-woven fabric, Pressure sensitive adhesive for medical purposes, Acombination of chitin



1 C

Made in china

Motion Sickness **Patch** √ 72H Long Effect ✓ Non Drowsy ✓ No Side Effect 72 Long Effect **48** patches

93iJ 68E

尊敬的客户:此图为印刷依据,请务必严谨审核尺寸、文字、金型、图案等内容,确认无误后签字回传。 因电脑和手机电子屏意色各有不同,以及印刷油墨、合拌版等因素影响,不同印刷批次会有少许色差 最终颜色以实际印刷为准。本公司会尽量调整减少色差情况,敬请谅解! (如要求非常产格请做特殊交代)

产品类型 盒子 成品尺寸 见标注 材质/工艺/数量 设计类别 改文字 设计师 亚坤 19939 8 日期 23.02 報信勘報 公司名称 客户签字 姓名/日期:

369 Life










75*15*105mm 盒子尺寸



369 Life behind ear **Motion Sickness Patch** Manufactured by:
Henan Zhuoding Trading Co., Ltd
Kangqiao Kangcheng No.9 Courtyard, Erqi District, Zhengzhou City
Henan Province P.C. 450000



Drug Facts Active ingredient (in each patch)

Uses temporarily relieves these symptoms due to motion.

womiting a masea a dizziness

Warnings: For external use only.

Ask a doctor before use if you have

1. Not recommended for children under 4 years of age.

2. Do not use on allergic, wounds or damaged skin.

Ask a doctor orpharmacist before use if you are taking tranquilizers or

Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives
When using this product
Do not use this product fyou have heart disease, high blood pressure, thyroid disease, diabetes, unless directed by a doctor.
Ask a doctor or pharmacist before use if you are presently taking a prescription drug for high blood pressure or depression.
If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children, in case of Excessive use, get help from a health professional tinht average. a health professional right away

Directions

Directions

1. Remove the protective layer, apply the patch behind the ears, and on the belly button at the same time if motion sickness serious.

2. Please use it ten minutes before travel, The effect an last for

11o 3 days.

Other information •Store in a cool dry place away for direct sunlight inactive ingredients PTFE, Borneol, Wormwood, Non-woven fabric, Pressure sensitive adhesive for medical purposes, Acombination of chilin



To 😘

Made in china

專敬的客户:此图为印刷依据,请务必严谨审核尺寸、文字、盒型、图案等内容,确认无误后签字回传。 因电脑和手机电子屏显色各有不同,以及印刷油墨、合拼版等因素影响,不同印刷批次会有少许色差, 最终颜色以实际印刷为准。本公司会受量调整减少色差情况,敬请读解! (如要求非常严格请做特殊文代)



产品类型 盒子 成品尺寸 见标注 材质/工艺/数量 设计类别 改文字 19939969598 日期 23.02 客户签字 公司名称: 姓名/日期:

369 Life



MOTION SICKNESS

motion sickness patch patch

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:83632-001	
Route of Administration	TOPICAL			

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	2 g in 100		

Inactive Ingredients		
Ingredient Name	Strength	
BORNEOL (UNII: M89NIB437X)		

GINGER (UNII: C5529G5JPQ)	
POLYTETRAFLUOROETHYLENE (UNII: E1NC1JVS3O)	
CHITIN (UNII: 8SH93A7QWW)	

Pa	ckaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83632-001- 01	24 in 1 BOX; Type 0: Not a Combination Product	08/16/2023	
2	NDC:83632-001- 02	36 in 1 BOX; Type 0: Not a Combination Product	08/16/2023	
3	NDC:83632-001- 03	48 in 1 BOX; Type 0: Not a Combination Product	08/16/2023	
4	NDC:83632-001- 04	10 in 1 BOX; Type 0: Not a Combination Product	08/16/2023	
5	NDC:83632-001- 05	20 in 1 BOX; Type 0: Not a Combination Product	08/16/2023	
6	NDC:83632-001- 06	30 in 1 BOX; Type 0: Not a Combination Product	08/16/2023	
7	NDC:83632-001- 07	10 in 1 BOX; Type 0: Not a Combination Product	08/16/2023	
8	NDC:83632-001- 08	20 in 1 BOX; Type 0: Not a Combination Product	08/16/2023	
9	NDC:83632-001- 09	30 in 1 BOX; Type 0: Not a Combination Product	08/16/2023	
10	NDC:83632-001- 10	40 in 1 BOX; Type 0: Not a Combination Product	08/16/2023	

Marketing Information			
Marketing Application Number or Monograph Category Citation		Marketing End Date	
	08/16/2023		
	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date	

Labeler - Zhengzhou Zhuoqing Trading Co., Ltd. (713814647)

Establishment				
Name	Address	ID/FEI	Business Operations	
Zhengzhou Zhuoqing Trading Co., Ltd.		713814647	manufacture(83632-001)	

Revised: 8/2023 Zhengzhou Zhuoqing Trading Co., Ltd.