

**SUEROLYTE ORAL ELECTROLYTE SOLUTION BUBBE GUM FLAVOR- dextrose, citric acid, potassium citrate, sodium chloride, sodium citrate, sucralose, acesulfame potassium, zinc gluconate, potassium sorbate liquid**  
**Dannso Corp./d.b.a. Essential Products**

**SUEROLYTE Oral Electrolyte Solution Bubbe Gum Flavor**

Dietary Supplement<sup>1</sup>

<sup>1</sup> This statement has not been evaluated by the Food and Drug Administration (FDA). This product is not intended to diagnose, treat, cure or prevent any disease.

**Warnings**

Do not use if neckband is broken or missing. Do not use if inner seal is broken or missing. Ready to use. Do not add water. Store in a cool place. If experiencing vomiting, fever, or diarrhea continues beyond 24 hours, consult your physician.  
Pregnancy / Breastfeeding: If pregnant or breastfeeding, ask a health professional before use.

**Directions**

Children 1 year of age and older: offer solution every 15 minutes. The child should take from 1 to 2 liters per day while diarrhea continues.  
Adults: can drink 1 to 2 fl. oz. every half hour, increasing the amount slowly. Reseal bottle with original cap.  
Refrigerate and use within 48 hours.  
Do not reuse container. Children under 1 year of age: consults physician before using.

**Questions or Comments**

**Distributed by**

**Essential Products Miami FL 33126**

[www.essentialproductsuse.com](http://www.essentialproductsuse.com)

**Made in U.S.A.**

**Directions:**  
Children 1 year of age and older: offer solution every 15 minutes. The child should take from 1 to 2 liters per day while diarrhea continues. Adults: can drink 1 to 2 fl. oz. every half hour, increasing the amount slowly. Reseal bottle with original cap. Refrigerate and use within 48 hours. Do not reuse container. Children under 1 year of age: consult physician before using.

**Instrucciones:**  
Niños mayores de un año: Ofrezca Super Suero cada 15 minutos. El niño debe tomar de 1 a 2 litros por día, mientras que la diarrea continúe. Adultos: se puede beber de 1 a 2 fl. oz. cada media hora, aumentando la cantidad lentamente. Vuelva a cerrar la botella con su tapa original. Refrigere y use dentro de las 48 horas. No reutilice el recipiente. Para niños menores de 1 año de edad, consulte al médico antes de usar.

**Warnings:**  
Do not use if neckband is broken or missing. Do not use if inner seal is broken or missing. Ready to use. Do not add water. Store in a cool place. If experiencing vomiting, fever or diarrhea continues beyond 24 hours, consult your physician. Pregnancy / Breastfeeding: If pregnant or breast-feeding, ask a health professional before use.

**Advertencias:**  
No utilizar si los sellos externos o internos están rotos o faltan. Listo para usar. No agregar agua. Almacenar en un lugar fresco. Si al vomitar, la diarrea o la fiebre persisten por más de 24 horas, consulte a su médico. Embarazo / Lactancia materna: Si está embarazada o dando el pecho, consulte a un profesional de la salud antes de usar.

**Ingredients:**  
Water, Dextrose, Citric Acid, Potassium Citrate, Sodium Chloride, Artificial Bubble Gum Flavor, Sodium Citrate, Sucralose, Acesulfame Potassium, Zinc Gluconate, Potassium Sorbate and FD & C Red # 40 color.  
Liquid Suero provides (per liter): Calories 100; Dextrose, 25 grams; Potassium, 20 mEq; Chloride, 35 mEq; Sodium, 45 mEq; Zinc, 7.8 milligrams.

**Ingredientes:**  
Agua, Dextrosa, Fructosa, Acido Citrico, Citrato de Potasio, Cloruro de Sodio, Sabor Artificial de Bubble Gum, Citrato de Sodio, Sucralosa, Acesulfame Potasio, Gluconato de Zinc, Sorbato de Potasio y FD & C Red # 40 color. Suero Liquido, provee (por litro): Calorias 100; Dextrosa, 25 Gramos; Potasio, 20 mEq; Cloruro, 35 mEq; Sodio, 45 mEq; Zinc, 7.8 miligramos.

**Distributed by**  
**essentialProducts**  
Miami, FL 33126  
[essentialproductsusa.com](http://essentialproductsusa.com)  
Made in U.S.A.

**1 Liter (33.8 FL. OZ.)**

**Barcode:** 52691 00246 3

**SUEROLYTE ORAL ELECTROLYTE SOLUTION BUBBE GUM FLAVOR**

dextrose, citric acid, potassium citrate, sodium chloride, sodium citrate, sucralose, acesulfame potassium, zinc gluconate, potassium sorbate liquid

### Product Information

<b>Product Type</b>	DIETARY SUPPLEMENT	<b>Item Code (Source)</b>	NHRIC:70242-111
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>DEXTROSE MONOHYDRATE</b> (UNII: LX22YL083G) (ANHYDROUS DEXTROSE - UNII:5SL0G7R0OK)	DEXTROSE MONOHYDRATE	25 g in 1 L
<b>POTASSIUM CITRATE</b> (UNII: EE90ONI6FF) (ANHYDROUS CITRIC ACID - UNII:XF417D3PSL)	POTASSIUM CITRATE	20 meq in 1 L
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X) (SODIUM CATION - UNII:LYR4M0NH37)	SODIUM CHLORIDE	45 meq in 1 L
<b>SODIUM CHLORITE</b> (UNII: G538EBV4VF) (CHLORITE ION - UNII:Z63H374SB6)	SODIUM CHLORITE	35 meq in 1 L
<b>ZINC</b> (UNII: J41CSQ7QDS) (ZINC - UNII:J41CSQ7QDS)	ZINC	35 meq in 1 L

### Inactive Ingredients

Ingredient Name	Strength
<b>Water</b> (UNII: 059QF0K00R)	
<b>Citric Acid MONOHYDRATE</b> (UNII: 2968PHW8QP)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>Sodium Citrate, UNSPECIFIED FORM</b> (UNII: 1Q73Q2JULR)	
<b>Sucralose</b> (UNII: 96K6UQ3ZD4)	
<b>Acesulfame Potassium</b> (UNII: 23OV73Q5G9)	
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NHRIC:70242-111-33	1 L in 1 BOTTLE		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
DIETARY SUPPLEMENT		08/07/2015	

Supplement Facts	
<b>Serving Size :</b>	<b>Serving per Container :</b>
<b>Amount Per Serving</b>	<b>% Daily Value</b>
flavor	

**Labeler** - Danso Corp./d.b.a. Essential Products (059741071)

**Registrant** - Danso Corp./d.b.a. Essential Products (059741071)

**Establishment**

Name	Address	ID/FEI	Business Operations
Danoso Corp./d.b.a. Essential Products		059741071	LABEL(70242-111)

**Establishment**

Name	Address	ID/FEI	Business Operations
Alfa Vitamins Laboratories Inc		079327988	MANUFACTURE(70242-111)

Revised: 8/2015

Danoso Corp./d.b.a. Essential Products