# ANTIFUNGAL LIQUID MAXIMUM STRENGTH- tolnaftate liquid Meijer Distribution Inc.

-----

## Meijer Antifungal Liquid

## Active ingredient

Tolnaftate 1%

## Purpose

**Antifungal** 

### Uses

proven clinically effective in the treatment of most athlete's foot (tinea pedis) and ringworm (tinea corporis)

prevents the recurrence of most athlete's foot with daily use

for effective relief of itching, burning, cracking, redness and scaling

## Warnings

For external use only.

### Do not use

on children under 2 years of age unless directed by a doctor.

## When using this product

avoid contact with the eyes.

## Stop use and consult a doctor if

- irritation occurs
- there is no improvement within 4 weeks

## Keep out of reach of children.

If accidental ingestion occurs, get medical help or contact a Poison Control Center right away.

### **Directions**

- clean the affected area and dry thoroughly
- apply a thin layer of the product over the affected area twice daily (morning and night) or as directed by a doctor
- supervise children in the use of this product

- for athlete's foot: pay special attention to spaces between the toes; wear well-fitting, ventilated shoes, and change shoes and socks at least once daily
- for athlete's foot and ringworm, use daily for 4 weeks.
- if condition persists longer, consult a doctor
- to prevent athlete's foot: wash the feet and dry thoroughly; apply a thin layer of the product to the feet once or twice daily (morning and/or night)
- this product is not effective on the scalp or nails

### Other information

- SHAKE WELL BEFORE USE
- store at room temperature 15°-30°C (59° 86°F)
- protect from freezing; if freezing occurs, warm to room temperature
- keep tightly closed when not in use

## Inactive ingredient

WATER, GLYCERIN, SCLEROTIUM GUM, PHENOXYETHANOL, DISODIUM EDTA, ETHYLHEXYLGLYCERIN, XANTHAN GUM

### Questions?

Call 1-866-964-0939

## **Principal Display Panel**

meijer

MAXIMUM STRENGTH

**Antifungal Liquid** 

**TOLNAFTATE 1%/ANTIFUNGAL** 

COMPARE TO FUNGI-NAIL ACTIVE INGREDIENT

PROVEN CLINICALLY EFFECTIVE IN THE TREATMENT OF FUNGUS ON FINGERS, TOES & SKIN AROUND NAILS

Prevents the recurrence of most athlete's foot with daily use

Relieves itching, burning & scaling

With moisturizing ingredients

Built-in brush for easy application

SHAKE WELL BEFORE USE

1 FL. OZ. (30 mL)

# meijer

MAXIMUM STRENGTH

## Antifungal Liquid

**TOLNAFTATE 1%/ ANTIFUNGAL** 

### DO NOT USE IF NECKBAND IS BROKEN

### **Drug Facts**

Active ingredient Purpose
Tolnaftate 1%......Antifungal

#### Uses

- proven clinically effective in the treatment of most athlete's foot (tinea pedis) and ringworm (tinea corporis)
  prevents the recurrence of most athlete's feet with deliberary feet.
- prevents the recurrence of most athle foot with daily use
   for effective relief of itching, burning, cracking, redness and scaling

### Warnings

For external use only.

Do not use on children under 2 years of age unless directed by a doctor.

When using this product avoid contact

Stop use and ask a doctor if
■ irritation occurs
■ there is no improvement within 4 weeks Keep out of reach of children. If accidental ingestion occurs, get medical help or contact a Poison Control Center right away.

- a Poison Control Center right away.

  Directions

  I clean the affected area and dry thoroughly

  apply a thin layer of the product over the
  affected area twice daily (morning and night)
  or as directed by a doctor

  supervise children in the use of this product
  for athlete's foot pay special attention to
  spaces between the toes; wear well-fitting,
  ventilated shoes, and change shoes and socks
  at least once daily
  for athlete's foot and ringworm, use daily
  for 4 weeks
- for 4 weeks
- tor 4 weeks

  if condition persists longer, consult a doctor

  to prevent athlete's foot: wash the feet and dry
  thoroughly, apply a thin layer of the product to the
  feet once or twice daily (morning and/or night)

  this product is not effective on the scalp or nails

### Other information

- SHAKE WELL BEFORE USE
   store at room temperature 15°-30°C (59°-86°F
   protect from freezing; if freezing occurs,
- warm to room temperature

  keep tightly closed when not in use

Inactive ingredients WATER, GLYCERIN, SCLEROTIUM GUM, PHENOXYETHANOL, DISODIUM EDTA. ETHYLHEXYLGLYCERIN, XANTHAN GUM.

Questions? Call 1-866-964-0939

Treats and helps stop the spread of fungal infections on cuticles, around nail edges, and skin under nail tips where reachable with applicator brush. Topical antifungal treatment will not penetrate hard nail surfaces.

Non-oily formula Built-in brush for easy application SHAKE WELL BEFORE USE

DIST. BY MEIJER DISTRIBUTION, INC. GRAND RAPIDS, MI 49544 www.meijer.com MADE IN CANADA





\*This product is not manufactured or distributed by Kramer Laboratories, Inc., owner of the registered trademark Fungi-Nail®.

### PID 4896194



NDC XXXXX-XXXX-X

# meijer

MAXIMUM STRENGTH

## **Antifungal** Liquid

**TOLNAFTATE 1%/** ANTIFUNGAL

> **COMPARE TO** FUNGI-NAIL® ACTIVE INGREDIENT

PROVEN CLINICALLY **EFFECTIVE IN THE** TREATMENT OF FUNGUS ON FINGERS, TOES & SKIN AROUND NAILS

Prevents the recurrence of most athlete's foot with daily use

Relieves itching. burning & scaling

With moisturizing ingredients

Built-in brush for easy application

1 FL. OZ. (30 mL)



meijer MAXIMUM STRENGTH **Antifungal** Liquid TOLNAFTATE 1%/ ANTIFUNGAL

1 FL. OZ. (30 mL)

Actual Size

53-121ME-01



**TOLNAFTATE 1%/** ANTIFUNGAL

SHAKE WELL BEFORE USE

1 FL. OZ. (30 mL)

athlete's foot: wash the feet and dry thoroughly; apply a thin layer of years of age unless directed by a doctor. When using this product avoid contact with the eyes. Stop use and ask a doctor if irritation or contact a Poison Control Center right away. *Directions:* Clean the over the affected area twice daily (moming and night) or as directed **Warnings: For external use only. Do not use** on children under 2 wear well-fitting, ventilated shoes, and change shoes and socks at reach of children. If accidental ingestion occurs, get medical help affected area and dry thoroughly. Apply a thin layer of the product occurs or there is no improvement within 4 weeks. Keep out of the product to the feet once or twice daily (morning and/or night). athlete's foot; pay special attention to spaces between the toes; least once daily. For athlete's foot and ringworm, use daily for 4 weeks. If condition persists longer, consult a doctor. To prevent by a doctor. Supervise children in the use of this product. For

temperature 15-30°C (59'-86°F). Protect from fræzing. If fræzing Other information: SHAKE WELL BEFORE USE. Store at room occurs, warm to room temperature. Keep tightly closed when not in use. Keep packaging for complete drug facts information. PHENOXYETHANOL, DISODIUM EDTA, ETHYLHEXYLGLYCERIN, This product is not effective on the scalp or nails. Inactive Ingredients: WATER, GLYCERIN, SCLEROTIUM GUM. Questions? Call 1-866-964-0939 DIST. BY MEIJER DISTRIBUTION, INC. GRAND RAPIDS, MI 49544 www.meijer.com XANTHAN GUM.

50-121ME-01

MADE IN CANADA

## ANTIFUNGAL LIQUID MAXIMUM STRENGTH

tolnaftate liquid

**DO NOT USE IF NECKBAND IS BROKEN** 

**4ctive ingredient** Tolnaftate (1%)

| <b>Product Information</b> | oduct Information |                    |                |  |
|----------------------------|-------------------|--------------------|----------------|--|
| Product Type               | HUMAN OTC DRUG    | Item Code (Source) | NDC:79481-0604 |  |
| Route of Administration    | TOPICAL           |                    |                |  |

| Active Ingredient/Active Moiety                              |                          |               |
|--|--------------------------|---------------|
| Ingredient Name  | <b>Basis of Strength</b> | Strength      |
| TOLNAFTATE (UNII: 06KB629TKV) (TOLNAFTATE - UNII:06KB629TKV) | TOLNAFTATE               | 10 mg in 1 mL |

| Inactive Ingredients                  |          |  |
|---------------------------------------|----------|--|
| Ingredient Name                       | Strength |  |
| ETHYLHEXYLGLYCERIN (UNII: 147D247K3P) |          |  |
| EDETATE DISODIUM (UNII: 7FLD91C86K)   |          |  |
| PHENOXYETHANOL (UNII: HIE492ZZ3T)     |          |  |
| BETASIZOFIRAN (UNII: 2X51AD1X3T)      |          |  |
| WATER (UNII: 059QF0KO0R)              |          |  |
| GLYCERIN (UNII: PDC6A3C0OX)           |          |  |
| XANTHAN GUM (UNII: TTV12P4NEE)        |          |  |

| Pa | ackaging  |                     |                         |                       |
|----|-----------|---------------------|-------------------------|-----------------------|
| #  | Item Code | Package Description | Marketing Start<br>Date | Marketing End<br>Date |

| 1                     | NDC:79481-<br>0604-1  | 1 in 1 CARTON  | 03/14/2024              |                       |  |
|-----------------------|-----------------------|--|-------------------------|-----------------------|--|
| 1                     |                       | 30 mL in 1 BOTTLE, WTH APPLICATOR; Type 0: Not a Combination Product |                         |                       |  |
|                       |                       |  |                         |                       |  |
| Marketing Information |                       |  |                         |                       |  |
|                       | Marketing<br>Category | Application Number or Monograph<br>Citation                          | Marketing Start<br>Date | Marketing End<br>Date |  |

03/14/2024

## **Labeler - Meijer Distribution Inc. (006959555)**

OTC Monograph Drug M005

Revised: 3/2024 Meijer Distribution Inc.