

70% ISOPROPYL ALCOHOL WIPES- isopropyl alcohol cloth
Zhejiang Yiwu Mingou Biotechnology Co., Ltd.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

78536-009 70% Isopropyl Alcohol Wipes

Isopropyl Alcohol 70%

First aid antiseptic

USE

first aid to help prevent the risk of infection in
minor cuts scrapes burns

Warning

For external use only.

Flammable

Keep away from fire or flame, heat, spark, electrical

Ask a doctor before use if you have deep or puncture wounds, animal bites or serious burns

when using this product m do not get into eyes

do not apply over large areas

do not use longer than 1 week unless directed by a doctor

Stop use and ask a doctor if condition persists or gets worse

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away

Directions

clean affected area

apply product on the affected area of the body 1 to 3 times a day

may be covered with a sterile bandage

if bandaging, let dry first

Other Information

Do not apply internally. Keep canister tightly closed and at controlled room temperature. Hold away from face when opening.

Inactive ingredients

Purified water



70% Isopropyl Alcohol Wipes

First Aid Antiseptic
For treatment in minor cuts and scrapes

100
Count

WARNING FLAMMABLE KEEP OUT OF REACH OF CHILDREN
See back and side panels for additional information. Keep away from heat, spark, electrical, fire or flame.
5.9 inch X 7.1 inch wipes

DO NOT USE IF TAMPER-EVIDENT PASTIC SEAL UNDER THE LID IS MISSING OR BROKEN

Drug Facts	Purpose	Drug Facts (continued)
Active Ingredient Isopropyl alcohol 70% First aid antiseptic		Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.
Uses First aid to help prevent the risk of infection in: • minor cuts • scrapes • burns		Directions • Clean affected area • Apply product on the affected area of the body 1 to 3 times a day • May be covered with a sterile bandage • If bandaging, let dry first.
Warnings For external use only.		Other information • Do not apply internally. Keep container tightly closed and at controlled room temperature. Hold away from face when opening.
Flammable • Keep away from fire or flame, heat, spark, electrical • Ask a doctor before use if you have deep or puncture wounds, animal bites or serious burns		Inactive Ingredient Purified water
When using this product: • do not get into eyes • do not use longer than 1 week unless directed by a doctor		Questions or comments? Call 1-866-200-8310 (M-F: 9am-4pm)
Stop use and ask a doctor if condition persists or gets worse		

Manufactured in China for FSA Stores, Inc.
601 W 26th St, 3rd Floor
STE 357 DPT # 24075
New York, NY 10001
Customer Help Line:(866)200-8310



Lot: CM202305
MFG: 2023/05/05
EXP: 2026/05/04

70% ISOPROPYL ALCOHOL WIPES

isopropyl alcohol cloth

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:78536-009
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ISOPROPYL ALCOHOL (UNII: ND2M416302) (ISOPROPYL ALCOHOL - UNII:ND2M416302)	ISOPROPYL ALCOHOL	70 mL in 100 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:78536-009-01	12 in 1 CARTON	08/20/2023	
1		100 in 1 BOTTLE		
1		4.2 mL in 1 CONTAINER, FLEXIBLE INTERMEDIATE BULK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333A	08/20/2023	

Labeler - Zhejiang Yiwu Mingou Biotechnology Co., Ltd. (554535538)

Establishment

Name	Address	ID/FEI	Business Operations
Zhejiang Yiwu Mingou Biotechnology Co., Ltd.		554535538	manufacture(78536-009)

Revised: 8/2023

Zhejiang Yiwu Mingou Biotechnology Co., Ltd.