

**TOLNAFATE- tolnaftate powder spray aerosol, spray
Meijer Distribution Inc.**

Meijer Tolnaftate Powder Spray - Talc Free

Active ingredient

Tolnaftate 1%

Purpose

Antifungal

Uses

- cures most athlete's foot (tinea pedis), ringworm (tinea corporis) and jock itch (tinea cruris)
- can prevent recurrence of most athlete's foot
- relieves symptoms of athlete's foot, including itching, burning, craking, and chafing associated with jock itch

Warnings

For external use only.

Flammable:

Do not use while smoking or flame. Do not puncture or incinerate. Contents under pressure. Do not store at temperature above 120°F. Intentional misuse by deliberately concentrating and inhaling contents can be harmful or fatal.

When using this product

- avoid contact with the eyes or mouth
- use only as directed

Stop use and ask a doctor if

- irritation occurs
- no improvement within 2 weeks

Do not use

on children under 2 years of age unless directed by a doctor.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- wash affected area and dry thoroughly
- shake can well and spray a thin layer over affected area twice daily (morning and night) or as directed by a doctor
- supervise children in the use of this product
- to prevent athlete's foot, apply once or twice daily (morning and/or night)
- for athlete's foot: pay special attention to spaces between the toes, wear well-fitting, ventilated shoes and change shoes and socks at least once daily
- use daily for 4 weeks for athlete's foot and ringworm; use daily for 2 weeks for jock itch
- if conditions persist, consult a doctor
- this product is not effective on the scalp or nails
- if nozzle clogs, clean with a pin

Other information

store between 20° and 30°C (68°F and 86°)

Inactive ingredients

BHT, Isobutane, Kaolin, PPG-12-Buteth-16, SD Alcohol 40-B, Zea Mays (Corn) Starch

Questions?

call 1-866-964-0939

Principal Display Panel

Meijer

Antifungal

Powder Spray

Tolnaftate 1%/Antifungal

- Cures most athlete's foot & Prevents Recurrences
- Relieves itching & burning
- Talc free

NET WT. 4.6 OZ. (130g)



Antifungal Powder Spray

TOLNAFTATE 1%/ANTIFUNGAL

COMPARE TO TINACTIN®
ATHLETE'S FOOT POWDER
SPRAY ACTIVE INGREDIENT*

CURES MOST ATHLETE'S FOOT &
PREVENTS RECURRENCES

Relieves itching, cracking & burning
Talc-free

NET WT. 4.6 OZ. (130 g)

* This product is not manufactured or distributed by Bayer HealthCare LLC, owner of the registered trademark Tinactin®.

Drug Facts	
Active ingredient	Purpose
Tolnaftate 1%.....	Antifungal
Uses ■ cures most athlete's foot (tinea pedis), ringworm (tinea corporis) and jock itch (tinea cruris) ■ can prevent recurrence of most athlete's foot ■ relieves symptoms of athlete's foot, including itching, burning, cracking, and chafing associated with jock itch	
Warnings	
For external use only.	
Flammable: Do not use while smoking or near heat or flame. Do not puncture or incinerate. Contents under pressure. Do not store at temperature above 120°F. Intentional misuse by deliberately concentrating and inhaling contents can be harmful or fatal.	
When using this product ■ avoid contact with the eyes or mouth ■ use only as directed	
Stop use and ask a doctor if ■ no improvement within 4 weeks for athlete's foot and ringworm; 2 weeks for jock itch ■ irritation occurs	
Do not use on children under 2 years of age unless directed by a doctor.	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions	
■ wash affected area and dry thoroughly	
■ shake can well and spray a thin layer over affected area twice daily (morning and night) or as directed by a doctor	
■ supervise children in the use of this product	
■ to prevent athlete's foot, apply once or twice daily (morning and/or night)	
■ for athlete's foot, pay special attention to spaces between the toes; wear well-fitting, ventilated shoes and change shoes and socks at least once daily	
■ use daily for 4 weeks for athlete's foot and ringworm; use daily for 2 weeks for jock itch	
■ if condition persists, consult a doctor	
■ this product is not effective on the scalp or nails	
■ if nozzle clogs, clean with a pin	
Other information	
store between 20° and 30°C (68° and 86°F)	
Inactive ingredients	
BHT, isobutane, kaolin, PPG-12-buteth-16, SD alcohol 40-B, zea mays (corn) starch	
Questions? Call 1-866-964-0939	



DIST. BY MEIJER DISTRIBUTION, INC.
GRAND RAPIDS, MI 49544
www.meijer.com
MADE IN USA WITH U.S.
AND IMPORTED PARTS



50-105ME-01

TOLNAFATE

tolnaftate powder spray aerosol, spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:79481-0607
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TOLNAFTATE (UNII: 06KB629TKV) (TOLNAFTATE - UNII:06KB629TKV)	TOLNAFTATE	10 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
ISOBUTANE (UNII: BXR49TP611)	
KAOLIN (UNII: 24H4NWX5CO)	
PPG-12-BUTETH-16 (UNII: 58CG7042J1)	

ALCOHOL (UNII: 3K9958V90M)

ZEA MAYS SUBSP. MAYS WHOLE (UNII: 1G5HNE09V8)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:79481-0607-1	130 g in 1 CAN; Type 0: Not a Combination Product	08/18/2023	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M005	08/18/2023	

Labeler - Meijer Distribution Inc. (006959555)

Revised: 1/2024

Meijer Distribution Inc.