

TYLENOL 8 HR ARTHRITIS PAIN- acetaminophen tablet, film coated, extended release

Johnson & Johnson Consumer Inc.

Tylenol 8 HR Arthritis Pain

Drug Facts

Active ingredient (in each caplet)

Acetaminophen 650 mg

Purpose

Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
 - minor pain of arthritis
 - muscular aches
 - backache
 - premenstrual and menstrual cramps
 - the common cold
 - headache
 - toothache
- temporarily reduces fever

Warnings

Liver warning

This product contains acetaminophen. Severe liver damage may occur if you take

- more than 6 caplets in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert

acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If

you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

- if you are allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if you have liver disease

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning

In case of overdose, get medical help or contact a Poison Control Center right away. (**1-800-222-1222**) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not take more than directed (see overdose warning)**

adults	<ul style="list-style-type: none">▪ take 2 caplets every 8 hours with water▪ swallow whole; do not crush, chew, split or dissolve▪ do not take more than 6 caplets in 24 hours▪ do not use for more than 10 days unless directed by a doctor
under 18 years of age	<ul style="list-style-type: none">▪ ask a doctor

Other information

- store between 20-25°C (68-77°F)
- **do not use if carton is opened. Do not use if foil inner seal imprinted with "TYLENOL" is broken or missing**

Inactive ingredients

hydroxyethyl cellulose, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, povidone, pregelatinized starch, sodium starch glycolate, stearic acid

Questions or comments?

call **1-800-458-2014** (toll-free) or **215-273-8755** (collect)

PRINCIPAL DISPLAY PANEL

NDC 50580-575-03

TYLENOL[®] 8HR

ARTHRITIS PAIN

**Acetaminophen
Extended-release tablets**

Pain Reliever / Fever Reducer

For The Temporary Relief
Of Minor Arthritis Pain

*Capsule-Shaped
Bi-Layer Tablets

Actual Size

100 Caplets*
650 mg each



TYLENOL 8 HR ARTHRITIS PAIN

acetaminophen tablet, film coated, extended release

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:50580-575
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	650 mg

Inactive Ingredients				
Ingredient Name				Strength
HYDROXYETHYL CELLULOSE, UNSPECIFIED (UNII: T4V6TWG28D)				
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)				
MAGNESIUM STEARATE (UNII: 70097M6I3O)				
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)				
POVIDONE K30 (UNII: U725QWY32X)				
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)				
STEARIC ACID (UNII: 4ELV7Z65AP)				
SODIUM STARCH GLYCOLATE TYPE A (UNII: H8AV0SQX4D)				
Product Characteristics				
Color	white	Score	no score	
Shape	OVAL	Size	19mm	
Flavor		Imprint Code	TYLENOL;ER	
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50580-575-01	1 in 1 CARTON	01/30/2024	
1		24 in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:50580-575-02	1 in 1 CARTON	01/30/2024	
2		50 in 1 BOTTLE; Type 0: Not a Combination Product		
3	NDC:50580-575-03	1 in 1 CARTON	01/30/2024	
3		100 in 1 BOTTLE; Type 0: Not a Combination Product		
4	NDC:50580-575-06	1 in 1 CARTON	01/30/2024	
4		225 in 1 BOTTLE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA		ANDA211544	01/30/2024	

Labeler - Johnson & Johnson Consumer Inc. (878046358)