# VANADIUM BROMATUM- vanadium bromatum pellet Hahnemann Laboratories, INC.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# VANADIUM BROMATUM 6C

Min. net wt: 5g of pellets

### HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for dry cough.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

• If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

**Directions:** Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901
TWIST TO OPEN - USE ONLY IF SEALED

# Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 9490 TWIST TO OPEN - USE ONLY IF SEALED

# VANADIUM BROMATUM 6C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for dry cough.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for dry cough.

Warnings: • If pregnant or breast-feeding, ask a

health professional before use. 

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 5g of pellets

### HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for dry cough.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 30g of pellets

### HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for dry cough.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 100g of pellets

### HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for dry cough.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



# Hahnemann Labs Inc.

# VANADIUM **BROMATUM 30C**

Min. net wt: 1g **HOMEOPATHIC** MEDICINE Active ingredient: Listed above Use: Traditional use such as dry cough. Keep out of reach of children Directions: Take 5

sucrose

pellets orally once Inactive ingredients: 00000

# VANADIUM BROMATUM 30C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for dry cough.

Warnings: • If pregnant or breast-feeding, ask a

health professional before use. 

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



# VANADIUM BROMATUM 30C

Min. net wt: 30g of pellets

### HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for dry cough.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



# VANADIUM BROMATUM 30C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for dry cough.

Warnings: • If pregnant or breast-feeding, ask a

health professional before use. 

• If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



# Hahnemann Labs Inc.

# VANADIUM BROMATUM 100C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE
Active ingredient:
Listed above
Use:Traditional use
such as dry cough.
Keep out of reach
of children

Directions: Take 5 pellets orally once Inactive ingredients: Sucrose

00000

hnemann Labs Inc. 1940 Fourth St. San Rafael, CA
TWIST TO OPEN - USE ONLY IF SEALE

# Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 9490 TWIST TO OPEN - USE ONLY IF SEALED

# VANADIUM BROMATUM 100C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for dry cough.

Warnings: • If pregnant or breast-feeding, ask a

health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



# VANADIUM BROMATUM 100C

Min. net wt: 30g of pellets

### HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for dry cough.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



# VANADIUM BROMATUM 100C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for dry cough.

Warnings: • If pregnant or breast-feeding, ask a

health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



# Hahnemann Labs Inc.

# VANADIUM BROMATUM 200C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE
Active ingredient:
Listed above
Use:Traditional use
such as dry cough.
Keep out of reach
of children

Directions: Take 5
pellets orally once
Inactive ingredients:
sucrose

00000

nemann Labs Inc. 1940 Fourth St. San Rafael, C TWIST TO OPEN - USE ONLY IF SEAL

# VANADIUM BROMATUM 200C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for dry cough.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



# VANADIUM BROMATUM 200C

Min. net wt: 30g of pellets

### HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for dry cough.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



# VANADIUM BROMATUM 200C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for dry cough.

Warnings: • If pregnant or breast-feeding, ask a

health professional before use. 

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



# Hahnemann Labs Inc.

# VANADIUM BROMATUM 500C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE
Active ingredient:
Listed above
Use:Traditional use
such as dry cough.
Keep out of reach
of children
Directions: Take 5

pellets orally once Inactive ingredients: sucrose

00000

hnemann Labs Inc. 1940 Fourth St. San Rafael, C.
TWIST TO OPEN - USE ONLY IF SEALE

# VANADIUM BROMATUM 500C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for dry cough.

Warnings: • If pregnant or breast-feeding, ask a

health professional before use. 

• If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



# VANADIUM BROMATUM 500C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for dry cough.

Warnings: • If pregnant or breast-feeding, ask a

health professional before use. 

• If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



# VANADIUM BROMATUM 500C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for dry cough.

Warnings: • If pregnant or breast-feeding, ask a

health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



# Hahnemann Labs Inc.

# VANADIUM BROMATUM 1M

Min. net wt: 1g
HOMEOPATHIC
MEDICINE
Active ingredient:
Listed above
Use:Traditional use
such as dry cough.
Keep out of reach
of children

Directions: Take 5 pellets orally once Inactive ingredients: sucrose

00000

memann Labs Inc. 1940 Fourth St. San Rafael, C
TWIST TO OPEN - USE ONLY IF SEAL

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for dry cough.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 30g of pellets

### HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for dry cough.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for dry cough.

Warnings: • If pregnant or breast-feeding, ask a

health professional before use. 

• If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# VANADIUM BROMATUM LM1

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for dry cough.

Warnings: • If pregnant or breast-feeding, ask a

health professional before use. 

• If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

### **VANADIUM BROMATUM**

vanadium bromatum pellet

### **Product Information**

**Route of Administration** 

Product Type HUMAN OTC DRUG

**ORAL** 

Item Code (Source)

NDC:37662-3827

Active Ingredient/Active Moiety

	Ingredient Name	<b>Basis of Strength</b>	Strength
ı	VANADILIM(III) BROMIDE (LINII: KB5CDP6ZK3) (BROMIDE ION - LINII: 952902IX06)	VANADILIM(III) BROMIDE	100 [hp C]

Inactive Ingredients				
Ingredient Name	Strength			
SUCROSE (UNII: C151H8M554)				

Product Characteristics				
Color	white	Score	no score	
Shape	ROUND	Size	2mm	
Flavor		Imprint Code		
Contains				

P	Packaging						
#	Item Code	Package Description	Marketing Start Date	Marketing End Date			
1	NDC:37662- 3827-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	08/24/2023				
2	NDC:37662- 3827-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	08/24/2023				
3	NDC:37662- 3827-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	08/24/2023				
4	NDC:37662- 3827-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	08/24/2023				

Marketing Information					
lication Number or Monograph Citation	Marketing Start Date	Marketing End Date			
	08/24/2023				
,	_ ·	Citation Date			

vanadium bromatum pellet

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-3824	
Route of Administration	ORAL			

Active Ingredient/Active Moiety				
Ingredient Name	<b>Basis of Strength</b>	Strength		
VANADIUM(III) BROMIDE (UNII: KB5CDP6ZK3) (BROMIDE ION - UNII:952902IX06)	VANADIUM(III) BROMIDE	6 [hp_C]		

Inactive Ingredients			
Ingredient Name	Strength		
SUCROSE (UNII: C151H8M554)			

Product Characteristics				
Color	white	Score	no score	
Shape	ROUND	Size	3mm	
Flavor		Imprint Code		
Contains				

P	Packaging						
#	Item Code	Package Description	Marketing Start Date	Marketing End Date			
1	NDC:37662- 3824-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	08/24/2023				
2	NDC:37662- 3824-2	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	08/24/2023				
3	NDC:37662- 3824-3	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	08/24/2023				

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
unapproved homeopathic		08/24/2023			

vanadium bromatum pellet

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-3828	
Route of Administration	ORAL			

Active Ingredient/Active Moiety					
Ingredient Name	<b>Basis of Strength</b>	Strength			
VANADIUM(III) BROMIDE (UNII: KB5CDP6ZK3) (BROMIDE ION - UNII:952902IX06)	VANADIUM(III) BROMIDE	200 [hp_C]			

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics				
Color	white	Score	no score	
Shape	ROUND	Size	2mm	
Flavor		Imprint Code		
Contains				

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:37662- 3828-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	08/24/2023		
2	NDC:37662- 3828-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	08/24/2023		
3	NDC:37662- 3828-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	08/24/2023		
4	NDC:37662- 3828-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	08/24/2023		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		08/24/2023	

vanadium bromatum pellet

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-3830	
Route of Administration	ORAL			

# Active Ingredient/Active Moiety Ingredient Name Basis of Strength | Strength | VANADIUM(III) BROMIDE (UNII: KB5CDP6ZK3) (BROMIDE ION - UNII:952902IX06) | VANADIUM(III) BROMIDE | 1 [hp\_M]

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics				
Color	white	Score	no score	
Shape	ROUND	Size	2mm	

Flavor	Imprint Code	
Contains		

Ш	Packaging				
	# Item Code	Package Description	Marketing Start Date	Marketing End Date	
	NDC:37662- 3830-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	08/24/2023		
	NDC:37662- 3830-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	08/24/2023		
	NDC:37662- 3830-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	08/24/2023		
	NDC:37662- 3830-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	08/24/2023		

Marketing Information			
Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
	08/24/2023		
	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date	

vanadium bromatum pellet

<b>Product Information</b>			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-3831
Route of Administration	ORAL		

# Active Ingredient/Active Moiety Ingredient Name Basis of Strength | Strength | VANADIUM(III) BROMIDE (UNII: KB5CDP6ZK3) (BROMIDE ION - UNII:952902IX06) | VANADIUM(III) BROMIDE | 1 [hp\_Q]

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics				
Color	white	Score	no score	
Shape	ROUND	Size	1mm	
Flavor		Imprint Code		
Contains				

l	Packaging				
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date
		NDC:37662- 3831-1	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	08/24/2023	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		08/24/2023	
homeopathic		08/24/2023	

vanadium bromatum pellet

### **Product Information**

Product Type HUMAN OTC DRUG Item Code (Source) NDC:37662-3825

**Route of Administration** ORAL

### **Active Ingredient/Active Moiety**

Ingredient Name Basis of Strength Strength

VANADIUM(III) BROMIDE (UNII: KB5CDP6ZK3) (BROMIDE ION - UNII:952902IX06) VANADIUM(III) BROMIDE 12 [hp\_C]

### **Inactive Ingredients**

Ingredient Name Strength

SUCROSE (UNII: C151H8M554)

### **Product Characteristics**

Color	white	Score	no score
Shape	ROUND	Size	3mm
Flavor		Imprint Code	
Contains			

P	Packaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37662- 3825-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	08/24/2023	
2	NDC:37662- 3825-2	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	08/24/2023	
3	NDC:37662- 3825-3	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	08/24/2023	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		08/24/2023	

vanadium bromatum pellet

### **Product Information**

Product Type HUMAN OTC DRUG Item Code (Source) NDC:37662-3826

Route of Administration ORAL

### **Active Ingredient/Active Moiety**

Ingredient Name Basis of Strength Strength

VANADIUM(III) BROMIDE (UNII: KB5CDP6ZK3) (BROMIDE ION - UNII:952902IX06) VANADIUM(III) BROMIDE 30 [hp\_C]

### **Inactive Ingredients**

Ingredient Name	Strength

SUCROSE (UNII: C151H8M554)

Product Characteristics				
Color	white	Score	no score	
Shape	ROUND	Size	3mm	
Flavor		Imprint Code		
Contains				

### **Packaging Marketing Start Marketing End** # Item Code **Package Description Date Date** 1 NDC:37662-80 in 1 VIAL, GLASS; Type 0: Not a Combination 08/24/2023 3826-1 **Product** 2 NDC:37662-200 in 1 VIAL, GLASS; Type 0: Not a Combination 08/24/2023 3826-2 Product 3 NDC:37662-1200 in 1 BOTTLE, GLASS; Type 0: Not a 08/24/2023 3826-3 **Combination Product** 4 NDC:37662-4000 in 1 BOTTLE, GLASS; Type 0: Not a 08/24/2023 3826-4 **Combination Product**

### **Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		08/24/2023	

vanadium bromatum pellet

### **Product Information**

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-3829
--------------	----------------	--------------------	----------------

Route of Administration ORAL

### **Active Ingredient/Active Moiety**

Ingredient Name	<b>Basis of Strength</b>	Strenath
migreateric Haine	basis of strength	Julyu

VANADIUM(III) BROMIDE (UNII: KB5CDP6ZK3) (BROMIDE ION - UNII:952902IX06) VANADIUM(III) BROMIDE 500 [hp\_C]

### **Inactive Ingredients**

Ingredient Name	Strength

SUCROSE (UNII: C151H8M554)

### **Product Characteristics**

Color	white	Score	no score
Shape	ROUND	Size	2mm
Flavor		Imprint Code	
Contains			

**Packaging Marketing Start Marketing End** # Item Code **Package Description** Date Date 1 NDC:37662-200 in 1 VIAL, GLASS; Type 0: Not a Combination 08/24/2023 3829-1 **Product** 2 NDC:37662-500 in 1 VIAL, GLASS; Type 0: Not a Combination 08/24/2023 3829-2 Product 3 NDC:37662-3000 in 1 BOTTLE, GLASS; Type 0: Not a 08/24/2023 3829-3 **Combination Product** 4 NDC:37662-10000 in 1 BOTTLE, GLASS; Type 0: Not a 08/24/2023 3829-4 **Combination Product** 

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved homeopathic		08/24/2023		

## Labeler - Hahnemann Laboratories, INC. (147098081)

# Establishment Name Address ID/FEI Business Operations Hahnemann Laboratories, INC. 147098081 manufacture(37662-3825, 37662-3824, 37662-3826, 37662-3827, 37662-3829, 37662-3830, 37662-3831)

Revised: 8/2023 Hahnemann Laboratories, INC.