

## **PAIN TERMINATOR ANALGESIC- topical analgesic cream**

**Nan Mei Pharmaceutical Co., Ltd.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

### **PAIN Terminator Analgesic Cream**

Topical Analgesic

#### **Active Ingredients**

Menthol 2% - Topical Analgesic, Wintergreen Oil 0.5% - Topical Analgesic

#### **Indications**

For the temporary relief of minor aches of muscles and joints associated with:

- simple backache
- arthritis
- strains
- bruises
- sprains

#### **Directions**

Apply to affected area not more than 2 to 3 times daily. Try on small area first to test for sensitivity. Children under 4 years of age should not use, unless consulted by a physician.

#### **Warnings**

- **FOR EXTERNAL USE ONLY**
- Avoid contact with eyes or mucous membranes.
- Do not apply to wounds or damaged or irritated skin.
- Do not use if skin is sensitive, or have allergies to any ingredients in this product. Discontinue use and consult a doctor if signs of irritation or rash appear.
- In case of ingestion, seek professional assistance or contact a Poison Control Center immediately.
- If pregnant or breast feeding consult a doctor before use.
- **Keep out of reach of children.**

#### **Other Ingredients**

Jobba oil, paeonia veitchii radix, angelicae sinensis radix, carthami flos, pyritum, draconis resina, myrrha, ligustici rhizoma, acanthopanax cortex, achyranthis radix, atractylodis rhizoma, gentianae macrophyllae radix, pinelliae tuber, saussureae radix, cnidii monnieri fructus, cinnamomum cortex, dioscoreae tokoro rhizoma, jasmine oil, tourmaline.

**For Questions or Comments Call:**

**1 (800) 798-3977**

## PAIN Terminator sleeve for 50g tube.

PT Cream Sleeve for 50g Tube.jpg



NDC 67475-313-02  
Professional Grade  
For External Use

# Natural Herbal PAIN Terminator<sup>®</sup>

Fast-Acting Long-Lasting Analgesic Cream - Chinese Herbal Formula

Back Pain · Neck Pain · Arthritis · Carpal Tunnel · Sore Muscles · Aching Joints · Bruises · Tired Feet

### Drug Facts

#### Active Ingredients

Menthol 2% - Topical Analgesic, Wintergreen Oil 0.5% - Topical Analgesic

#### Indications

For the temporary relief of minor aches of muscles and joints associated with:

- simple backache
- arthritis
- strains
- bruises
- sprains

#### Directions

Apply to affected area not more than 2 to 3 times daily. Try on small area first to test for sensitivity. Children under 4 years of age should not use, unless consulted by a physician.

### Drug Facts (continued)

#### Warnings

##### ● FOR EXTERNAL USE ONLY.

- Avoid contact with eyes or mucous membranes.
- Do not apply to wounds or damaged or irritated skin.
- Do not use if skin is sensitive, or have allergies to any ingredients in this product. Discontinue use and consult a doctor if signs of irritation or rash appear.
- In case of ingestion, seek professional assistance or contact a Poison Control Center immediately.
- If pregnant or breast feeding consult a doctor before use.
- **Keep out of reach of children.**

### Drug Facts (continued)

#### Other Ingredients

Jojoba oil, paeonia veitchii radix, angelicae sinensis radix, carthami flos, pyritum, draconis resina, myrrha, ligustici rhizoma, acanthopanax cortex, achyranthis radix, atractylodis rhizoma, gentianae macrophyllae radix, pinelliae tuber, saussureae radix, cnidii monnieri fructus, cinnamonomi cortex, dioscoreae tokoro rhizoma, jasmine oil, tourmaline, indigo carmine, tartrazine.

**Contains** 1.77 oz (50 gm)    **Exp. Date:**

**For Questions or Comments Call: 1 (800) 798-3977**



## PAIN TERMINATOR ANALGESIC

topical analgesic cream

### Product Information

|                         |                |                    |                |
|-------------------------|----------------|--------------------|----------------|
| Product Type            | HUMAN OTC DRUG | Item Code (Source) | NDC:62699-3313 |
| Route of Administration | TOPICAL        |                    |                |

### Active Ingredient/Active Moiety

| Ingredient Name                                                         | Basis of Strength | Strength      |
|-------------------------------------------------------------------------|-------------------|---------------|
| MENTHOL (UNII: L7T10EP3A) (MENTHOL - UNII:L7T10EP3A)                    | MENTHOL           | .02 g in 1 g  |
| METHYL SALICYLATE (UNII: LAV5U5022Y) (SALICYLIC ACID - UNII:O414PZ4LPZ) | METHYL SALICYLATE | .005 g in 1 g |

### Inactive Ingredients

| Ingredient Name                                         | Strength      |
|---------------------------------------------------------|---------------|
| JOJOBA OIL (UNII: 724GKU717M)                           | .75 g in 1 g  |
| PAEONIA VEITCHII ROOT (UNII: VX6GD6M93V)                | .04 g in 1 g  |
| ANGELICA SINENSIS ROOT (UNII: B66F4574UG)               | .02 g in 1 g  |
| CARTHAMUS TINCTORIUS FLOWER BUD (UNII: B86IS274O0)      | .02 g in 1 g  |
| PYRITIDIUM (UNII: 0PFV70949S)                           | .02 g in 1 g  |
| DAEMONOROPS DRACO RESIN (UNII: 787Z7N9UCU)              | .02 g in 1 g  |
| MYRRH (UNII: JC71GJ1F3L)                                | .02 g in 1 g  |
| LIGUSTICUM SINENSE ROOT (UNII: 32SLT970XO)              | .015 g in 1 g |
| ELEUTHEROCOCCUS NODIFLORUS ROOT BARK (UNII: W7PRK433YB) | .1 g in 1 g   |
| ACHYRANTHES BIDENTATA ROOT (UNII: 5QIU26R6P1)           | .01 g in 1 g  |
| ATRACTYLODES JAPONICA ROOT (UNII: 58N5X5H9XU)           | .01 g in 1 g  |
| GENTIANA MACROPHYLLA ROOT (UNII: 6559FC0U1B)            | .006 g in 1 g |
| PINELLIA TERNATA ROOT (UNII: G9AET085M5)                | .006 g in 1 g |
| SAUSSUREA COSTUS ROOT (UNII: RUP970CGR9)                | .006 g in 1 g |
| CNIDIUM MONNIERI FRUIT (UNII: V1IA3S3CUS)               | .006 g in 1 g |
| CHINESE CINNAMON (UNII: WS4CQ062KM)                     | .005 g in 1 g |

|                                                      |                |
|------------------------------------------------------|----------------|
| <b>DIO SCOREA JAPONICA ROOT</b> (UNII: I43FCF3356)   | .005 g in 1 g  |
| <b>JASMINUM OFFICINALE FLOWER</b> (UNII: 0Q8K841432) | .003 g in 1 g  |
| <b>SCHORL TOURMALINE</b> (UNII: 173O8XLY6T)          | .003 g in 1 g  |
| <b>FD&amp;C BLUE NO. 2</b> (UNII: L06K8R7DQK)        | .0001 g in 1 g |
| <b>FD&amp;C YELLOW NO. 5</b> (UNII: I753WB2F1M)      | .0001 g in 1 g |

### Packaging

| # | Item Code        | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---------------------|----------------------|--------------------|
| 1 | NDC:62699-3313-1 | 500 g in 1 JAR      |                      |                    |
| 2 | NDC:62699-3313-2 | 12 in 1 BOX         |                      |                    |
| 2 |                  | 1 in 1 BOX          |                      |                    |
| 2 |                  | 50 g in 1 TUBE      |                      |                    |
| 3 | NDC:62699-3313-3 | 5 g in 1 TUBE       |                      |                    |

### Marketing Information

| Marketing Category      | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|-------------------------|------------------------------------------|----------------------|--------------------|
| OTC monograph not final | part348                                  | 02/23/2009           |                    |

**Labeler** - Nan Mei Pharmaceutical Co., Ltd. (656348505)

Revised: 4/2013

Nan Mei Pharmaceutical Co., Ltd.