

**ISOPROPYL ALCOHOL 50 PERCENT- isopropyl alcohol liquid  
TOP CARE (Topco Associates LLC)**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**Drug Facts**

**Active ingredient (by volume)**

Isopropyl alcohol (50% conc.)

**Purpose**

first aid antiseptic

**Uses**

first aid to help prevent the risk of infection in minor cuts, scrapes and burns

**Warnings**

**For external use only.**

- if taken internally, serious gastric disturbances will result

**Flammable, keep away from fire or flame.**

- **use only in a well-ventilated area; fumes may be toxic**

**Ask a doctor before use if you have**

deep or puncture wounds, animal bites or serious burns

**When using this product**

- do not get into eyes
- do not apply over large areas of the body
- do not use longer than one week unless directed by a doctor

**Stop use and ask a doctor if**

condition persists or gets worse

**Keep out of reach of children.**

In case of ingestion, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Directions**

- clean affected area
- apply small amount of this product on the area 1-3 times daily
- if bandaged, let dry first
- may be covered with a sterile bandage

**Other information**

- store at room temperature
- does not contain, nor is intended as a substitute for grain or ethyl alcohol

**Inactive ingredient**

purified water

**Questions or comments?**

Call toll free **1-888-423-0139**

**Principal Display Panel****50% Isopropyl Alcohol**

FIRST AID ANTISEPTIC

Helps prevent the risk of infection in:

- Minor cuts
- Minor scrapes
- Minor burns

FL OZ (mL)

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

Distributed by Topco Associates LLC

Elk Grove Village, IL 60007

topcare@topco.com

**Package Label**

NDC-36800-071-16



# 50% Isopropyl Alcohol

FIRST AID ANTISEPTIC

Helps Prevent the Risk of Infection in:

- Minor Cuts
- Minor Scrapes
- Minor Burns

16 FL OZ (1 PT) 473 mL

PLD-F222C LB005211

### Drug Facts

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

Active ingredient (by volume)	Purpose
Isopropyl alcohol (50% conc.)	First aid antiseptic

**Uses** first aid to help prevent the risk of infection in minor cuts, scrapes, and burns.

### Warnings

For external use only.

- if taken internally, serious gastric disturbances will result
- Flammable, keep away from fire or flame.
- use only in a well-ventilated area; fumes may be toxic

Ask a doctor before use if you have deep or puncture wounds, animal bites, or serious burns.

- When using this product**
- do not get into eyes
  - do not apply over large areas of the body
  - do not use longer than one week unless directed by a doctor

Stop use and ask a doctor if condition persists or gets worse.

Keep out of reach of children. In case of ingestion, get medical help or contact a Poison Control Center right away (1-800-222-1222).

### Directions

- clean affected area
- apply small amount of this product on the area 1-3 times daily
- if bandaged, let dry first
- may be covered with a sterile bandage

### Other information

- store at room temperature
- does not contain, nor is intended as a substitute for grain or ethyl alcohol

**Inactive ingredient** purified water

### Questions or comments?

Call toll free 1-888-423-0139

DISTRIBUTED BY TOPCO ASSOCIATES LLC, ELK GROVE VILLAGE, IL 60007 © TOPCO PLVA0521 QUESTIONS? 1-888-423-0139  
topcare@topco.com www.topcarebrand.com  
Visit here for more information: <http://topbrnds.com/48zzwd>



TOPCARE HEALTH 50% Isopropyl Alcohol

## ISOPROPYL ALCOHOL 50 PERCENT

isopropyl alcohol liquid

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:36800-071
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ISOPROPYL ALCOHOL (UNII: ND2M416302) (ISOPROPYL ALCOHOL - UNII:ND2M416302)	ISOPROPYL ALCOHOL	50 mL in 100 mL

**Inactive Ingredients**

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36800-071-16	473 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	10/31/2014	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333A	10/31/2014	

**Labeler** - TOP CARE (Topco Associates LLC) (006935977)

Revised: 12/2022

TOP CARE (Topco Associates LLC)