

**POCKET PEPTO PEPTO BISMOL- bismuth subsalicylate tablet**  
**Procter & Gamble Manufactura S de RL de CV**

-----  
**POCKET PEPTO**  
**Pepto Bismol®**  
**Bismuth Subsalicylate**  
**Upset Stomach Reliever/Antidiarrheal**  
**CHEWABLES CHERRY**

***Drug Facts***

**Active ingredient (in each tablet)**

Bismuth subsalicylate 262 mg

**Purpose**

Upset stomach reliever and antidiarrheal

**Uses**

relieves

- travelers' diarrhea
- diarrhea
- upset stomach due to overindulgence in food and drink, including:
  - heartburn
  - indigestion
  - nausea
  - gas
  - belching
  - fullness

**Warnings**

**Reye's syndrome:** Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

**Allergy alert: Contains salicylate. Do not take if you are**

- allergic to salicylates (including aspirin) • taking other salicylate products

**Do not use if**

you have

- an ulcer

- a bleeding problem
- bloody or black stool

**Ask a doctor before use if you have**

- fever
- mucus in the stool

**Ask a doctor or pharmacist before use if you are**

taking any drug for

- anticoagulation (thinning the blood)
- diabetes
- gout
- arthritis

**When using this product**

a temporary, but harmless, darkening of the stool and/or tongue may occur

**Stop use and ask a doctor if**

- symptoms get worse or last more than 2 days
- ringing in the ears or loss of hearing occurs
- diarrhea lasts more than 2 days

**If pregnant or breast feeding,** ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

- chew or dissolve in mouth
- adults and children 12 years and over: 2 tablets (1 dose) every 1/2 hour or 4 tablets (2 doses) every hour as needed for diarrhea
- 2 tablets (1 dose) every 1/2 hour as needed for overindulgence (upset stomach, heartburn, indigestion, nausea)
- do not exceed 8 doses (16 tablets) in 24 hours
- use until diarrhea stops but not more than 2 days
- children under 12 years: ask a doctor
- drink plenty of clear fluids to help prevent dehydration caused by diarrhea

**Other information**

- **each tablet contains:** calcium 140 mg, magnesium 9 mg
- salicylate 99 mg
- low sodium

- avoid excessive heat (over 104°F or 40°C)

### **Inactive ingredients**

adipic acid, calcium carbonate, D&C Red No. 27 aluminum lake, FD&C Red No. 40 aluminum lake, flavor, magnesium stearate, mannitol, povidone, saccharin sodium, talc

### **Questions?**

**1-800-717-3786**

**TAMPER EVIDENT: Do not use if the printed inner wrap is broken or missing.**

**MADE IN MEXICO**

**DIST. BY PROCTER & GAMBLE**

**CINCINNATI, OH 45202**

**PRINCIPAL DISPLAY PANEL - 12 Tablet Carton**

**POCKET PEPTO**

**Pepto Bismo<sup>®</sup>**

Bismuth Subsalicylate  
Upset Stomach Reliever/ Antidiarrheal


**CHEWABLES**

**CHERRY**

**5 SYMPTOMRELIEF**

NAUSEA  
HEARTBURN  
INDIGESTION  
UPSET STOMACH  
DIARRHEA

**12 CHEWABLE TABLETS**



## POCKET PEPTO PEPTO BISMOL

bismuth subsalicylate tablet

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:58933-017
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>BISMUTH SUBSALICYLATE</b> (UNII: 62TEY51RR1) (SALICYLIC ACID - UNII:O414PZ4LPZ)	BISMUTH SUBSALICYLATE	262 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>ADIPIC ACID</b> (UNII: 76A0JE0FKJ)	
<b>D&amp;C RED NO. 27 ALUMINUM LAKE</b> (UNII: ZK64F7XSTX)	
<b>SACCHARIN SODIUM</b> (UNII: SB8ZUX40TY)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>ALUMINUM OXIDE</b> (UNII: LMI26O6933)	
<b>CALCIUM CARBONATE</b> (UNII: H0G9379FGK)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>MANNITOL</b> (UNII: 3OWL53L36A)	
<b>POVIDONE</b> (UNII: FZ989GH94E)	

**Product Characteristics**

<b>Color</b>	pink	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	16mm
<b>Flavor</b>	CHERRY	<b>Imprint Code</b>	Pepto;Bismol
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58933-017-12	1 in 1 CARTON	06/01/2019	
1		12 in 1 VIAL, PLASTIC; Type 0: Not a Combination Product		
2	NDC:58933-017-24	2 in 1 CARTON	06/01/2019	
2		12 in 1 VIAL, PLASTIC; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M008	06/01/2019	

**Labeler** - Procter & Gamble Manufactura S de RL de CV (812807550)

Revised: 4/2026

Procter &amp; Gamble Manufactura S de RL de CV