

# **CHILDRENS COLD AND ALLERGY- brompheniramine maleate, phenylephrine hcl liquid**

**Best Choice (Valu Merchandisers Company)**

-----  
**Drug Facts**

## **Active ingredients (in each 10 mL)**

Brompheniramine maleate 2 mg

Phenylephrine HCl 5 mg

## **Purposes**

Antihistamine

Nasal decongestant

## **Uses**

- temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies
- temporarily relieves these symptoms due to hay fever (allergic rhinitis)
  - runny nose
  - itchy, watery eyes
  - sneezing
  - itching of the nose or throat
- temporarily restores freer breathing through the nose

## **Warnings**

### **Do not use**

- to sedate a child or to make a child sleepy
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

### **Ask a doctor before use if you have**

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- glaucoma
- trouble urinating due to an enlarged prostate gland

- a breathing problem such as emphysema or chronic bronchitis

**Ask a doctor or pharmacist before use if you are**

- taking any other oral nasal decongestant or stimulant
- taking sedatives or tranquilizers

**When using this product**

- **do not use more than directed**
- drowsiness may occur
- avoid alcoholic beverages
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

**Stop use and ask a doctor if**

- nervousness, dizziness or sleeplessness occur
- symptoms do not get better within 7 days or are accompanied by fever

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

**Directions**

- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided. Do not use any other dosing device.
- keep dosing cup with product
- mL = milliliter

age	dose
adults and children 12 years and over	20 mL every 4 hours
children 6 to 11 years	10 mL every 4 hours
children under 6 years	do not use

**Other information**

- **each 10 mL contains:** sodium 6 mg
- store between 20-25°C (68-77°F). Do not refrigerate.

**Inactive ingredients**

anhydrous citric acid, FD&C blue #1, FD&C red # 40, flavor, glycerin, propylene glycol, purified water, sodium benzoate, sorbitol, sucralose, trisodium citrate dihydrate

## Questions or comments?

Call **1-877-753-3935** Monday-Friday 9AM-5PM EST

## Principal Display Panel

**Compare to the active ingredients in Childreb's Dimetapp® Cold & Allergy\*\***

**Children's**

**Dibromm Cold & Allergy**

Brompheniramine maleate 2 mg

Antihistamine

Phenylephrine HCl 5 mg

Nasal decongestant

For relief of:

- Itchy, watery eyes
- Runny Nose
- Sneezing
- Stuffy nose
- Itching of the nose or throat

For ages 6 years and over

Alcohol-free

Grape Flavor

Dosing Cup Included

FL OZ (mL)

\*\*This product is not manufactured or distributed by Pfizer Consumer Healthcare, distributors of Children's Dimetapp® Cold & Allergy.

**TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF PRINTED SAFETY SEAL AROUND BOTTLE OR UNDER CAP IS BROKEN OR MISSING.**

PROUDLY DISTRIBUTED BY:

ASSOCIATED WHOLESALE GROCERS, INC.

KANSAS CITY, KANSAS 66106

**Package Label**

<b>Drug Facts</b> (continued)	
Age	Dose
adults and children 12 years and over	20 mL every 4 hours
children 6 to 11 years	10 mL every 4 hours
children under 6 years	do not use
<b>Other information</b>	
■ each 10 mL contains: sodium 6 mg	
■ store between 20-25°C (68-77°F). Do not refrigerate.	
<b>Inactive ingredients</b> citric acid, FD&C blue #1, FD&C red #40, flavox, glycerin, propylene glycol, purified water, sodium benzoate, sodium citrate dihydrate, sorbitol, sucralose	
<b>Questions or comments?</b> Call 1-877-753-3935 Monday-Friday 9AM-5PM EST	

\*\*This product is not manufactured or distributed by Pfizer Consumer Healthcare, distributor of Children's Dimetapp® Cold & Allergy.

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF PRINTED SAFETY SEAL AROUND BOTTLE OR UNDER CAP IS BROKEN OR MISSING.



Dosing Cup Included

**Best Choice,**  
100% Guaranteed

www.bestchoicebrand.com

PROUDLY DISTRIBUTED BY:  
ASSOCIATED WHOLESALE GROCERS, INC.  
KANSAS CITY, KANSAS 66106



Scan here for more product information.  
Call 1-844-292-1112 for more product information.

Best Choice®  
Compare to the active ingredients in  
Children's Dimetapp®  
Cold & Allergy

## Children's Dibromm Cold & Allergy

Brompheniramine maleate 2 mg  
Antihistamine  
Phenylephrine HCl 5 mg  
Nasal decongestant

**For relief of:**

- Itchy, watery eyes
- Runny nose
- Sneezing
- Stuffy nose
- Itching of the nose or throat

**Grape  
Flavor**

For ages 6 years and over  
Alcohol-free

4 FL OZ (118 mL)

Best Choice®  
Compare to the active ingredients in  
Children's Dimetapp®  
Cold & Allergy

## Children's Dibromm Cold & Allergy

Brompheniramine maleate 2 mg  
Antihistamine  
Phenylephrine HCl 5 mg  
Nasal decongestant

**For relief of:**

- Itchy, watery eyes
- Runny nose
- Sneezing
- Stuffy nose
- Itching of the nose or throat

**Grape  
Flavor**

For ages 6 years and over  
Alcohol-free

4 FL OZ (118 mL)

<b>Drug Facts</b>	
<b>Active ingredients (in each 10 mL)</b>	<b>Purposes</b>
Brompheniramine maleate 2 mg	Antihistamine
Phenylephrine HCl 5 mg	Nasal decongestant
<b>Uses</b>	
■ temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies	
■ temporarily relieves these symptoms due to hay fever (allergic rhinitis)	
■ runny nose	■ itchy, watery eyes
■ sneezing	■ itching of the nose or throat
■ temporarily restores freer breathing through the nose	
<b>Warnings</b>	
Do not use	
■ to sedate a child or to make a child sleepy	
■ if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug, if you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.	
<b>Ask a doctor before use if you have</b>	
■ heart disease	■ high blood pressure
■ thyroid disease	■ diabetes
■ trouble urinating due to an enlarged prostate gland	■ glaucoma
■ a breathing problem such as emphysema or chronic bronchitis	
<b>Ask a doctor or pharmacist before use if you are</b>	
■ taking any other oral nasal decongestant or stimulant	
■ taking sedatives or tranquilizers	
<b>When using this product</b>	
■ do not use more than directed	
■ drowsiness may occur	
■ avoid alcoholic beverages	
■ alcohol, sedatives, and tranquilizers may increase drowsiness	
■ be careful when driving a motor vehicle or operating machinery	
■ excitability may occur, especially in children	
<b>Stop use and ask a doctor if</b>	
■ nervousness, dizziness or sleeplessness occur	
■ symptoms do not get better within 7 days or are accompanied by fever	
<b>If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children.</b> In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.	
<b>Directions</b>	
■ do not take more than 6 doses in any 24-hour period	
■ measure only with dosing cup provided. Do not use any other dosing device.	
■ keep dosing cup with product	
■ mL = milliliter	

BEST CHOICE 61263 0923 PLD



0 70038 61263 6

PLD-G2600 FC008256

Lot No.:

Exp. Date:

**BEST CHOICE Children's Cold & Allergy**

## CHILDRENS COLD AND ALLERGY

brompheniramine maleate, phenylephrine hcl liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:63941-012
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>BROMPHENIRAMINE MALEATE</b> (UNII: IXA7C9ZN03) (BROMPHENIRAMINE - UNII:H57G17P2FN)	BROMPHENIRAMINE MALEATE	2 mg in 10 mL
<b>PHENYLEPHRINE HYDROCHLORIDE</b> (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg in 10 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>FD&amp;C BLUE NO. 1</b> (UNII: H3R47K3TBD)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>TRISODIUM CITRATE DIHYDRATE</b> (UNII: B22547B95K)	
<b>SORBITOL</b> (UNII: 506T60A25R)	
<b>SUCRALOSE</b> (UNII: 96K6UQ3ZD4)	
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)	

## Product Characteristics

<b>Color</b>		<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	GRAPE	<b>Imprint Code</b>	
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63941-012-04	1 in 1 BOX	06/30/2015	
1		118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	06/30/2015	

**Labeler** - Best Choice (Valu Merchandisers Company) (868703513)

Revised: 3/2024

Best Choice (Valu Merchandisers Company)