ISOPROPYL ALCOHOL- isopropyl alcohol liquid Epic Medical Supply Corp.

Isopropyl Alcohol 91%

Drug Facts

Active ingredient

Isopropyl alcohol 91%

Purpose

First Aid Antiseptic

Uses

- first aid to help prevent the risk of infection in:
 - minor cuts
 - scrapes
 - burns

Warnings

For external use only

Flammable

• keep away from fire or flame, heat, spark, electrical. Flash point 72°F.

Ask a doctor before use if you havedeep or puncture wounds, animal bites or serious burns

When using this product

- do not get into eyes
- do not apply over large areas of the body
- do not use longer than 1 week unless directed by a doctor

Stop use and ask a doctor if condition persists or gets worse

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- clean the affected area
- apply 1 to 3 times daily

Other information

- does not contain, nor is intended as a substitute for grain or ethyl alcohol
- will produce serious gastric disturbances if taken internally

Inactive ingredient

purified water

PRINCIPAL DISPLAY PANEL

Epic Medical Supply
91% by Volume
ISOPROPYL ALCOHOL

First Aid Antiseptic

Square bottle uses less plastic than a similarly sized round bottle

Recyclable (If available in your area)

TAMPER EVIDENT CAP FOR YOUR PROTECTION.

IF RING-BAND IS DETACHED FROM CAP OR MISSING DO NOT USE.


Warning

Flammable

Manufactured for Epic Medical Supply Corp

Lakewood New Jersey 08701

www.epicmedsupply.com



16 FL. OZ. (473 mL)

Drug Facts

Active ingredient Purpose Isopropyl alcohol 91%.... First Aid Antiseptic

Uses• first aid to help prevent the risk of infection in • minor cuts • scrapes • burns

Warnings For external use only

Flammable

- keep away from fire or flame, heat, spark, electrical.
 Flash point 72°F.
- do not use with electrocautery procedures.

Ask a doctor before use if you have deep or puncture wounds, animal bites or serious burns

When using this product - do not get into eyes - do not apply over large areas of the body - do not use longer than 1 week unless directed by a doctor

Stop use and ask a doctor if condition persists or gets worse

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions • clean the affected area

apply 1 to 3 times daily

Other information does not contain, nor is intended as a substitute for grain or ethyl alcohol will produce serious gastric disturbances if taken internally

Inactive ingredient purified water



ISOPROPYL ALCOHOL

isopropyl alcohol liquid

Product Type HUMAN OTC DRUG Item Code (Source) NDC:82749-004

Route of Administration TOPICAL

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
ISOPROPYL ALCOHOL (UNII: ND2M416302) (ISOPROPYL ALCOHOL - UNII:ND2M416302)	ISOPROPYL ALCOHOL	91 mL in 100 mL	

Inactive Ingredients				
	Ingredient Name	Strength		
WATER (UNII: 059QF0KO0R)				

Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
	NDC:82749- 004-16	473 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	03/13/2023		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M003	03/13/2023		

Labeler - Epic Medical Supply Corp. (101423894)

Revised: 10/2023 Epic Medical Supply Corp.