MANGANUM NITRICUM- manganum nitricum pellet Hahnemann Laboratories, INC.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

MANGANUM NITRICUM 6C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: • If pregnant or breast-feeding, ask a

health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 9490 TWIST TO OPEN - USE ONLY IF SEALED

MANGANUM NITRICUM 6C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

• If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 9496 TWIST TO OPEN - USE ONLY IF SEALED

MANGANUM NITRICUM 6C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 9496 TWIST TO OPEN - USE ONLY IF SEALED

MANGANUM NITRICUM 12C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 949 TWIST TO OPEN - USE ONLY IF SEALED

MANGANUM NITRICUM 12C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: • If pregnant or breast-feeding, ask a

health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

MANGANUM **NITRICUM 30C**

Min. net wt: 1g **HOMEOPATHIC** MEDICINE Active ingredient: Listed above

Use: Traditional use such as headache. Keep out of reach

of children

Directions: Take 5 pellets orally once Inactive ingredients: sucrose

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 9496 TWIST TO OPEN - USE ONLY IF SEALED

MANGANUM NITRICUM 30C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



MANGANUM NITRICUM 30C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



MANGANUM NITRICUM 30C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

MANGANUM NITRICUM 100C

Min. net wt: 1g HOMEOPATHIC MEDICINE Active ingredient:

Active ingredient: Listed above

Use: Traditional use

such as headache. Keep out of reach

of children

Directions: Take 5 pellets orally once Inactive ingredients: sucrose

00000

mann Labs Inc. 1940 Fourth St. San Rafael
TWIST TO OPEN - USE ONLY IF SE.

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 9490 TWIST TO OPEN - USE ONLY IF SEALED

MANGANUM NITRICUM 100C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



MANGANUM NITRICUM 100C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



MANGANUM NITRICUM 100C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

• If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

MANGANUM NITRICUM 200C

Min. net wt: 1g HOMEOPATHIC MEDICINE Active ingredient:

Listed above
Use:Traditional use

such as headache.

Keep out of reach

of children

Directions: Take 5 pellets orally once Inactive ingredients:

sucrose

00000

mann Labs Inc. 1940 Fourth St. San Rafael
TWIST TO OPEN - USE ONLY IF SEA

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 9490 TWIST TO OPEN - USE ONLY IF SEALED

MANGANUM NITRICUM 200C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



MANGANUM NITRICUM 200C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



MANGANUM NITRICUM 200C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

MANGANUM NITRICUM 500C

Min. net wt: 1g HOMEOPATHIC MEDICINE Active ingredient: Listed above

Use: Traditional use such as headache.

Keep out of reach

of children

Directions: Take 5 pellets orally once Inactive ingredients:

sucrose

00000

mann Labs Inc. 1940 Fourth St. San Rafael, TWIST TO OPEN - USE ONLY IF SEA

MANGANUM NITRICUM 500C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: • If pregnant or breast-feeding, ask a

health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



MANGANUM NITRICUM 500C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



MANGANUM NITRICUM 500C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

MANGANUM NITRICUM 1M

Min. net wt: 1g
HOMEOPATHIC
MEDICINE
Active ingredient:
Listed above
Use:Traditional use
such as headache.
Keep out of reach
of children

Directions: Take 5 pellets orally once Inactive ingredients: sucrose

00000

nemann Labs Inc. 1940 Fourth St. San Rafael, (

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: • If pregnant or breast-feeding, ask a

health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

MANGANUM NITRICUM LM1

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: • If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

MANGANUM NITRICUM

manganum nitricum pellet

100		100	ori	2	-10	210
				116		

Product Type HUMAN OTC DRUG

Route of Administration OF

ORAL

Item Code (Source)

NDC:37662-3879

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MANGANESE NITRATE TETRAHYDRATE (UNII: 03M0G68R5F) (NITRATE ION - UNII:T93E9Y2844)	MANGANESE NITRATE TETRAHYDRATE	1 [hp_Q]

Inactive Ingredients	
Ingredient Name	Strength

SUCROSE (UNII: C151H8M554)

Product Characteristics					
Color	white	Score	no score		
Shape	ROUND	Size	1mm		
Flavor		Imprint Code			
Contains					

l	Packaging						
	# Item Code	Package Description	Marketing Start Date	Marketing End Date			
	1 NDC:37662-3879-1	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	09/06/2023				

Marketing Information						
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date			
unapproved homeopathic		09/06/2023				

MANGANUM NITRICUM

Product Information						
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-3872			
Route of Administration	ORAL					

Active Ingredient/Active Moiety						
Ingredient Name	Basis of Strength	Strength				
MANGANESE NITRATE TETRAHYDRATE (UNII: 03M0G68R5F) (NITRATE ION - UNII:T93E9Y2844)	MANGANESE NITRATE TETRAHYDRATE	6 [hp_C]				

Inactive Ingredients					
Ingredient Name	Strength				
SUCROSE (UNII: C151H8M554)					

Product Characteristics						
Color	white	Score	no score			
Shape	ROUND	Size	3mm			
Flavor						
Contains						

P	Packaging							
#	Item Code	Package Description	Marketing Start Date	Marketing End Date				
1	NDC:37662- 3872-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	09/06/2023					
2	NDC:37662- 3872-2	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	09/06/2023					
3	NDC:37662- 3872-3	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	09/06/2023					

Marketing Information						
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date			
unapproved homeopathic		09/06/2023				

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-3878
Route of Administration	ORAL		

l	Active Ingredient/Active Moiety		
l	Ingredient Name	Basis of Strength	Strength
	MANGANESE NITRATE TETRAHYDRATE (UNII: 03M0G68R5F) (NITRATE ION - UNII:T93E9Y2844)	MANGANESE NITRATE TETRAHYDRATE	1 [hp_M]

Inactive Ingredients			
Ingredient Name	Strength		
SUCROSE (UNII: C151H8M554)			

Product Characterist	ics		
Color	white	Score	no score

Shape	ROUND	Size	2mm
Flavor		Imprint Code	
Contains			

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:37662- 3878-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	09/06/2023		
2	NDC:37662- 3878-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	09/06/2023		
3	NDC:37662- 3878-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	09/06/2023		
4	NDC:37662- 3878-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	09/06/2023		

Category Citation Date Date unapproved	Marketing In		
		_	Marketing End Date
nomeopatric	unapproved homeopathic	09/06/2023	

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-3874
Route of Administration	ORAL		

l	Active Ingredient/Active Moiety		
l	Ingredient Name	Basis of Strength	Strength
	MANGANESE NITRATE TETRAHYDRATE (UNII: 03M0G68R5F) (NITRATE ION - UNII:T93E9Y2844)	MANGANESE NITRATE TETRAHYDRATE	30 [hp_C]

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics			
Color	white	Score	no score
Shape	ROUND	Size	3mm
Flavor		Imprint Code	
Contains			

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:37662- 3874-1	80 in 1 VIAL, GLASS; Type 0: Not a Combination Product	09/06/2023			
2	NDC:37662- 3874-2	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	09/06/2023			
3	NDC:37662- 3874-3	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	09/06/2023			
4	NDC:37662- 3874-4	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	09/06/2023			

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved homeopathic		09/06/2023		

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-3876	
Route of Administration	ORAL			

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
MANGANESE NITRATE TETRAHYDRATE (UNII: 03M0G68R5F) (NITRATE ION - UNII:T93E9Y2844)	MANGANESE NITRATE TETRAHYDRATE	200 [hp_C]	

Inactive Ingredients			
Ingredient Name	Strength		
SUCROSE (UNII: C151H8M554)			

Product Characteristics				
Color white Score no score				
Shape	ROUND	Size	2mm	
Flavor		Imprint Code		
Contains				

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:37662- 3876-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	09/06/2023		
2	NDC:37662- 3876-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	09/06/2023		
3	NDC:37662- 3876-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	09/06/2023		
4	NDC:37662- 3876-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	09/06/2023		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved homeopathic		09/06/2023		

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-3875	
Route of Administration	ORAL			

Active Ingredient/Active Moiety			
l	Ingredient Name	Basis of Strength	Strength
	MANGANESE NITRATE TETRAHYDRATE (UNII: 03M0G68R5F) (NITRATE ION - UNII:T93E9Y2844)	MANGANESE NITRATE TETRAHYDRATE	100 [hp_C]

Inactive Ingredients			
Ingredient Name	Strength		
SUCROSE (UNII: C151H8M554)			

Product Characteristics				
Color white Score no score				
Shape	ROUND	Size	2mm	
Flavor		Imprint Code		
Contains				

Packaging			
# Item Code	Package Description	Marketing Start Date	Marketing End Date

1	NDC:37662- 3875-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	09/06/2023	
2	NDC:37662- 3875-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	09/06/2023	
3	NDC:37662- 3875-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	09/06/2023	
4	NDC:37662- 3875-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	09/06/2023	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		09/06/2023	

manganum nitricum pellet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-3873

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MANGANESE NITRATE TETRAHYDRATE (UNII: 03M0G68R5F) (NITRATE ION - UNII:T93E9Y2844)	MANGANESE NITRATE TETRAHYDRATE	12 [hp_C]

Inactive Ingredients		
Ingredient Name	Strength	
SUCROSE (UNII: C151H8M554)		

Product Characteristics				
Color	white	Score	no score	
Shape	ROUND	Size	3mm	
Flavor		Imprint Code		
Contains				

P	Packaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37662- 3873-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	09/06/2023	
,	NDC:37662-	1200 in 1 BOTTLE, GLASS; Type 0: Not a	00/06/2022	

4	3873-2	Combination Product	U 3 /UU/2U23	
3	NDC:37662- 3873-3	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	09/06/2023	

Marketing Information		
Marketing Application Number or Monograph Category Citation		Marketing End Date
	09/06/2023	
	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date

manganum nitricum pellet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-3877
---------------------	----------------	--------------------	----------------

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MANGANESE NITRATE TETRAHYDRATE (UNII: 03M0G68R5F) (NITRATE ION	MANGANESE NITRATE	500 [hp C]
- UNII:T93E9Y2844)	TETRAHYDRATE	200 [lib_C]

Inactive Ingredients

9	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

 Product Characteristics

 Color
 white
 Score
 no score

 Shape
 ROUND
 Size
 2mm

 Flavor
 Imprint Code

 Contains

Packaging								
#	Item Code	Package Description Marketing Start Date		Marketing End Date				
1	NDC:37662- 3877-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	09/06/2023					
2	NDC:37662- 3877-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	09/06/2023					
3	NDC:37662- 3877-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	09/06/2023					
4	NDC:37662- 3877-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	09/06/2023					

Marketing Information								
Application Number or Monograph Citation	Marketing Start Date	Marketing End Date						
	09/06/2023							
	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date						

Labeler - Hahnemann Laboratories, INC. (147098081)

Establishment						
Name	Address	ID/FEI	Business Operations			
Hahnemann Laboratories, INC.		147098081	manufacture(37662-3872, 37662-3873, 37662-3874, 37662-3876, 37662-3875, 37662-3877, 37662-3878, 37662-3879)			

Revised: 9/2023 Hahnemann Laboratories, INC.