

**PRIMA SANITIZING PRE AND POST TEAT DIP- hydrogen peroxide solution
DeLaval**

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

**DeLaval
Prima
Sanitizing pre and post teat dip
Sanitizante pre y post ordeno**

Sanitizing pre and post teat dip
Sanitizante pre y post ordeno

ACTIVE INGREDIENTS:

Hydrogen Peroxide 0.5%
with 5% Glycerin
Contains FD&C Yellow #6

H₂O₂

NPE FREE Formula

KEEP OUT OF REACH OF CHILDREN

!CAUTION

MANTENER FUERA DEL ALCANCE DE LOST NINOS

!CUIDADO

1266

NDC NUMBER: 55756-266

**SI USTED NO PUEDE LEER ESTA ETIQUETA POR FAVOR PIDA A ALGUIEN MAS
QUE SE LA LEA ANTES DE USAR ESTE PRODUCTO**

READ AND UNDERSTAND ALL INSTRUCTIONS BEFORE USING THIS PRODUCT

FIRST AID

Contact with product can cause irritation to eyes. Avoid contact with eyes.

If in Eyes: Flush with water. Remove contact lenses, if present, after first 5 minutes. Then continue rinsing. Get immediate medical attention.

If Swallowed: Do not induce vomiting. If victim is fully conscious, give a cupful of water. Never give anything by mouth to an unconscious person. Get immediate medical attention.

STORAGE AND DISPOSAL

THOROUGHLY RINSE ALL MEASURING DEVICES AND STORE OUT OF REACH OF CHILDREN. Avoid contact with food or feed. Avoid storing near heat or open flame. Keep container tightly closed when not in use. If product has frozen, store in a warm room and shake well before use. Do not reuse empty container. Rinse empty container

before disposing of in a safe manner. Do not store in direct sunlight.

CHEM-TREC EMERGENCY NUMBER 1-800-424-9300

Not for human use

Additional Information on Material Safety Data Sheet

GENERAL INSTRUCTIONS

- Use at full strength (Do not dilute.)
- Consult your veterinarian before using teat dip on a cow with sore or chapped teats.
- Thoroughly clean and sanitize teat dip foaming cup before each milking. Use fresh teat dip for each milking.
- Foaming solution should be changed if it becomes visibly dirty, or if sediment is introduced.
- Do not pour used dip back into original container.
- Do not use **DeLaval Prima™** for cleaning or sanitizing equipment.
- Good dairy practices suggest the thorough cleaning and sanitizing of teats before milking to avoid contamination and assist in the control of mastitis.

PRE-DIPPING

- Remove excess soil and forestrip. (If water is used, use minimal amount and dry thoroughly with clean, single-service paper towel before forestripping.)
- Dip teats with **DeLaval Prima™** to base of udder.
- Allow 15 to 30 seconds contact time.
- Dry teats thoroughly with a clean, single-service paper towel.
- Attach milking unit.

POST-DIPPING

- Immediately after removing milking unit, dip or spray teats with **DeLaval Prima™** teat dip. Do not wipe.
- If outside temperature is below freezing, allow **DeLaval Prima™** teat dip to air dry on teats before cow leaves the parlor; or allow teat dip to remain on teats for one minute, then dry teats with single-service paper towel. Failure to follow these instructions may result in frozen teats and injured animals.

Manufactured for: **DeLaval, Inc.**

11100 N. Congress Avenue

Kansas City, MO 64153

Phone: 816-891-7700


Manufactured by: WestAgro, Inc.

©2023, Made in USA

NET CONTENTS:

LOT NO.:

EXP. DATE:



KEEP OUT OF REACH OF CHILDREN



MANTENER FUERA DEL ALCANCE DE LOS NIÑOS



1266

NDC NUMBER: 55756-266

SI USTED NO PUEDE LEER ESTA ETIQUETA, POR FAVOR PIDA A ALGUIEN MAS QUE SE LA LEA ANTES DE USAR ESTE PRODUCTO

READ AND UNDERSTAND ALL INSTRUCTIONS BEFORE USING THIS PRODUCT

FIRST AID

Contact with product can cause irritation to eyes. Avoid contact with eyes.

If in Eyes: Flush with water. Remove contact lenses, if present, after first 5 minutes. Then continue rinsing. Get immediate medical attention.

If Swallowed: Do not induce vomiting. If victim is fully conscious, give a cupful of water. Never give anything by mouth to an unconscious person. Get immediate medical attention.

STORAGE AND DISPOSAL

THOROUGHLY RINSE ALL MEASURING DEVICES AND STORE OUT OF REACH OF CHILDREN. Avoid contact with food or feed. Avoid storing near heat or open flame. Keep container tightly closed when not in use. If product has frozen, thaw in a warm room and shake well before use. Do not reuse empty container. Rinse empty container before disposing of in a safe manner. Do not store in direct sunlight.

CHEM-TREC EMERGENCY NUMBER 1-800-424-9300

Not For Human Use

Additional Information on Safety Data Sheet

GENERAL INSTRUCTIONS

- Use at full strength. (Do not dilute.)
- Consult your veterinarian before using teat dip on a cow with sore or chapped teats.
- Thoroughly clean and sanitize teat dip foaming cup before each milking. Use fresh teat dip for each milking.
- Foaming solution should be changed if it becomes visibly dirty, or if sediment is introduced.
- Do not pour used dip back into original container.
- Do not use DeLaval Prima™ for cleaning or sanitizing equipment.
- Good dairy practices suggest the thorough cleaning and sanitizing of teats before milking to avoid contamination and assist in the control of mastitis.

PRE-DIPPING

- Remove excess soil and forestrip. (If water is used, use a minimal amount and dry thoroughly with clean, single-service paper towel before forestripping.)
- Dip teats with DeLaval Prima™ to base of udder.
- Allow 15 to 30 seconds contact time.
- Dry teats thoroughly with a clean, single-service paper towel.
- Attach milking unit.

POST-DIPPING

- Immediately after removing milking unit, dip or spray teats with DeLaval Prima™ teat dip. Do not wipe.
- If outside temperature is below freezing, allow DeLaval Prima™ teat dip to air-dry on teats before cow leaves the parlor, or allow teat dip to remain on teats for one minute, then dry teats with a single-service paper towel. Failure to follow these directions may result in frozen teats and injured animals.

Manufactured for DeLaval, Inc.
11100 N. Congress Avenue
Kansas City, MO 64153
Phone: 816-891-7700
Manufactured by: WestAgro, Inc.,
© 2024, Made in USA

NET CONTENTS: 55 US GAL. (208.2 L)

LOT NO.:

EXP. DATE:



7 320460 835701 >

Add image transcription here...

PRIMA SANITIZING PRE AND POST TEAT DIP

hydrogen peroxide solution

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:55756-266
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Hydrogen Peroxide (UNII: BBX060AN9V) (Hydrogen Peroxide - UNII:BBX060AN9V)	Hydrogen Peroxide	5.1 g in 1 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55756-266-08	19 L in 1 CONTAINER		
2	NDC:55756-266-02	56.8 L in 1 CONTAINER		
3	NDC:55756-266-01	208.4 L in 1 DRUM		

4 | NDC:55756-266-27 | 1042.2 L in 1 DRUM

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		01/01/2012	

Labeler - Delaval (173704867)

Registrant - WestAgro, Inc. (069288728)

Establishment

Name	Address	ID/FEI	Business Operations
WestAgro, Inc.		147528723	analysis, label, manufacture, pack, api manufacture

Establishment

Name	Address	ID/FEI	Business Operations
WestAgro, Inc.		095906480	analysis, label, manufacture, pack, api manufacture

Establishment

Name	Address	ID/FEI	Business Operations
JBZ Dairy Advantage Inc		016914287	repack

Establishment

Name	Address	ID/FEI	Business Operations
Graham Dairy Supply Inc		014157770	repack

Establishment

Name	Address	ID/FEI	Business Operations
WestAgro, Inc.		069288728	api manufacture, manufacture, pack, label

Revised: 4/2024

Delaval