# COPPERTONE EVERYTONE SUNSCREEN SPF 50- avobenzone 3%, homosalate 9%, octisalate 4.5%, octocrylene 9% spray Beiersdorf Inc

-----

## Coppertone EveryTone Lotion Spray SPF 50

# **Drug Facts**

### Active ingredients

Avobenzone 3%, Homosalate 9%, Octisalate 4.5%, Octocrylene 9%

### **Purpose**

Sunscreen

#### Use

■ helps prevent sunburn

# Warnings

# For external use only

Flammable: Do not use near heat, flame, or while smoking

Do not use on damaged or broken skin

# When using this product

- keep away from face to avoid breathing it
- keep out of eyes. Rinse with water to remove.
- use only as directed. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.
- do not puncture or incinerate. Contents under pressure. Do not store at temperatures above 120°F.

# Stop use and ask a doctor if rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

#### **Directions**

- shake well before each use
- spray liberally and spread evenly by hand 15 minutes before sun exposure
- hold container 4 to 6 inches from the skin to apply

- do not spray directly into face. Spray on hands then apply to face.
- do not apply in windy conditions
- use in a well-ventilated area
- reapply:
- after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
- limit time in the sun, especially from 10 a.m. 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

#### Other information

- protect this product from excessive heat and direct sun
- store between 20° to 25°C (68° to 77°F)
- may stain or damage some fabrics or surfaces

# Inactive ingredients

water, isobutane, SD alcohol 40-B (7.1% v/v), butyloctyl salicylate, diethylhexyl carbonate, glycereth-26, styrene/acrylates copolymer, butylene glycol, diisopropyl adipate, dimethicone, polyamide-8, isododecane, 1,2-hexanediol, ammonium acryloyldimethyltaurate/beheneth-25 methacrylate crosspolymer, glycerin, aloe barbadensis leaf juice, tocopherol (vitamin E), sodium ascorbyl phosphate, hydroxyacetophenone, ethylhexyl methoxycrylene, arachidyl alcohol, xanthan gum, behenyl alcohol, arachidyl glucoside, disodium EDTA

# **Questions?**

1-866-288-3330

Coppertone ® Senscreen Lotin Spray

EveryTone

Blends Clear on All Skin Tones

50

No White Residue

Hydrates for Radiant Skin

with Aloe & Nourishing Vitamin E Free of Oxybenzone, Octinoxate, PABA, and Phthalates Water Resistant (80 Minutes) **Broad Spectrum SPF 50** 





BLENDS CLEAR ON ALL SKIN TONES

NO WHITE RESIDUE

**Hydrates for Radiant Skin** with Aloe & Nourishing Vitamin E

> Free of Oxybenzone, Octinoxate, **PABA and Phthalates**

Water Resistant (80 Minutes) **Broad Spectrum SPF 50** 

NET WT 5 OZ (142 g)

#### **Drug Facts**

#### **Active ingredients**

(To Deliver) Avobenzone 3%, Homosalate 9%, Octisalate 4.5%, Octocrylene 9%

**Purpose** Sunscreen

USOS - halps prevent sunburn - if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

#### For external use only

Flammakie: Do not use near heat, flame, or while smolding

Do not use on damaged or broken skin

#### When using this produc

- keep away from face to avoid breathing it
- keep out of eyes. Rinse with water to remove.
   use only as directed. Intentional misuse by deliberately concentrating and inhaling the contents. can be harmful or fatal.
- m do not puncture or incinerate. Contents under pressure. Do not store at temperatures above 120°F. Stop use and sek a doctor it rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Diractions — shake well before each use. — spray liberally and spread evenly by hand 15 minutes before sun exposure — hold container 4 to 6 linches from the skin to apply — do not spray directly into face. Spray on hands then apply to face. — do not apply in windy conditions — use in a well-ventilated area — reapply: — after 80 minutes of swimming or sweating — immediately after towel drying — at least every 2 hours — Sum Protection Measures.

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, requiarly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection receiver bening time. protection measures including: ■ limit time in the sun, especially from 10 a.m. - 2 p.m. ■ wear long-sleeve shirts, pants, hats, and sunglasses children under 6 months: Ask a doctor

#### Other Information

- protect this product from excessive heat and direct sun
- store between 20" to 25°C (68" to 77"F)
- may stain or damage some fabrics or surfaces

inactive ingredients water, isobutane, SD alcohol 40-B (7.1% v/v), butyloctyl salicylate, diethylhexyl carbonate, glycereth-26, styrene/acrylates copolymer, butylene glycol, diisopropyl adipate, dimethicone, polyamide-8, isododecane, 1,2-hexanediol, ammonium acryloyldimethyltaurate/beheneth-25 methacrylate crosspolymer, glycerin, aloe barbadensis leaf juice, tocopherol (vitamin E), sodium ascorbyl phosphate, hydroxyacetophenone, ethylhexyl methoxycrylene, arachidyl alcohol, xanthan gum, behenyl alcohol, arachidyl glucoside, disodium EDTA

**Quastions?** 1-868-288-3330



00

#### COPPERTONE EVERYTONE SUNSCREEN SPF 50

avobenzone 3%, homosalate 9%, octisalate 4.5%, octocrylene 9% spray

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:66800-5049
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety			
Ingredient Name	<b>Basis of Strength</b>	Strength	
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	4.5 g in 100 g	
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	9 g in 100 g	
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	3 g in 100 g	
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	9 g in 100 g	

Inactive Ingredients	
Ingredient Name	Strength
XANTHAN GUM (UNII: TTV12P4NEE)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
GLYCERETH-26 (UNII: NNE56F2N14)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
HYDROXYACETOPHENONE (UNII: G1L3HT4CMH)	
DOCOSANOL (UNII: 9G10E216XY)	
ARACHIDYL GLUCOSIDE (UNII: 6JVW35JOOJ)	
WATER (UNII: 059QF0KO0R)	
SODIUM ASCORBYL PHOSPHATE (UNII: 836SJG51DR)	
ETHYLHEXYL METHOXYCRYLENE (UNII: S3KFG6Q5X8)	
ALCOHOL (UNII: 3K9958V90M)	
DIETHYLHEXYL CARBONATE (UNII: YCD5000Z6L)	
ISODODECANE (UNII: A8289P68Y2)	
ISOBUTANE (UNII: BXR49TP611)	
STYRENE/ACRYLAMIDE COPOLYMER (500000 MW) (UNII: 5Z4DPO246A)	
DIMETHICONE (UNII: 92RU3N3Y10)	
1,2-HEXANEDIOL (UNII: TR046Y3K1G)	
AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER (52000 MPA.S) (UNII: LZ291VH90H)	
GLYCERIN (UNII: PDC6A3C0OX)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
DISODIUM EDTA-COPPER (UNII: 6V475AX06U)	
POLYAMIDE-8 (4500 MW) (UNII: 77723GV81A)	
ARACHIDYL ALCOHOL (UNII: 1QR1QRA9BU)	
DIISOPROPYL ADIPATE (UNII: P7E6YFV72X)	
TOCOPHEROL (UNII: R0ZB2556P8)	

<b>Product Charact</b>	eristics		
Color	white (clear to white)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		142 g in 1 CAN; Type 0: Not a Combination Product	11/03/2023	
M	arketing l	nformation		
M		nformation  Application Number or Monograph	Marketing Start	Marketing End
M	arketing I  Marketing Category	nformation Application Number or Monograph Citation	Marketing Start Date	Marketing End Date

# Labeler - Beiersdorf Inc (001177906)

Revised: 10/2023 Beiersdorf Inc