HANSAN FOAM - alcohol aerosol, foam Nexgen

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Hansan Foam 4773 Drug Facts and Label

Drug Facts Box OTC-Active Ingredients Section

Ethyl Alcohol 62%

Drug Facts Box OTC-Purpose Section

Antiseptic

Drug Facts Box OTC-Indications and Usage Section

for hand-washing to decrease bacteria on the skin, only when water is not available

Drug Facts Box OTC-Warnings Section

Flammable, keep away from fire and flames

For external use only

Drug Facts Box OTC-When Using Section

do not get into eyes

if contact occurs, rinse eyes thoroughly with water

Drug Facts Box OTC-Stop Use Section

irritation and redness develop

Drug Facts Box OTC-Keep Out of Reach of Children Section

If swallowed, get medical help or contact a Poison Control Center right away

Drug Facts Box OTC-Dosage & Administration Section

press valve once to deliver one squirt (about a quarter size) of foaming product onto the palm of your hand

rub hands together and allow to dry without wiping

Drug Facts Box OTC-Inactive Ingredients Section

water, DEA-C8-18 perfluoroalkylethyl phosphate, cetearyl alcohol, polysorbate 65, dimethicone PEG-8 meadowfoamate, meadowfoamamidopropyl betaine, butane, propane, fragrance

Hansan Foam 4773 199g



WARNING: FLAMMABLE

CONTENTS UNDER PRESSURE KEEP OUT OF REACH OF CHILDREN

Do not puncture or incinerate. Do not store near fire or flame.
Do not expose to temperatures above 125°F.
Avoid contact with eyes. Use only according to label directions.
Call Regional Poison Control Center for
further assistance if necessary.

Drug Facts	
Active Ingredient Ethyl Alcohol 62%	Purpose Antiseptic
Use for hand-washing to decrease bacteria of when water is not available	on the skin, only
Warnings Flammable, keep away from fire and flames For external use only	5
When using this product ■ do not get into eyes ■ if contact occurs, rinse eyes thoroughly with	water
Stop use and ask a doctor if irritation and redness develop	
Keep out of reach of children. If swallowed, or contact a Poison Control Center right away	get medical help
Directions ■ press valve once to deliver of (about a quarter size) of foaming product onto hand ■ rub hands together and allow to dr	the palm of your
Inactive Ingredients water, DEA-C8- perfluoroalkylethyl phosphate, cetearyl alcoho dimethicone PEG-8 meadowfoamate,	

847730F6347.0912

Manufactured exclusively for:

meadowfoamamidopropyl betaine, butane, propane, fragrance

NEXGEN

Chatsworth, CA (800) 2NEXGEN www.nexgenproducts.net

HANSAN FOAM

alcohol aerosol, foam

Product Information Product Type HUMAN OTC DRUG Item Code (Source) NDC:49543-773 Route of Administration TOPICAL

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	620 mg in 1 g	

Inactive Ingredients			
Ingredient Name	Strength		
PROPANE (UNII: T75W9911L6)			
BUTANE (UNII: 6LV4FOR43R)			
WATER (UNII: 059QF0KO0R)			

F	ackaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49543-773-25	199 g in 1 CAN		
2	NDC:49543-773-26	454 g in 1 CAN		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333	12/31/2009	

Labeler - Nexgen (879362754)

Registrant - ABC Compounding Co., Inc. (003284353)

Establishment			
Name	Address	ID/FEI	Business Operations
ABC Compounding Company of Texas, Inc.		026219253	manufacture

Revised: 2/2010 Nexgen