GALLIUM MURIATICUM- gallium muriaticum pellet Hahnemann Laboratories, INC.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

GALLIUM MURIATICUM 6C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 9490
TWIST TO OPEN - USE ONLY IF SEALED

TWIST TO OPEN - USE ONLY IF SEALED

GALLIUM MURIATICUM 6C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

• If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

GALLIUM MURIATICUM 30C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE
Active ingredient:
Listed above
Use:Traditional use
such as nausea.
Keep out of reach
of children
Directions: Take 5
pellets orally once

00000

Inactive ingredients:

sucrose

nemann Labs Inc. 1940 Fourth St. San Rafael, C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea.

Warnings: • If pregnant or breast-feeding, ask a

health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

GALLIUM MURIATICUM 100C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE
Active ingredient:
Listed above
Use:Traditional use
such as nausea.
Keep out of reach
of children
Directions: Take 5
pellets orally once

00000

Inactive ingredients:

sucrose

emann Labs Inc. 1940 Fourth St. San Rafael, C.
TWIST TO OPEN - USE ONLY IF SEALE

GALLIUM MURIATICUM 100C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 9490 TWIST TO OPEN - USE ONLY IF SEALED

GALLIUM MURIATICUM 100C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



GALLIUM MURIATICUM 100C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

GALLIUM MURIATICUM 200C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE
Active ingredient:
Listed above
Use:Traditional use
such as nausea.
Keep out of reach
of children
Directions: Take 5
pellets orally once

00000

Inactive ingredients:

sucrose

emann Labs Inc. 1940 Fourth St. San Rafael, C

GALLIUM MURIATICUM 200C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea.

Warnings: • If pregnant or breast-feeding, ask a

health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



GALLIUM MURIATICUM 200C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



GALLIUM MURIATICUM 200C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea.

Warnings: • If pregnant or breast-feeding, ask a

health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

GALLIUM MURIATICUM 500C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE
Active ingredient:
Listed above
Use:Traditional use
such as nausea.
Keep out of reach
of children
Directions: Take 5
pellets orally once

00000

sucrose

Inactive ingredients:

nemann Labs Inc. 1940 Fourth St. San Rafael, CA

GALLIUM MURIATICUM 500C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



GALLIUM MURIATICUM 500C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



GALLIUM MURIATICUM 500C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

GALLIUM MURIATICUM 1M

Min. net wt: 1g
HOMEOPATHIC
MEDICINE
Active ingredient:
Listed above
Use:Traditional use
such as nausea.
Keep out of reach
of children
Directions: Take 5
pellets orally once

00000

sucrose

Inactive ingredients:

nemann Labs Inc. 1940 Fourth St. San Rafael, C TWIST TO OPEN - USE ONLY IF SEAL

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea.

Warnings: • If pregnant or breast-feeding, ask a

health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

GALLIUM MURIATICUM

gallium muriaticum pellet

100		100	ori	2	-10	210
				116		

Route of Administration

Product Type HUMAN OTC DRUG Item Code (Source)

NDC:37662-3909

ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
GALLIUM CHLORIDE (UNII: 4Y6GQD4915) (GALLIUM CATION - UNII:F7K5MP217W)	GALLIUM CHLORIDE	500 [hp_C]

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics				
Color	white	Score	no score	
Shape	ROUND	Size	2mm	
Flavor		Imprint Code		
Contains				

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:37662- 3909-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	09/13/2023			
2	NDC:37662- 3909-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	09/13/2023			
3	NDC:37662- 3909-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	09/13/2023			
4	NDC:37662- 3909-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	09/13/2023			

Marketing Information					
Application Number or Monograph Citation	Marketing Start Date	Marketing End Date			
	09/13/2023				
	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date			

gallium muriaticum pellet

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-3906	
Route of Administration	ORAL			

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
GALLIUM CHLORIDE (UNII: 4Y6GQD4915) (GALLIUM CATION - UNII:F7K5MP217W)	GALLIUM CHLORIDE	30 [hp_C]		

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics				
Color	white	Score	no score	
Shape	ROUND	Size	3mm	
Flavor		Imprint Code		
Contains				

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:37662- 3906-1	80 in 1 VIAL, GLASS; Type 0: Not a Combination Product	09/13/2023			
2	NDC:37662- 3906-2	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	09/13/2023			
3	NDC:37662- 3906-3	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	09/13/2023			
4	NDC:37662- 3906-4	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	09/13/2023			

Marketing Information					
Application Number or Monograph Citation	Marketing Start Date	Marketing End Date			
	09/13/2023				
	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date			

gallium muriaticum pellet

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-3910	
Route of Administration	ORAL			

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
GALLIUM CHLORIDE (UNII: 4Y6GQD4915) (GALLIUM CATION - UNII:F7K5MP217W)	GALLIUM CHLORIDE	1 [hp_M]		

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics				
Color	white	Score	no score	
Shape	ROUND	Size	2mm	
Flavor		Imprint Code		
Contains				

ı	Packaging				
7	Item Code Package Description		Marketing Start Date	Marketing End Date	
:	NDC:37662- 3910-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	09/13/2023		
:	NDC:37662- 3910-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	09/13/2023		
3	NDC:37662- 3910-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	09/13/2023		
4	NDC:37662- 3910-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	09/13/2023		

Marketing Information				
Marketing Application Number or Monograph Marketing Start Marketing End Category Citation Date Date				
unapproved homeopathic		09/13/2023		

gallium muriaticum pellet

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-3911	
Route of Administration	ORAL			

Active Ingredient/Active Moiety Ingredient Name Basis of Strength Strength GALLIUM CHLORIDE (UNII: 4Y6GQD4915) (GALLIUM CATION - UNII:F7K5MP217W) GALLIUM CHLORIDE [hp_Q]

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	1mm
Flavor		Imprint Code	
Contains			

Packaging				
# Item Code	Package Description	Marketing Start Date	Marketing End Date	
1 NDC:37662-	10000 in 1 BOTTLE, GLASS; Type 0: Not a	09/13/2023		

Marketing Information			
Marketing Application Number or Monograph Marketing Start Marketing E Category Citation Date Date			
	09/13/2023		
	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date	

gallium muriaticum pellet

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-3905	

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
GALLIUM CHLORIDE (UNII: 4Y6GQD4915) (GALLIUM CATION - UNII:F7K5MP217W)	GALLIUM CHLORIDE	12 [hp_C]

Inactive Ingredients		
Ingredient Name	Strength	
SUCROSE (UNII: C151H8M554)		

Product Characteristics				
Color	white	Score	no score	
Shape	ROUND	Size	3mm	
Flavor		Imprint Code		
Contains				

Packaging			
# Hom Codo	Backago Bossrintian	Marketing Start	Marketing End

	#	item Code	Раскаде резсприон	Date	Date
		NDC:37662- 3905-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	09/13/2023	
		NDC:37662- 3905-2	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	09/13/2023	
	-	NDC:37662- 3905-3	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	09/13/2023	

Marketing Information				
Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
	09/13/2023			
	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date		

gallium muriaticum pellet

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:37662-3907

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name
Basis of Strength
GALLIUM CHLORIDE (UNII: 4Y6GQD4915) (GALLIUM CATION - UNII:F7K5MP217W)
GALLIUM CHLORIDE
100 [hp_C]

Inactive Ingredients

Ingredient Name Strength

SUCROSE (UNII: C151H8M554)

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	2mm
Flavor		Imprint Code	
Contains			

Packaging Marketing Start Marketing End # Item Code **Package Description Date** Date 1 NDC:37662-200 in 1 VIAL, GLASS; Type 0: Not a Combination 09/13/2023 3907-1 Product NDC:37662-500 in 1 VIAL, GLASS; Type 0: Not a Combination 09/13/2023 3907-2 **Product** NDC:37662-3000 in 1 BOTTLE, GLASS; Type 0: Not a U0/12/2U23

I	3	3907-3	Combination Product	0 3 /12/2023	
	4	NDC:37662- 3907-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	09/13/2023	

Marketing Information				
Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
	09/13/2023			
	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date		

gallium muriaticum pellet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-3904
--------------	----------------	--------------------	----------------

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength Strength

GALLIUM CHLORIDE (UNII: 4Y6GQD4915) (GALLIUM CATION - UNII:F7K5MP217W) GALLIUM CHLORIDE 6 [hp_C]

Inactive Ingredients

Ingredient Name	Strength
-----------------	----------

SUCROSE (UNII: C151H8M554)

Product Characteristics Color white Score no score Shape ROUND Size 3mm Flavor Imprint Code Contains

Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:37662- 3904-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	09/13/2023		
2	NDC:37662- 3904-2	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	09/13/2023		
3	NDC:37662- 3904-3	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	09/13/2023		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved homeopathic		09/13/2023		

gallium muriaticum pellet

Product Information

Product Type HUMAN OTC DRUG **Item Code (Source)** NDC:37662-3908

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name Basis of Strength Strength 200 [hp_C]

GALLIUM CHLORIDE (UNII: 4Y6GQD4915) (GALLIUM CATION - UNII: F7K5MP217W) GALLIUM CHLORIDE

Inactive Ingredients

Ingredient Name Strength

SUCROSE (UNII: C151H8M554)

Product Characteristics Color white Score no score ROUND Shape Size 2mm Flavor **Imprint Code** Contains

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37662- 3908-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	09/13/2023	
2	NDC:37662- 3908-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	09/13/2023	
3	NDC:37662- 3908-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	09/13/2023	
4	NDC:37662- 3908-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	09/13/2023	

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
category	Citation	Dute	Dute		

unapproved homeopathic	09/13/2023

Labeler - Hahnemann Laboratories, INC. (147098081)

Establishment			
Name	Address	ID/FEI	Business Operations
Hahnemann Laboratories, INC.		147098081	manufacture(37662-3904, 37662-3905, 37662-3906, 37662-3907, 37662-3908, 37662-3909, 37662-3910, 37662-3911)

Revised: 9/2023 Hahnemann Laboratories, INC.