# ALFLEXIL ZERO PAIN- camphor, lidocaine hcl, menthol gel CHEMCO CORPORATION

-----

### 49283-145-03

Camphor 0.5%

Lidocaine 4%

Menthol 1%

**Topical Analgesic** 

### Use

Aid for temporary local relief of minor pain in muscles or joints.

For external use only. · Ask a doctor before use if you have redness over affected area.

Use only as directed

Do not bandage tightly or use with a heating pad.

Avoid contact with eyes and mucous membranes.

Do not apply to wounds or damaged, broken or irritated skin.

A transient burning sensation or redness may occur upon application but generally disappears in several days.

Do not use in large quantities, particularly over raw surfaces or blistered areas.

If you experience an allergic reaction, discontinue use and consult a physician.

Do not expose the area treated with product to heat or direct sunlight.

Condition worsens.

Redness is present.

Irritation develops.

Symptoms persist for more than 7 days or clear up occur again within a few days.

You experience signs injury, such as pain, swelling or blistering where the product was applied.

If pregnant or breast - feeding

Ask a health professional before use.

If swallowed, get medical help or contact a Poison Control Center right away.

### **Directions**

Adults and Children over 12 years of age:

Apply a small amount on the area to be.

Massaged in a circular motion, let set for a few seconds.

Repeat as necessary, but no more than 3 to 4 times daily.

Children under 12 years of age; do not use, consult a doctor.

Other information

Store tightly closed in a dry place at controlled room temperature between 59°-86° F (15°-30° C).

Water (Aqua), Alcohol Denat, Arnica Montana Flower Extract, Ceteareth-20, Propylene Glycol, Triethanolamine, Carbomer, Glycerin, Methyl Salicylate, Sodium Chondroitin Sulfate, Disodium EDTA, Glucosamine Sulfate, Tocopheryl Acetate, Rosmarinus Officinalis (Rosemary) Extract, Methylchloroisothiazolinone, Methylisothiazolinone, FD&C Blue No.1 (CI 42090).

+1(305)597-6410

### ALFLEXIL ZERO PAIN ROLL-ON



# ALFLEXIL ZERO PAIN camphor, lidocaine hcl, menthol gel Product Information Product Type HUMAN OTC DRUG Item Code (Source) NDC:49283-145 Route of Administration TOPICAL

rive Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	4 g in 100 g		
CAMPHOR (SYNTHETIC) (UNII: 5TJD82A1ET) (CAMPHOR (SYNTHETIC) - UNII:5TJD82A1ET)	CAMPHOR (SYNTHETIC)	0.5 g in 100 g		
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	1 g in 100 g		

Inactive Ingredients	
Ingredient Name	Strength
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
WATER (UNII: 059QF0KO0R)	
ALCOHOL (UNII: 3K9958V90M)	
CARBOMER 940 (UNII: 4Q93RCW27E)	
METHYLISOTHIAZOLINONE (UNII: 229D0E1QFA)	
METHYL SALICYLATE (UNII: LAV5U5022Y)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
GLYCERIN (UNII: PDC6A3C0OX)	
SODIUM CHONDROITIN SULFATE (PORCINE; 5500 MW) (UNII: H5BJH23Z9A)	
GLUCOSAMINE SULFATE (UNII: 1FW7WLR731)	
ROSMARINUS OFFICINALIS FLOWERING TOP (UNII: 8JM482TI79)	
METHYLCHLOROISOTHIAZOLINONE (UNII: DEL7T5QRPN)	
ARNICA MONTANA FLOWER WATER (UNII: U7L2JP51PR)	
POLYOXYL 20 CETOSTEARYL ETHER (UNII: YRC528SWUY)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
TROLAMINE (UNII: 903K93S3TK)	
.ALPHATOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	

Shape Size	Product Characteristics			
	Color	blue	Score	
Flavor Imprint Code	Shape		Size	
	Flavor		Imprint Code	
Contains	Contains			

l	Packaging				
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date
		NDC:49283- 145-03	90 g in 1 BOTTLE, WTH APPLICATOR; Type 0: Not a Combination Product	10/18/2023	

Marketing In	Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
OTC Monograph Drug	M017	10/18/2023			

## Labeler - CHEMCO CORPORATION (032495954)

Revised: 9/2023 CHEMCO CORPORATION