

INFLUENZINUM- influenza a virus a/michigan/45/2015 x-275 (h1n1) hemagglutinin antigen (formaldehyde inactivated), influenza a virus a/hong kong/4801/2014 x-263b (h3n2) hemagglutinin antigen (formaldehyde inactivated), influenza b virus b/brisbane/60/2008 hemagglutinin antigen (formaldehyde inactivated) pellet
Laboratoires Boiron

Influenzinum

Active Ingredients

Influenzinum HPUS
8X, 30X, 6C, 9C, 12C, 15C, 30C, 200CK

Use

After-effects of flu or flu-like symptoms*

Warnings

Stop use and ask a doctor if

symptoms persist for more than 3 days or worsen.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

Directions

5 pellets 3 times a day until symptoms are relieved.

Other information

Do not use if pellet dispenser seal is broken.
contains approx. 80 pellets

Inactive ingredients

lactose, sucrose

Questions, Comments?

1-800-BOIRON-1
Newtown Square, PA 19073-3267
info@boironusa.com

*

These "Uses" have not been evaluated by the FDA.

Influenzinum

8 x

HPUS NDC 0220-2651-41

BOIRON®

Drug Facts: *Active ingredient* listed above. *Use* for symptoms listed below. **Warnings:** ■ **Stop use and ask a doctor if** symptoms persist for more than 3 days or worsen. ■ **If pregnant or breast-feeding,** ask a health professional before use. ■ **Keep out of reach of children.** **Directions** 5 pellets 3 times a day until symptoms are relieved. **Other information:** **Do not use** if pellet dispenser seal is broken, contains approx. 80 pellets ■ **Inactive ingredients:** lactose, sucrose. *These "Uses" have not been evaluated by the FDA.

Lot:

Exp:

After-effects of flu or flu-like symptoms*

HOMEOPATHIC MEDICINE ■ Made in France
1-800-BOIRON-1 • Newtown Square, PA 19073 • Info@boironusa.com

Turn tube
upside down
& twist cap

Pull here ▶▶



US

Influenzinum

30 x

HPUS NDC 0220-2651-41

BOIRON®

Drug Facts: Active ingredient listed above. Use for symptoms listed below. **Warnings:** ■ Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. ■ If pregnant or breast-feeding, ask a health professional before use. ■ Keep out of reach of children. **Directions** 5 pellets 3 times a day until symptoms are relieved. **Other information:** Do not use if pellet dispenser seal is broken. contains approx. 80 pellets ■ **Inactive ingredients:** lactose, sucrose. *These "Uses" have not been evaluated by the FDA.

Lot:

Exp:

After-effects of flu or flu-like symptoms*

HOMEOPATHIC MEDICINE ■ Made in France
1-800-BOIRON-1 • Newtown Square, PA 19073 • info@boironusa.com

Turn tube
upside down
& twist cap

Pull here ►►



US

Influenzinum

6 c

HPUS NDC 0220-2651-41

BOIRON®

Drug Facts: Active ingredient listed above. Use for symptoms listed below. **Warnings:** ■ Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. ■ If pregnant or breast-feeding, ask a health professional before use. ■ Keep out of reach of children. **Directions** 5 pellets 3 times a day until symptoms are relieved. **Other information:** Do not use if pellet dispenser seal is broken. contains approx. 80 pellets ■ **Inactive ingredients:** lactose, sucrose. *These "Uses" have not been evaluated by the FDA.

Lot:

Exp:

After-effects of flu or flu-like symptoms*

HOMEOPATHIC MEDICINE ■ Made in France
1-800-BOIRON-1 • Newtown Square, PA 19073 • info@boironusa.com

Turn tube
upside down
& twist cap

Pull here ►►



US

Influenzinum

9 c

HPUS NDC 0220-2651-41



BOIRON®

Drug Facts: *Active ingredient* listed above. *Use* for symptoms listed below. **Warnings:** ■ **Stop use and ask a doctor if** symptoms persist for more than 3 days or worsen. ■ **If pregnant or breast-feeding,** ask a health professional before use. ■ **Keep out of reach of children.** **Directions** 5 pellets 3 times a day until symptoms are relieved. **Other information:** **Do not use** if pellet dispenser seal is broken. contains approx. 80 pellets ■ **Inactive ingredients:** lactose, sucrose. *These "Uses" have not been evaluated by the FDA.

Lot:

Exp:

After-effects of flu or flu-like symptoms*

HOMEOPATHIC MEDICINE ■ Made in France
1-800-BOIRON-1 • Newtown Square, PA 19073 • info@boironusa.com

Turn tube
upside down
& twist cap

Pull here ►►



US

Influenzinum

12^c

HPUS NDC 0220-2651-41

BOIRON®

Drug Facts: *Active ingredient* listed above. *Use* for symptoms listed below. **Warnings:** ■ **Stop use and ask a doctor if** symptoms persist for more than 3 days or worsen. ■ **If pregnant or breast-feeding,** ask a health professional before use. ■ **Keep out of reach of children.** **Directions** 5 pellets 3 times a day until symptoms are relieved. **Other information:** **Do not use** if pellet dispenser seal is broken. contains approx. 80 pellets ■ **Inactive ingredients:** lactose, sucrose. *These "Uses" have not been evaluated by the FDA.

Lot:

Exp:

After-effects of flu or flu-like symptoms*

HOMEOPATHIC MEDICINE ■ Made in France
1-800-BOIRON-1 • Newtown Square, PA 19073 • info@boironusa.com

Turn tube
upside down
& twist cap

Pull here ►►



US

Influenzinum

15 c

HPUS NDC 0220-2651-41

BOIRON®

Drug Facts: Active ingredient listed above. Use for symptoms listed below. **Warnings:** ■ Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. ■ If pregnant or breast-feeding, ask a health professional before use. ■ Keep out of reach of children. **Directions** 5 pellets 3 times a day until symptoms are relieved. **Other information:** Do not use if pellet dispenser seal is broken. contains approx. 80 pellets ■ **Inactive ingredients:** lactose, sucrose. *These "Uses" have not been evaluated by the FDA.

Lot:

Exp:

After-effects of flu or flu-like symptoms*

HOMEOPATHIC MEDICINE ■ Made in France
1-800-BOIRON-1 • Newtown Square, PA 19073 • info@boironusa.com

Turn tube
upside down
& twist cap

Pull here ►►



US

Influenzinum

30 c

HPUS NDC 0220-2651-41



BOIRON[®]

Drug Facts: *Active ingredient* listed above. *Use* for symptoms listed below. **Warnings:** ■ **Stop use and ask a doctor if** symptoms persist for more than 3 days or worsen. ■ **If pregnant or breast-feeding,** ask a health professional before use. ■ **Keep out of reach of children.** **Directions** 5 pellets 3 times a day until symptoms are relieved. **Other information:** **Do not use** if pellet dispenser seal is broken. contains approx. 80 pellets ■ **Inactive ingredients:** lactose, sucrose. *These "Uses" have not been evaluated by the FDA.

Lot:

Exp:

After-effects of flu or flu-like symptoms*

HOMEOPATHIC MEDICINE ■ Made in France
1-800-BOIRON-1 • Newtown Square, PA 19073 • info@boironusa.com

Turn tube
upside down
& twist cap

Pull here ►►



US

Principle Display Panel - Influenzinum HPUS 200CK

Influenzinum

200 CK

HPUS NDC 0220-2651-41



Drug Facts: Active ingredient listed above. Use for symptoms listed below.
Warnings: ■ Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. ■ If pregnant or breast-feeding, ask a health professional before use. ■ Keep out of reach of children. **Directions** 5 pellets 3 times a day until symptoms are relieved. **Other information:** Do not use if pellet dispenser seal is broken. contains approx. 80 pellets ■ **Inactive ingredients:** lactose, sucrose. *These "Uses" have not been evaluated by the FDA.

Lot:

Exp:

After-effects of flu or flu-like symptoms*

HOMEOPATHIC MEDICINE ■ Made in France
1-800-BOIRON-1 • Newtown Square, PA 19073 • info@boironusa.com

Turn tube
upside down
& twist cap

Pull here ►►



US

Principle Display Panel - Influenzinum HPUS 9C - Single Dose

US

Influenzinum

After-effects of flu or flu-like symptoms*

9^c


BOIRON

HPUS NDC 0220-2651-31

**HOMEOPATHIC
MEDICINE**
Drug Facts **Active ingredient** Influenzinum 9C **Uses***

After-effects of flu or flu-like symptoms **Warnings** **Stop use and ask a doctor if** symptoms persist for more than 3 days or worsen. **If pregnant or breast-feeding**, ask a health professional before use. **Keep out of reach of children.** **Directions** (adults/children) Dissolve entire contents of tube under the tongue. Repeat as necessary, up to 3 times a day. **Other information** Do not use if cap seal is broken or missing. Store at 68-77°F (20-25°C).

Inactive ingredients Lactose, sucrose **Contents** 1g.

* These "Uses" have not been evaluated by the FDA.

Made in France
Distributed by
Boiron Inc.
1-800-BOIRON-1
Newtown Square,
PA 19073
info@boiron.com

INFLUENZINUM

influenza a virus a/michigan/45/2015 x-275 (h1n1) hemagglutinin antigen (formaldehyde inactivated), influenza a virus a/hong kong/4801/2014 x-263b (h3n2) hemagglutinin antigen (formaldehyde inactivated), influenza b virus b/brisbane/60/2008 hemagglutinin antigen (formaldehyde inactivated) pellet

Product Information

Product Type	VACCINE	Item Code (Source)	NDC:0220-2651
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
INFLUENZA A VIRUS A/MICHIGAN/45/2015 X-275 (H1N1) HEMAGGLUTININ ANTIGEN (FORMALDEHYDE INACTIVATED) (UNII: 116749898H) (INFLUENZA A VIRUS A/MICHIGAN/45/2015 X-275 (H1N1) HEMAGGLUTININ ANTIGEN (FORMALDEHYDE INACTIVATED) - UNII:116749898H)	INFLUENZA A VIRUS A/MICHIGAN/45/2015 X-275 (H1N1) HEMAGGLUTININ ANTIGEN (FORMALDEHYDE INACTIVATED)	8 [hp_X]
INFLUENZA A VIRUS A/HONG KONG/4801/2014 X-263B (H3N2) HEMAGGLUTININ ANTIGEN (FORMALDEHYDE INACTIVATED) (UNII: BAA3UN7VWD) (INFLUENZA A VIRUS A/HONG KONG/4801/2014 X-263B (H3N2) HEMAGGLUTININ ANTIGEN (FORMALDEHYDE INACTIVATED) - UNII:BAA3UN7VWD)	INFLUENZA A VIRUS A/HONG KONG/4801/2014 X-263B (H3N2) HEMAGGLUTININ ANTIGEN (FORMALDEHYDE INACTIVATED)	8 [hp_X]
INFLUENZA B VIRUS B/BRISBANE/60/2008 HEMAGGLUTININ ANTIGEN (FORMALDEHYDE INACTIVATED) (UNII: 166D8OWM7B) (INFLUENZA B VIRUS B/BRISBANE/60/2008 HEMAGGLUTININ ANTIGEN (FORMALDEHYDE	INFLUENZA B VIRUS B/BRISBANE/60/2008 HEMAGGLUTININ ANTIGEN	8 [hp_X]

INACTIVATED) - UNII:166D8OWM7B)

(FORMALDEHYDE INACTIVATED)

Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	
LACTOSE (UNII: J2B2A4N98G)	

Product Characteristics

Color	white	Score	
Shape	ROUND	Size	4mm
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0220-2651-41	80 in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:0220-2651-31	5 in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		03/03/1983	

Labeler - Laboratoires Boiron (282560473)**Registrant** - Boiron Inc. (014892269)**Establishment**

Name	Address	ID/FEI	Business Operations
Boiron		282560473	manufacture(0220-2651)

Establishment

Name	Address	ID/FEI	Business Operations
Boiron		380022322	manufacture(0220-2651)

Revised: 12/2017

Laboratoires Boiron