

## **LIGHT DAY SUNSCREEN BROAD SPECTRUM SPF 37- avobenzone, octinoxate and octocrylene lotion**

**Circadia by Dr Pugliese, Inc.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

### **Light Day Sunscreen**

#### **Active ingredient**

Avobenzone 3.0%

Octinoxate 7.5%

Octocrylene 2.8%

#### **Purpose**

Sunscreen

#### **Uses**

- Helps prevent sunburn if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

#### **Warnings**

- **For external use only**
- **When using this product** keep out of eyes. Rinse with water to remove.
- **Stop use and ask a doctor** if rash occurs.
- **Do not use** on damaged or broken skin
- **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

#### **Directions**

- apply liberally to skin 15 minutes before sun exposure and as needed.
- use a water resistant sunscreen if swimming or sweating.
- reapply at least every 2 hours.
- children under 6 months: Ask a doctor.
- Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeved shirt, pants, hats, and sunglasses

#### **Inactive ingredients**

Water, C12-15 Alkyl Benzoate, Ethylhexyl Methoxycrylene, Glycerin, Silica, Eicosene Copolymer, Glyceryl Stearate, PEG-100 Stearate, Potassium Cetyl Phosphate, Dimethicone, Cyclopentasiloxane, Cyclohexasiloxane, Dimethyl Capramide, Hydrogenated Palm Glycerides, Polysiloxane 11, Dimethylmethoxy Chromanol, Acrylamide/Sodium Acryloyldimethyl Taurate Copolymer,

Diaminopropionoyl Tripeptide-33, Caprylyl Glycol, Disodium EDTA, Xanthan Gum, Methylisothiazolinone, Hexylene Glycol, Isohexadecane, Polysorbate 80, Vitis Vinifera Fruit Cell Extract, Isomalt, Prunus Armeniaca (Apricot) Fruit Extract, Lecithin, Sodium Benzoate, Aniba Rosaeodora (Rosewood) Wood Extract, Citrus Aurantifolia (Lime) Peel Extract, Citrus Aurantium Dulcis (Orange) Peel Extract, Vanilla Planifolia Fruit Extract, Citrus Grandis (Grapefruit) Peel Extract, Cocos Nucifera (Coconut) Oil

**Other Information**

- protect this product from excessive heat and direct sun.

**Questions?**

Call toll-free (800) 630-4710

**Package/Label Principal Display Panel**

Light Day Sunscreen for face & neck

Broad Spectrum SPF37

Advanced Professional Skincare

2 fl oz (59 ml)

Circadia by Dr. Pugliese, Inc.

8371 Route 183 Bethel, PA 19507

Circadia.com

**High sun  
protection product**

**Drug Facts**

**Active  
Ingredients Purpose**

Avobenzone 3.0%  
Octinoxate 7.5%  
Octocrylene 2.8% } Sunscreen

**Uses**

- Helps prevent sunburn  
If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**

- **For external use only**
- **When using this product** keep out of eyes. Rinse with water to remove.
- **Stop use and ask a doctor** if rash occurs.
- **Do not use** on damaged or broken skin
- **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- apply liberally to skin 15 minutes before sun exposure and as needed.
- use a water resistant sunscreen if swimming or sweating.
- reapply at least every 2 hours
- children under 6 months: Ask a doctor.
- Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeved shirt, pants, hats, and sunglasses

**Dermatologist Tested**



**CIRCADIA**  
by Dr. Pugliese

**Drug Facts (Continued)**

**Inactive ingredients**

Water, C12-15 Alkyl Benzoate, Ethylhexyl Methoxycrylene, Glycerin, Silica, VP/Eicosene Copolymer, Glyceryl Stearate, PEG-100 Stearate, Potassium Cetyl Phosphate, Dimethicone, Cyclopentasiloxane, Cyclohexasiloxane, Dimethyl Capramide, Hydrogenated Palm Glycerides, Polysiloxane-11, Dimethylmethoxy Chromanol, Acrylamide/Sodium Acryloyldimethyltaurate Copolymer, Diaminopropionyl Tripeptide-33, Caprylyl Glycol, Disodium EDTA, Xanthan Gum, Methyl sothiazolinone, Hexylene Glycol, Isohexadecane, Polysorbate 80, Prunus Armeniaca (Apricot) Fruit Extract, Aniba Rosaeodora (Rosewood) Wood Extract, Citrus Aurantifolia (Lime) Peel Extract, Citrus Aurantium Dulcis (Orange) Peel Extract, Vanilla Planifera Fruit Extract, Citrus Grandis (Grapefruit) Peel Extract, Cocos Nucifera (Coconut) Oil, Vitis Vinifera Fruit Cell Extract, Isomalt, Lecithin, Sodium Benzoate.

**Other information**

- protect this product from excessive heat and direct sun.

**Questions?**

Call toll-free (800) 630-4710

Light Day Sunscreen  
for face & neck

Broad Spectrum SPF 37

**Advanced Professional Skincare**

2 fl oz (59 ml)

Circadia by Dr. Pugliese, Inc.  
8371 Route 183 Bethel, PA 19507  
Circadia.com

**Bottle Label**

# LIGHT DAY SUNSCREEN BROAD SPECTRUM SPF 37

avobenzone, octinoxate and octocrylene lotion

## Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:76458-201
Route of Administration	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	0.03 mL in 1 mL
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	0.075 mL in 1 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	0.028 mL in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
GLYCERIN (UNII: PDC6A3C0OX)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
PEG-100 STEARATE (UNII: YD01N1999R)	
POTASSIUM CETYL PHOSPHATE (UNII: 03KCY6P7UT)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
CYCLOMETHICONE 5 (UNII: 0THT5PC10R)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
DIMETHYL CAPRAMIDE (UNII: O29Y6X2JEZ)	
HYDROGENATED PALM GLYCERIDES (UNII: YCZ8EM144Q)	
SODIUM ACRYLATE/SODIUM ACRYLOYLDIMETHYLAURATE COPOLYMER (400000 MW) (UNII: 1DXE3F3OZX)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
XANTHAN GUM (UNII: TTV12P4NEE)	
METHYLISOTHIAZOLINONE (UNII: 229D0E1QFA)	
HEXYLENE GLYCOL (UNII: KEH0A3F75J)	
ISOHEXADECANE (UNII: 918X1OUF1E)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
ISOMALT (UNII: S870P55O2W)	
APRICOT (UNII: 269CJD5GZ9)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
ANIBAROSAEOODORA WOOD (UNII: NE01NKA8B2)	
LIME PEEL (UNII: 544EQK5Q0W)	
ORANGE PEEL (UNII: T19T76XD44)	
VANILLA (UNII: Q74T35078H)	
CITRUS MAXIMA FRUIT RIND (UNII: 5NX3G75CA6)	
COCONUT OIL (UNII: Q9L0O73W7L)	
EGG PHOSPHOLIPIDS (UNII: 1Z74184RGV)	

WINE GRAPE (UNII: 3GOV20705G)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:76458-201-02	59 mL in 1 BOTTLE, PUMP		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	07/15/2012	

**Labeler** - Circadia by Dr Pugliese, Inc. (013694423)

Revised: 8/2012

Circadia by Dr Pugliese, Inc.