NICCOLUM BROMATUM- niccolum bromatum pellet Hahnemann Laboratories, INC.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

NICCOLUM BROMATUM 6C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

• If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

• If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 949 TWIST TO OPEN - USE ONLY IF SEALED

NICCOLUM BROMATUM 6C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

NICCOLUM BROMATUM 30C

Min. net wt: 1g **HOMEOPATHIC** MEDICINE Active ingredient: Listed above Use: Traditional use such as headache. Keep out of reach of children Directions: Take 5 pellets orally once

sucrose 00000

Inactive ingredients:

NICCOLUM BROMATUM 30C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



NICCOLUM BROMATUM 30C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



NICCOLUM BROMATUM 30C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

NICCOLUM BROMATUM 100C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE
Active ingredient:
Listed above
Use:Traditional use
such as headache.
Keep out of reach
of children

Directions: Take 5
pellets orally once
Inactive ingredients:
sucrose

00000

memann Labs Inc. 1940 Fourth St. San Rafael, C.
TWIST TO OPEN - USE ONLY IF SEALE

NICCOLUM BROMATUM 100C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



TWIST TO OPEN - USE ONLY IF SEALED

NICCOLUM BROMATUM 100C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



NICCOLUM BROMATUM 100C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

• If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

NICCOLUM BROMATUM 200C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE
Active ingredient:
Listed above
Use:Traditional use
such as headache.
Keep out of reach
of children

Directions: Take 5
pellets orally once
Inactive ingredients:
sucrose

00000

hnemann Labs Inc. 1940 Fourth St. San Rafael, C

NICCOLUM BROMATUM 200C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



NICCOLUM BROMATUM 200C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



NICCOLUM BROMATUM 200C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

NICCOLUM BROMATUM 500C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE
Active ingredient:
Listed above
Use:Traditional use
such as headache.
Keep out of reach
of children
Directions: Take 5

pellets orally once Inactive ingredients:

00000

memann Labs Inc. 1940 Fourth St. San Rafael, C TWIST TO OPEN - USE ONLY IF SEAL

NICCOLUM BROMATUM 500C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



NICCOLUM BROMATUM 500C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



NICCOLUM BROMATUM 500C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

NICCOLUM BROMATUM 1M

Min. net wt: 1g **HOMEOPATHIC** MEDICINE Active ingredient: Listed above Use: Traditional use such as headache. Keep out of reach

of children Directions: Take 5 pellets orally once Inactive ingredients:

sucrose

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 9496 TWIST TO OPEN - USE ONLY IF SEALED

NICCOLUM BROMATUM 1M

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

• If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: • If pregnant or breast-feeding, ask a

■ If symptoms health professional before use. persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

• If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

NICCOLUM BROMATUM LM1

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

NICCOLUM BROMATUM

niccolum bromatum pellet

Droc		Intorm	STION
PIUU	IUCL	Inform	aliui

Route of Administration

Product Type HUMAN OTC DRUG

ORAL

Item Code (Source)

NDC:37662-3953

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
NICKEL BROMIDE (UNII: 41SGH8A2S6) (NICKEL CATION - UNII:OIS2CXW7AM)	NICKEL BROMIDE	12 [hp_C]

Inactive Ingredients			
Ingredient Name	Strength		
SUCROSE (UNII: C151H8M554)			

Product Characteristics			
Color white Score no score			
Shape	ROUND	Size	3mm
Flavor Imprint Code			
Contains			

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:37662- 3953-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	09/19/2023			
2	NDC:37662- 3953-2	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	09/19/2023			
3	NDC:37662- 3953-3	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	09/19/2023			

Marketing Information				
Marketing Application Number or Monograph Marketing Start Marketing End Category Citation Date Date				
unapproved homeopathic		09/19/2023		

Product Information					
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-3959		
Route of Administration	ORAL				

Active Ingredient/Active Moiety			
Ingredient Name Basis of Strength Strengt			
NICKEL BROMIDE (UNII: 41SGH8A2S6) (NICKEL CATION - UNII:OIS2CXW7AM)	NICKEL BROMIDE	1 [hp_Q]	

Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics				
Color	white	Score	no score	
Shape	ROUND	Size	1mm	
Flavor		Imprint Code		
Contains				

ı	Packaging				
	# Item Code	Package Description	Marketing Start Date	Marketing End Date	
	1 NDC:37662-3959-1	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	09/19/2023		

Marketing Information					
Marketing Application Number or Monograph Marketing Start Marketing End Category Citation Date Date					
unapproved homeopathic		09/19/2023			

Product Information					
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-3954		
Route of Administration	ORAL				

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
NICKEL BROMIDE (UNII: 41SGH8A2S6) (NICKEL CATION - UNII:OIS	2CXW7AM) NICKEL BROMIDE	30 [hp_C]		

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics				
Color	white	Score	no score	
Shape	ROUND	Size	3mm	
Flavor		Imprint Code		

Contains

P	ackaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37662- 3954-1	80 in 1 VIAL, GLASS; Type 0: Not a Combination Product	09/19/2023	
2	NDC:37662- 3954-2	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	09/19/2023	
3	NDC:37662- 3954-3	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	09/19/2023	
4	NDC:37662- 3954-4	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	09/19/2023	

Marketing Information					
Marketing Application Number or Monograph Marketing Start Marketing En Category Citation Date Date					
	09/19/2023				
	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date			

NICCOLUM BROMATUM

Product Information					
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-3957		
Route of Administration	ORAL				

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
NICKEL BROMIDE (UNII: 41SGH8A2S6) (NICKEL CATION - UNII:OIS2CXW7AM)	NICKEL BROMIDE	500 [hp_C]		

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics				
Color	white	Score	no score	
Shape	ROUND	Size	2mm	
Flavor		Imprint Code		
Contains				

P	ackaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37662- 3957-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	09/19/2023	
2	NDC:37662- 3957-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	09/19/2023	
3	NDC:37662- 3957-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	09/19/2023	
4	NDC:37662- 3957-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	09/19/2023	

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved homeopathic		09/19/2023		

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-3955
Route of Administration	ORAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
NICKEL BROMIDE (UNII: 41SGH8A2S6) (NICKEL CATION - UNII:OIS2CXW7AM)	NICKEL BROMIDE	100 [hp C]

Inactive Ingredients		
Ingredient Name	Strength	
SUCROSE (UNII: C151H8M554)		

Product Characteristics				
Color	white	Score	no score	
Shape	ROUND	Size	2mm	
Flavor		Imprint Code		
Contains				

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date

1	NDC:37662- 3955-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	09/19/2023	
2	NDC:37662- 3955-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	09/19/2023	
3	NDC:37662- 3955-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	09/19/2023	
4	NDC:37662- 3955-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	09/19/2023	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		09/19/2023	

niccolum bromatum pellet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-3958
--------------	----------------	--------------------	----------------

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength

NICKEL BROMIDE (UNII: 41SGH8A2S6) (NICKEL CATION - UNII:OIS2CXW7AM) NICKEL BROMIDE 1 [hp_M]

Inactive Ingredients

I	Ingredient Name	Strength

SUCROSE (UNII: C151H8M554)

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	2mm
Flavor		Imprint Code	
Contains			

P	Packaging					
#	Item Code Package Description M		Marketing Start Date	Marketing End Date		
1	NDC:37662- 3958-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	09/19/2023			
2	NDC:37662- 3958-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	09/19/2023			

3	NDC:37662- 3958-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	09/19/2023	
4	NDC:37662- 3958-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	09/19/2023	

Marketing Information				
Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
	09/19/2023			
	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date		

niccolum bromatum pellet

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:37662-3956

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name

Basis of Strength

NICKEL BROMIDE (UNII: 41SGH8A2S6) (NICKEL CATION - UNII:OIS2CXW7AM)

NICKEL BROMIDE

200 [hp_C]

Inactive Ingredients

Ingredient Name Strength

SUCROSE (UNII: C151H8M554)

Product Characteristics Color white Score no score Shape ROUND Size 2mm Flavor Imprint Code Contains

П	Packaging					
7	tem Code	Package Description Marketing Start Market Date Date				
:	NDC:37662- 3956-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	09/19/2023			
:	NDC:37662- 3956-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	09/19/2023			
3	NDC:37662- 3956-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	09/19/2023			
4	NDC:37662- 3956-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	09/19/2023			

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved homeopathic		09/19/2023		

niccolum bromatum pellet

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:37662-3952

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name Basis of Strength Strength

NICKEL BROMIDE (UNII: 41SGH8A2S6) (NICKEL CATION - UNII:OIS2CXW7AM) NICKEL BROMIDE 6 [hp_C]

Inactive Ingredients

Ingredient Name Strength

SUCROSE (UNII: C151H8M554)

Product Characteristics

3 NDC:37662-3952-3

Color	white	Score	no score	
Shape	ROUND	Size	3mm	
Flavor		Imprint Code		
Contains				

Packaging Marketing End Marketing Start # Item Code **Package Description Date Date 1** NDC:37662-3952-1 200 in 1 VIAL, GLASS; Type 0: Not a Combination 09/19/2023 Product 2 NDC:37662-1200 in 1 BOTTLE, GLASS; Type 0: Not a 09/19/2023 3952-2 **Combination Product**

09/19/2023

4000 in 1 BOTTLE, GLASS; Type 0: Not a

Combination Product

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		

unapproved homeopathic	09/19/2023	

Labeler - Hahnemann Laboratories, INC. (147098081)

Establishment				
Name	Address	ID/FEI	Business Operations	
Hahnemann Laboratories, INC.		147098081	manufacture(37662-3953, 37662-3954, 37662-3955, 37662-3956, 37662-3957, 37662-3958, 37662-3959, 37662-3952)	

Revised: 9/2023 Hahnemann Laboratories, INC.