VICKS ZZZQUIL NIGHTTIME SLEEP-AID- diphenhydramine hcl liquid
The Procter & Gamble Manufacturing Company

VICKS ® ZzzQuil™
NIGHTTIME SLEEP-AID

Drug Facts

Active ingredient (in each 30 mL dose cup)

Diphenhydramine HCl 50 mg

Purpose

Nighttime sleep-aid

Uses

- for the relief of occasional sleeplessness
- reduces time to fall asleep if you have difficulty falling asleep

Warnings

Do not use

- for children under 12 years of age
- with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- difficulty in urination due to enlargement of the prostate gland

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers

When using this product

- avoid alcoholic beverages

Stop use and ask a doctor if sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- take only one dose (30 mL) per day (24 hours)
- only use the dose cup provided

adults & children 12 yrs & over	30 mL at bedtime if needed or as directed by a doctor
children under 12 yrs	do not use

Other information

- **each 30 mL dose cup contains:** sodium 22 mg
- store at no greater than 25°C

Inactive ingredients

alcohol, citric acid, FD&C Blue No. 1, FD&C Red No. 40, flavor, glycerin, polysorbate 20, saccharin sodium, sodium benzoate, sodium citrate, sorbitol, sucralose, water, xanthan gum

Questions?

1-877-881-5813

Tamper Evident: Do not use if printed shrinkband seal around the neck is broken or missing

DIST. BY

PROCTER & GAMBLE, CINCINNATI, OH 45202

PRINCIPAL DISPLAY PANEL

VICKS ®

ZzzQuil™

NIGHTTIME SLEEP-AID

Diphenhydramine HCl

Fall Asleep Fast

Non-Habit Forming

Calming Vanilla Cherry

Not for colds or for pain
Alcohol 10%

12 FL OZ (354 mL)

VICKS ZzzQuil™

NIGHTTIME SLEEP-AID

Diphenhydramine HCl

Drug Facts (continued)

When using this product
- avoid alcoholic beverages

Stop use and ask a doctor if sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of serious underlying medical illness.

If pregnant or breast-feeding, ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

Directions
- take only one dose (30 mL) per day (24 hours)
- only use dose cup provided

adults & children 12 yrs & over	30 mL at bedtime if needed or as directed by a doctor
children under 12 yrs	do not use

Other information
- **each 30 mL dose cup contains:** sodium 22 mg
- store at no greater than 25°C

Inactive ingredients alcohol, citric acid, FD&C Blue No. 1, FD&C Red No. 40, flavor, glycerin, polysorbate 20, saccharin sodium, sodium benzoate, sodium citrate, sorbitol, sucralose, water, xanthan gum

Questions? 1-877-881-5813

Tamper Evident:
Do not use if printed shrinkband seal around the neck is broken or missing
PEEL BACK FOR DRUG FACTS

Drug Facts

Active ingredient (in each 30 mL dose cup) — **Purpose**
Diphenhydramine HCl 50 mg ..... Nighttime sleep-aid

Uses
- for the relief of occasional sleeplessness
- reduces time to fall asleep if you have difficulty falling asleep

Warnings

Do not use
- for children under 12 years of age
- with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have
- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- difficulty in urination due to enlargement of the prostate gland

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers

DIST. BY: PROCTER & GAMBLE,
CINCINNATI, OH 45202
Patents:
www.pg.com/patents
ZzzQuil.com

P&G
www.pg.com
21487605

3 23900 03858 5

VICKS ZZZQUIL NIGHTTIME SLEEP-AID

diphenhydramine hcl liquid

Product Information

Product Type	HUMAN OTC DRUG	**Item Code (Source)**	NDC:69423-812
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	50 mg in 30 mL

Inactive Ingredients

Ingredient Name	Strength
POLYSORBATE 20 (UNII: 7T1F30V5YH)	
GLYCERIN (UNII: PDC6A3C0OX)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	
SORBITOL (UNII: 506T60A25R)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
WATER (UNII: 059QF0KO0R)	
XANTHAN GUM (UNII: TTV12P4NEE)	
ALCOHOL (UNII: 3K9958V90M)	

ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	

Product Characteristics

Color	red	**Score**	
Shape		**Size**	
Flavor	VANILLA, CHERRY	**Imprint Code**	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69423-812-12	354 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	10/11/2021	
2	NDC:69423-812-24	2 in 1 CARTON	10/11/2021	
2		354 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M010	02/03/2015	

Labeler - The Procter & Gamble Manufacturing Company (004238200)

Revised: 10/2026 The Procter & Gamble Manufacturing Company