

NOXYDERM- benzalkonium chloride liquid
NOxy Health Products

Active Ingredient

Active Ingredient	Purpose
Benzalkonium Chloride 0.13%	First Aid Antiseptic

Purpose

Purpose

First aid antiseptic

Uses: first aid to help prevent infection in minor:

- cuts
- scrapes
- burns

Do not use

Do not use

- in the eyes
- over large areas of the body
- longer than 1 week unless directed by a doctor

Ask a doctor before use if you have

- deep or puncture wounds, animal bites, or serious burns

Warnings

For external use only

Warnings

For external use only

Keep out of reach of children

Keep out of reach of children. If swallowed, get medical help or contact Poison Control right away

Instructions for use

Directions

- Clean the affected area
- Apply a small amount of this product on the area 1 to 3 times daily
- May be covered with a sterile bandage
- If bandaged, let dry first

Other safety information

Store at room temperature

Dosage

- Apply a small amount of this product on the area 1 to 3 times daily

Inactive ingredients

Sodium Nitrite

CoCo Betaine

Deionized Water

Citric Acid

Directions:

- Clean the affected area
- Apply a small amount of this product on the area 1 to 3 times daily
- May be covered with a sterile bandage
- If bandaged, let dry first

Warnings

Warnings:

For external use only

Questions

Questions? call 1-888-585-4120

NOxyDERM

NOxyDERM™
ADVANCED FIRST AID HEALING FOAM

With Benzalkonium Chloride
Cleanses, Disinfects and Promotes Healing of Persistent Cuts, Scrapes and Burns

Formulated with **Nitric Oxide**, nature's super molecule

Alcohol Free - 3.4 fl. oz.

Drug Facts
Active Ingredients: Benzalkonium Chloride 0.13% Purpose: First aid antiseptic
Uses: First aid to help prevent infection in minor cuts, scrapes, & burns
Warnings: For external use only
Do not use
• In the eyes
• Over large areas of the body
• Longer than 1 week unless directed by a doctor
Ask a doctor before use if you have
• Deep or puncture wounds, animal bites, or serious burns
Keep out of reach of children.
If swallowed, get medical help or contact Poison Control right away.
Directions
• Clean the affected area.
• Apply a small amount of this product on the area 1 to 3 times daily.
• May be covered with a sterile bandage if bandaged, let dry first.
Other Information: • Store at room temperature
Inactive Ingredients: Sodium Nitrate, CoCo Betaine, Deionized Water, Citric Acid
Questions? call 1-888-585-4120

Distributed by: Wasatch Product Development Inc.
427 W 11950
Draper, UT 84020

Learn more: noxyderm.com

NOXYDERM

benzalkonium chloride liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:83823-001
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII: 7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	0.13 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
COCO-BETAINE (UNII: 03DH2IZ3FY)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
SODIUM NITRITE (UNII: M0KG633D4F)	
WATER (UNII: 059QF0K00R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83823-001-01	100 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	01/05/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M003	01/05/2024	

