#### ASTRINGENT SOLUTION- aluminum sulfate tetradecahydrate, calcium acetate monohydrate powder, for solution First Nation Group

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

# Active Ingredients (in each packet) Purpose

Aluminum sulfate tetradecahydrate, 1347 mg Astringent\* <u>Calcium acetate monohydrate, 952 mg Astringent\*</u>

\*When combined together in water, these ingredients form the active ingredient aluminum acetate. See **Directions**.

## Uses

Temporarily relieves minor skin irritations due to:

- Poison ivy
- Poison oak
- Poison sumac
- Insect bites
- Athlete's foot
- Rashes caused by soaps, detergents, cosmetics, or jewelry

Temporarily relieves minor skin irritations due to:

- Poison ivy
- Poison oak
- Poison sumac
- Insect bites
- Athlete's foot
- Rashes caused by soaps, detergents, cosmetics, or jewelry

## FOR EXTERNAL USE ONLY

#### When using this product

- Avoid contact with eyes. If contact occurs, rinse thoroughly with water.
- Do not cover compress or wet dressing with plastic to prevent evaporation.
- In some skin conditions, soaking too long may overdry.

**Stop use and ask a doctor** if condition worsens or symptoms persist for more than 7 days.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

## Directions

- Dissolve 1 to 3 packets in a pint (16 oz) of cool or warm water.
- Stir until fully dissolved; do not strain or filter. The resulting mixture contains 0.16% (1 packet), 0.32% (2 packets), or 0.48% (3packets) aluminum acetate and is ready for use.

#### For use as a soak:

- Soak affected area for 15 to 30 minutes as needed, or as directed by a doctor.
- Repeat 3 times a day or as directed by a doctor.
- Discard solution after each use.

## For use as a compress or wet dressing:

- Soak a clean, soft cloth in the solution.
- Apply cloth loosely to affected area for 15 to 30 minutes.
- Repeat as needed or as directed by a doctor.
- Discard solution after each use.

Protect from excessive heat.

Dextrin

1-855-221-5332

Distributed by:

First Nation Group, LLC

Niceville, FL 32578



# ASTRINGENT SOLUTION aluminum sulfate tetradecahydrate, calcium acetate monohydrate powder, for solution Product Information Product Type HUMAN OTC DRUG Item Code (Source) NDC:81469-999

Route of Admin	istration	TOPICAL				
Active Ingred	ient/Active M	loiety				
Ingredient Name					Basis of Strength	Strength
CALCIUM ACETATE MONOHYDRATE (UNII: 7ZA48GIM5H) (CALCIUM (UNII:2M83C4R6ZB)				CATION - CA	ALCIUM CATION	952 mg in 2299 mg
ALUMINUM SULFA CATION - UNII:3XHB	UT66504P) (AL	ALUMINUM ALUMINUM CATION		1347 mg in 2299 mg		
Inactive Ingre						
Ingredient Name					St	rength
ICODEXTRIN (UNII	: 2NX48Z0A9G)					
Product Char	acteristics					
Color		white	Score			
Shape			Size			
Flavor			Imprint Code			
Contains						
Packaging						
# Item Code	Pac	Package Description		Marketing Start Ma Date		arketing End Date
<b>1</b> NDC:81469- 999-12	12 in 1 BOX			09/27/2023		
<b>1</b> NDC:81469- 999-01	2299 mg in 1 PACKET; Type 0: Not a Combination Product					
Marketing	Informatio	on				
Marketing Applic Category		tion Number or Monograph Citation		Marketing Start M Date		arketing End Date
OTC monograph no final	part347			09/27/2023		

Labeler - First Nation Group (078875731)

Revised: 9/2023

First Nation Group