

COLD AND FLU HBP- acetaminophen, chlorpheniramine maleate tablet, film coated
CVS PHARMACY

CVS 44-692

Active ingredients (in each tablet)

Acetaminophen 325 mg
Chlorpheniramine maleate 2 mg

Purpose

Pain reliever/fever reducer
Antihistamine

Uses

- temporarily relieves:
 - headache
 - sneezing
 - runny nose
 - minor aches and pains
 - sore throat
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if

- adult takes more than 4,000 mg of acetaminophen in 24 hours
- child takes more than 5 doses in 24 hours
- taken with other drugs containing acetaminophen
- adult has 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- blisters
- rash
- skin reddening

If a skin reaction occurs, stop use and seek medical help right away.

Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you have ever had an allergic reaction to this product or any of its ingredients
- to make a child sleepy

Ask a doctor before use if the user has

- difficulty in urination due to enlargement of the prostate gland
- liver disease
- glaucoma
- a breathing problem such as emphysema or chronic bronchitis

Ask a doctor or pharmacist before use if the user is

- taking sedatives or tranquilizers
- taking the blood thinning drug warfarin

When using this product

- alcohol, sedatives, and tranquilizers may increase drowsiness
- use caution when driving a motor vehicle or operating machinery
- excitability may occur, especially in children
- drowsiness may occur
- avoid alcoholic beverages

Stop use and ask a doctor if

- pain gets worse or lasts more than 5 days (children 6 to under 12 years) or 10 days (adults)
- new symptoms occur
- fever gets worse or lasts more than 3 days
- redness or swelling is present

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of accidental overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not take more than directed**

adults and children 12 years and over	2 tablets every 4 to 6 hours; do not take more than 12 tablets in 24 hours
---------------------------------------	--

children 6 to under 12 years	1 tablet every 4 to 6 hours; do not take more than 5 tablets in 24 hours
children under 6 years	do not use unless directed by a doctor

Other information

- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

Inactive ingredients

corn starch, crospovidone, FD&C red #40 aluminum lake, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone, silicon dioxide, sodium starch glycolate, stearic acid, talc, titanium dioxide

Questions or comments?

1-800-426-9391

Principal Display Panel

CVS

Health®

Compare to the active ingredients in Coricidin® HBP Cold & Flu*

Decongestant Free

Cold & Flu HBP

ACETAMINOPHEN

Pain reliever & fever reducer

CHLORPHENIRAMINE MALEATE

Antihistamine

For People with High Blood Pressure

Relieves:

- Runny nose
- Sneezing
- Body aches & pains

- Fever & sore throat

20 TABLETS

Actual Size

100% money back guaranteed

cvs.com/returnpolicy

Distributed by: CVS Pharmacy, Inc.
 One CVS Drive, Woonsocket, RI 02895
 © 2022 CVS/pharmacy
 CVS.com® 1-800-SHOP CVS
 V-19849

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

*This product is not manufactured or distributed by Bayer HealthCare LLC, owner of the registered trademark Coricidin® HBP Cold & Flu.
 50844 ORG102069209

Drug Facts SEE OUTER CONTAINER FOR COMPLETE PRODUCT INFORMATION

Active ingredients (in each tablet)
 Acetaminophen 325 mg Pain reliever/fever reducer
 Chlorpheniramine maleate 2 mg Antihistamine

Purpose
 Relieves or temporarily reduces fever

Uses ■ temporarily relieves:
 ■ headache ■ sneezing ■ runny nose
 ■ minor aches and pains ■ sore throat
 ■ temporarily reduces fever

Warnings
Liver warning: This product contains acetaminophen. Severe liver damage may occur if
 ■ adult takes more than 4,000 mg of acetaminophen in 24 hours
 ■ child takes more than 5 doses in 24 hours
 ■ taken with other drugs containing acetaminophen
 ■ adult has 3 or more alcoholic drinks every day while using this product
Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:
 ■ blisters ■ rash ■ skin reddening
 If a skin reaction occurs, stop use and seek medical help right away.
Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use
 ■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
 ■ if you have ever had an allergic reaction to this product or any of its ingredients
 ■ to make a child sleepy

Ask a doctor before use if the user has
 ■ difficulty in urination due to enlargement of the prostate gland ■ liver disease ■ glaucoma
 ■ a breathing problem such as emphysema or chronic bronchitis

Ask a doctor or pharmacist before use if the user is
 ■ taking sedatives or tranquilizers
 ■ taking the blood thinning drug warfarin

When using this product
 ■ alcohol, sedatives, and tranquilizers may increase drowsiness

Directions
 ■ do not take more than directed

adults and children 12 years and over	2 tablets every 4 to 6 hours; do not take more than 12 tablets in 24 hours
children 6 to under 12 years	1 tablet every 4 to 6 hours; do not take more than 5 tablets in 24 hours
children under 6 years	do not use unless directed by a doctor

Other information
 ■ TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN
 ■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)

Drug Facts (continued)
 ■ use caution when driving a motor vehicle or operating machinery
 ■ excitability may occur, especially in children
 ■ drowsiness may occur
 ■ avoid alcoholic beverages

Stop use and ask a doctor if
 ■ pain gets worse or lasts more than 5 days (children 6 to under 12 years) or 10 days (adults) ■ new symptoms occur
 ■ fever gets worse or lasts more than 3 days
 ■ redness or swelling is present

If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Drug Facts (continued)
 ■ see and flip for expiration date and lot number
Inactive ingredients corn starch, croscollon, FD&C red #40 aluminum lake, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone, silicon dioxide, sodium starch glycolate, stearic acid, talc, titanium dioxide

Questions or comments? 1-800-426-9391

CVS Health. Compare to the active ingredients in Coricidin® HBP Cold & Flu*

Decongestant Free

Cold & Flu HBP

ACETAMINOPHEN
 Pain reliever & fever reducer

CHLORPHENIRAMINE MALEATE
 Antihistamine

For People with High Blood Pressure

Relieves:

- Runny nose
- Sneezing
- Body aches & pains
- Fever & sore throat

20 TABLETS Actual Size

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

No Print/No Varnish Lot and Expiration No.

PAPER BOX MULTI-LAYER TRAY

8-0231-662-09-HR
 ORG102069209

CVS Health 44-692

COLD AND FLU HBP

acetaminophen, chlorpheniramine maleate tablet, film coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69842-692
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg
CHLORPHENIRAMINE MALEATE (UNII: V1Q0O9OJ9Z) (CHLORPHENIRAMINE - UNII:3U6IO1965U)	CHLORPHENIRAMINE MALEATE	2 mg

Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
CROSPVIDONE, UNSPECIFIED (UNII: 2S7830E561)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	red	Score	no score
Shape	ROUND	Size	19mm
Flavor		Imprint Code	44;692
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69842-692-09	2 in 1 CARTON	07/16/2017	
1		10 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	07/16/2017	

Labeler - CVS PHARMACY (062312574)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(69842-692) , pack(69842-692)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(69842-692)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(69842-692)

Revised: 3/2024

CVS PHARMACY