#### STRONTIUM SULPHURICUM- strontium sulphuricum pellet Hahnemann Laboratories, INC.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

### STRONTIUM SULPHURICUM 6C

Min. net wt: 5g of pellets

#### HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

• If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

**Directions:** Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



# Hahnemann Labs Inc. 1940 Fourth St. San Kafael, CA 949 TWIST TO OPEN - USE ONLY IF SEALED

## STRONTIUM SULPHURICUM 6C

Min. net wt: 30g of pellets

#### HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



# Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 949 TWIST TO OPEN - USE ONLY IF SEALED

### STRONTIUM SULPHURICUM 6C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



### STRONTIUM SULPHURICUM 12C

Min. net wt: 5g of pellets

#### HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



### STRONTIUM SULPHURICUM 12C

Min. net wt: 30g of pellets

#### HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



### STRONTIUM SULPHURICUM 12C

Min. net wt: 100g of pellets

#### HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



#### Hahnemann Labs Inc.

## STRONTIUM SULPHURICUM 30C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE
Active ingredient:
Listed above
Use:Traditional use
such as headache.
Keep out of reach

of children

Directions: Take 5
pellets orally once
Inactive ingredients:
sucrose

00000

nemann Labs Inc. 1940 Fourth St. San Rafael

# Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 9490 TWIST TO OPEN - USE ONLY IF SEALED

### STRONTIUM SULPHURICUM 30C

Min. net wt: 5g of pellets

#### HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

health professional before use. 

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



# Hahnemann Labs Inc. 1940 Fourth St. San Kafael, CA 949 TWIST TO OPEN - USE ONLY IF SEALED

## STRONTIUM SULPHURICUM 30C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



# Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 9490 TWIST TO OPEN - USE ONLY IF SEALED

### STRONTIUM SULPHURICUM 30C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



#### Hahnemann Labs Inc.

## STRONTIUM SULPHURICUM 100C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE
Active ingredient:
Listed above
Use:Traditional use
such as headache.
Keep out of reach

of children

Directions: Take 5
pellets orally once
Inactive ingredients:
sucrose

00000

nemann Labs Inc. 1940 Fourth St. San Rafael

TWIST TO OPEN - USE ONLY IF SEA

# Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 949 TWIST TO OPEN - USE ONLY IF SEALED

## STRONTIUM SULPHURICUM 100C

Min. net wt: 5g of pellets

#### HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



## STRONTIUM SULPHURICUM 100C

Min. net wt: 30g of pellets

#### HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



## STRONTIUM SULPHURICUM 100C

Min. net wt: 100g of pellets

#### HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



#### Hahnemann Labs Inc.

#### **STRONTIUM** SULPHURICUM 200C

Min. net wt: 1g **HOMEOPATHIC** MEDICINE Active ingredient: Listed above Use:Traditional use

such as headache.

Keep out of reach

of children

Directions: Take 5 pellets orally once Inactive ingredients:

sucrose

# Hahnemann Labs Inc. 1940 Fourth St. San Kafael, CA 949 TWIST TO OPEN - USE ONLY IF SEALED

## STRONTIUM SULPHURICUM 200C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



## STRONTIUM SULPHURICUM 200C

Min. net wt: 30g of pellets

#### HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



## STRONTIUM SULPHURICUM 200C

Min. net wt: 100g of pellets

#### HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



#### Hahnemann Labs Inc.

## STRONTIUM SULPHURICUM 500C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE
Active ingredient:
Listed above
Use:Traditional use
such as headache.
Keep out of reach

of children

Directions: Take 5 pellets orally once Inactive ingredients: sucrose

00000

nemann Labs Inc. 1940 Fourth St. San Rafael,

TWIST TO OPEN - USE ONLY IF SEA

# TWIST TO OPEN - USE ONLY IF SEALED

## STRONTIUM SULPHURICUM 500C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



# Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 9490 TWIST TO OPEN - USE ONLY IF SEALED

## STRONTIUM SULPHURICUM 500C

Min. net wt: 30g of pellets

#### HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



# Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 949 TWIST TO OPEN - USE ONLY IF SEALED

## STRONTIUM SULPHURICUM 500C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



#### Hahnemann Labs Inc.

## STRONTIUM SULPHURICUM

Min. net wt: 1g
HOMEOPATHIC
MEDICINE
Active ingredient:
Listed above
Use:Traditional use
such as headache.
Keep out of reach

of children

Directions: Take 5
pellets orally once
Inactive ingredients:
sucrose

00000

memann Labs Inc. 1940 Fourth St. San Rafael, C

### STRONTIUM SULPHURICUM 1M

Min. net wt: 5g of pellets

#### HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



# Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 949 TWIST TO OPEN - USE ONLY IF SEALED

### STRONTIUM SULPHURICUM 1M

Min. net wt: 30g of pellets

#### HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



# Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 9490 TWIST TO OPEN - USE ONLY IF SEALED

## STRONTIUM SULPHURICUM 1M

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: • If pregnant or breast-feeding, ask a

health professional before use. ■ If sy

■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

### STRONTIUM SULPHURICUM LM1

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: • If pregnant or breast-feeding, ask a

health professional before use. 

• If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

#### STRONTIUM SULPHURICUM

strontium sulphuricum pellet

#### **Product Information**

Product Type HUMAN OTC DRUG

**Item Code (Source)** 

NDC:37662-4060

**Route of Administration** 

ORAL

**Active Ingredient/Active Moiety** 

Ingredient Name	Basis of Strength	Strength
STRONTIUM SULFATE (UNII: 7Q3KX2L47F) (STRONTIUM CATION - UNII:37077S2C93)	STRONTIUM SULFATE	500 [hp_C]

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics				
Color	white	Score	no score	
Shape	ROUND	Size	2mm	
Flavor		Imprint Code		
Contains				

F	ackaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37662- 4060-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	09/28/2023	
2	NDC:37662- 4060-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	09/28/2023	
3	NDC:37662- 4060-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	09/28/2023	
4	NDC:37662- 4060-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	09/28/2023	

Marketing Information				
Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
	09/28/2023			
	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date		

#### STRONTIUM SULPHURICUM

<b>Product Information</b>			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-4057
Route of Administration	ORAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength

**STRONTIUM SULFATE** (UNII: 7Q3KX2L47F) (STRONTIUM CATION - UNII:37077S2C93)

STRONTIUM SULFATE | 30 [hp\_C]

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics				
Color	white	Score	no score	
Shape	ROUND	Size	3mm	
Flavor		Imprint Code		
Contains				

P	ackaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37662- 4057-1	80 in 1 VIAL, GLASS; Type 0: Not a Combination Product	09/28/2023	
2	NDC:37662- 4057-2	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	09/28/2023	
3	NDC:37662- 4057-3	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	09/28/2023	
4	NDC:37662- 4057-4	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	09/28/2023	

Marketing CategoryApplication Number or Monograph CitationMarketing Start DateMarketing End Dateunapproved homeopathic09/28/2023	Marketing Information				
			_	_	
·			09/28/2023		

#### STRONTIUM SULPHURICUM

<b>Product Information</b>			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-4061
Route of Administration	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
STRONTIUM SULFATE (UNII: 7Q3KX2L47F) (STRONTIUM CATION - UNII:37077S2C93)	STRONTIUM SULFATE	1 [hp_M]	

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics				
Color	white	Score	no score	
Shape	ROUND	Size	2mm	
Flavor		Imprint Code		
Contains				

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:37662- 4061-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	09/28/2023		
2	NDC:37662- 4061-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	09/28/2023		
3	NDC:37662- 4061-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	09/28/2023		
4	NDC:37662- 4061-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	09/28/2023		

Marketing Information				
Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
	09/28/2023			
	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date		

#### STRONTIUM SULPHURICUM

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-4058	
Route of Administration	ORAL			

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
STRONTIUM SULFATE (UNII: 7Q3KX2L47F) (STRONTIUM CATION - UNII:37077S2C93)	STRONTIUM SULFATE	100 [hp_C]	

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics				
Color	white	Score	no score	
Shape	ROUND	Size	2mm	
Flavor		Imprint Code		
Contains				

Packaging					
# Item Code	Package Description	Marketing Start Date	Marketing End Date		
NDC:37662- 4058-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	09/28/2023			
NDC:37662- 4058-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	09/28/2023			
NDC:37662- 4058-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	09/28/2023			
NDC:37662- 4058-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	09/28/2023			

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved homeopathic		09/28/2023		

#### STRONTIUM SULPHURICUM

Product Information					
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-4059		
Route of Administration	ORAL				

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
STRONTIUM SULFATE (UNII: 7Q3KX2L47F) (STRONTIUM CATION - UNII:37077S2C93)	STRONTIUM SULFATE	200 [hp_C]		

Inactive Ingredients	
Ingredient Name	Strength

SUCROSE (UNII: C151H8M554)

Product Characteristics				
Color	white	Score	no score	
Shape	ROUND	Size	2mm	
Flavor		Imprint Code		
Contains				

Packaging					
# Item Code	Package Description	Marketing Start Date	Marketing End Date		
NDC:37662- 4059-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	09/28/2023			
NDC:37662- 4059-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	09/28/2023			
NDC:37662- 4059-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	09/28/2023			
NDC:37662- 4059-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	09/28/2023			

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
unapproved homeopathic		09/28/2023			

#### STRONTIUM SULPHURICUM

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-4056	
Route of Administration	ORAL			

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
STRONTIUM SULFATE (UNII: 7Q3KX2L47F) (STRONTIUM CATION - UNII:37077S2C93)	STRONTIUM SULFATE	12 [hp_C]		

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics				
Color	white	Score	no score	
Shape	ROUND	Size	3mm	
Flavor		Imprint Code		
Contains				

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:37662- 4056-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	09/28/2023			
2	NDC:37662- 4056-2	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	09/28/2023			
3	NDC:37662- 4056-3	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	09/28/2023			

Marketing Information				
Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
	09/28/2023			
	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date		

#### STRONTIUM SULPHURICUM

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-4055	
Route of Administration	ORAL			

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
STRONTIUM SULFATE (UNII: 7Q3KX2L47F) (STRONTIUM CATION - UNII:37077S2C93)	STRONTIUM SULFATE	6 [hp_C]		

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics			
Color	white	Score	no score

Shape	ROUND	Size	3mm
Flavor		Imprint Code	
Contains			

P	Packaging						
#	Item Code	Package Description	Marketing Start Date	Marketing End Date			
1	NDC:37662- 4055-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	09/28/2023				
2	NDC:37662- 4055-2	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	09/28/2023				
3	NDC:37662- 4055-3	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	09/28/2023				

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		09/28/2023	

#### STRONTIUM SULPHURICUM

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-4062	
Route of Administration	ORAL			

l	Active Ingredient/Active Moiety				
	Ingredient Name	Basis of Strength	Strength		
	<b>STRONTIUM SULFATE</b> (UNII: 7Q3KX2L47F) (STRONTIUM CATION - UNII:37077S2C93)	STRONTIUM SULFATE	1 [hp_Q]		

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics			
Color	white	Score	no score
Shape	ROUND	Size	1mm
Flavor		Imprint Code	
Contains			

Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:37662- 4062-1	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	09/28/2023		
Marketing Information					
	Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
un	approved meopathic		09/28/2023		

#### Labeler - Hahnemann Laboratories, INC. (147098081)

Establishment			
Name	Address	ID/FEI	Business Operations
Hahnemann Laboratories, INC.		147098081	manufacture(37662-4055, 37662-4056, 37662-4057, 37662-4058, 37662-4059, 37662-4060, 37662-4061, 37662-4062)

Revised: 9/2023 Hahnemann Laboratories, INC.