LOREAL PARIS AGE PERFECT RADIANT SERUM FOUNDATION SPF 50homosalate, octisalate and octocrylene cream L'Oreal USA Products Inc

Drug Facts

Active ingredients

Homosalate 10%

Octisalate 5%

Octocrylene 4%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Flammable until dry.

Keep away from flames and heat.

Do not use

on damaged or broken skin

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

rash occurs

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant suncreen if swimming or sweating
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
- limit time in the sun, especially from 10 a.m. 2 p.m.
- wear long-sleeved shrits, pants, hat and sunglasses
- children under 6 months of age: Ask a doctor

Other information

• protect the product in this container from excessive heat and direct sun

Inactive ingredients

water, dimethicone, glycerin, propanediol, alcohol denat., niacinamide, vinyl dimethicone/methicone silsesquioxane crosspolymer, synthetic fluorphlogopite, PEG-30 dipolyhydroxystearate, tocopherol, disteardimonium hectorite, polyglyceryl-4 diisostearate/polyhydroxystearate/sebacate, magnesium sulfate, phenoxyethanol, disodium stearoyl glutamate, aluminum hydroxide, aloe barbadensis leaf juice powder, sodium hyaluronate; may contain: iron oxides

Questions or comments?

1-800-322-2036 Monday-Friday (10 a.m.-5 p.m. EST)







helps prevent sunburn

if used as directed with other sun protection measures (see Directions) decreases the risk of skin cancer and early skin aging caused by the sun

Drug Facts (continued)

Warnings For external use only

Flammable until dry. Keep away from flames and heat.

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center

Drug Facts (continued)

right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming swimming or sweating
- **Sun Protection** Measures. Spending time in the sun increases your risk of skin cańcer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
- · limit time in the sun, especially from 10a.m.-2p.m.

Drug Facts (continued)

- wear long-sleeved shirts, pants, hats, and sunglasses
- children under 6 months of age: Ask a doctor

Other information

protect the product in this container from excessive heat and direct sun

Inactive ingredients

water, dimethicone, glycerin, propanediol, alcohol denat., niacinamide, vinyl dimethicone/methicone silsesquioxane crosspolymer, synthetic fluorphlogopite, PEG-30 dipolyhydřoxystéarate, tocopherol, disteardimonium

L'ORÉAL USA, INC., NEW YORK, NY 10001 IMP. BY: L'ORÉAL CANADA, MONTRÉAL H4T 1K5. MADE IN USA OF US AND/OR IMPORTED 1718775 12M NGREDIENTS.

Drug Facts (continued

hectorite, polyglyceryl-4 diisostearate polyhydroxystearate/ sebacate, magnesium sulfate, phenoxyethanol, disodium stearoyl glutamate, aluminum hydroxide, aloe barbadensis leaf juice powder, sodium hyaluronate; may contain: iron oxides

Ouestions or comments? 1-800-322-2036 Monday - Friday (10 a.m. - 5 p.m. EST)

G2025755 FIL B239436/1



LIFT.

Drug Facts (continued)

Uses helps prevent sunburn

if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings For external use only

Flammable until dry. Keep away from flames and heat

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center

Drug Facts (continued)

right away.

Directions

For sunscreen use:

- apply liberally 15 minútes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming swimming or sweating
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
- limit time in the sun, especially from 10a.m.-2p.m.

Drug Facts (continued)

- wear long-sleeved shirts, pants, hats, and sunglasses
- children under 6 months of age: Ask a doctor

Other information

protect the product in this container from excessive heat and direct sun

Inactive ingredients

water, dimethicone, glycerin, propanediol, alcohol denat., niacinamide, vinyl dimethicone/methicone silsesquioxane crosspolymer, synthetic fluorphlogopite, PEG-30 dipolyhydroxystearate, tocopherol, disteardimonium

L'ORÉAL USA, INC., NEW YORK, NY 10001 IMP. BY: L'ORÉAL CANADA, MONTRÉAL IH4T 1K5. MADE IN USA OF US AND/OR IMPORTED NGREDIENTS. 1718775 12M

Drug Facts (continued)

hectorite, polyglyceryl-4 diisostearate polyhydroxystearate/ sebacate, magnesium sulfate, phenoxyethanol, disodium stearoyl dutamate, aluminum hydroxide, aloe barbadensis leaf juice powder, sodium hvaluronate: may contain: iron oxides

Questions or comments? 1-800-322-2036 Monday - Friday (10 a.m.-5 p.m. EST)

G2025755 FIL B239436/1

LOREAL PARIS AGE PERFECT RADIANT SERUM FOUNDATION SPF **50**

homosalate, octisalate and octocrylene cream

| Product Information | | | | |
|-------------------------|----------------|--------------------|---------------|--|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:49967-942 | |
| Route of Administration | TOPICAL | | | |

| Active Ingredient/Active Moiety | | | |
|--|--------------------------|----------------|--|
| Ingredient Name | Basis of Strength | Strength | |
| HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S) | HOMOSALATE | 100 mg in 1 mL | |
| OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W) | OCTISALATE | 50 mg in 1 mL | |
| OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM) | OCTOCRYLENE | 40 mg in 1 mL | |

| Inactive Ingredients | | | |
|--|----------|--|--|
| Ingredient Name | Strength | | |
| WATER (UNII: 059QF0KO0R) | | | |
| DIMETHICONE (UNII: 92RU3N3Y1O) | | | |
| GLYCERIN (UNII: PDC6A3C0OX) | | | |
| PROPANEDIOL (UNII: 5965N8W85T) | | | |
| ALCOHOL (UNII: 3K9958V90M) | | | |
| NIACINAMIDE (UNII: 25X51I8RD4) | | | |
| VINYL DIMETHICONE/METHICONE SILSESQUIOXANE CROSSPOLYMER (UNII: 9NH1UDD2RR) | | | |
| PEG-30 DIPOLYHYDROXYSTEARATE (UNII: 9713Q0S7FO) | | | |
| TOCOPHEROL (UNII: R0ZB2556P8) | | | |
| DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L) | | | |
| MAGNESIUM SULFATE, UNSPECIFIED FORM (UNII: DE08037SAB) | | | |
| PHENOXYETHANOL (UNII: HIE492ZZ3T) | | | |
| DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M) | | | |
| ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0) | | | |
| ALOE VERA LEAF (UNII: ZY81Z83H0X) | | | |
| HYALURONATE SODIUM (UNII: YSE9PPT4TH) | | | |
| BROWN IRON OXIDE (UNII: 1N032N7MFO) | | | |

| Packaging | | | | | |
|-----------|---------------------------------|----------------------|--|-----------------------|--|
| | # Item Code Package Description | | Marketing Start Date | Marketing End Date | |
| | | NDC:49967-942- 01 | 30 mL in 1 TUBE; Type 0: Not a Combination Product | 10/01/2019 | |

| Marketing Information | | | | |
|-----------------------|---|-------------------------|-----------------------|--|
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date | |
| OTC Monograph Drug | M020 | 10/01/2019 | | |
| | | | | |

| Establishment | | | | |
|----------------------------|---------|-----------|---|--|
| Name | Address | ID/FEI | Business Operations | |
| L'OREAL USA PRODUCTS, INC. | | 624244349 | manufacture(49967-942), pack(49967-942) | |

Revised: 12/2023 L'Oreal USA Products Inc