

ROMPE PECHO SF FLU SF FLU- brompheniramine maleate, dextromethorphan hbr liquid
Efficient Laboratories Inc

Rompe Pecho SF Flu

Active Ingredients:(in each teaspoonful 5 ml.) **Purpose**

Brompheniramine Maleate 4mg Antihistamine

Dextromethorphan HBr 10 mg Cough Suppressant

Purpose

Antihistamine

Cough Suppressant

Warnings

Do not exceed recommended dosage.

Do not use

- If you are taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI; ask your doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- heart disease
- glaucoma
- high blood pressure
- thyroid disease
- diabetes
- difficulty in urination due to an enlarged prostate gland
- a persistent or chronic cough such as occurs with smoking, asthma, or emphysema
 - a cough that is accompanied by excessive phlegm (mucus)
- a breathing problem such as emphysema or chronic bronchitis

Stop use and ask doctor if

- symptoms do not improve within 7 days, cough tends to recur, or symptoms are accompanied by a fever, rash or persistent headache. A persistent cough may be

sign of a serious condition.

- nervousness, dizziness, or sleeplessness occurs

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center right away.

Directions

- Do not exceed more than 6 doses in any 24-hour period
- Shake well before use
- measure only with dosing cup provided
- keep dosing cup with product
- mL=milliliter TSP=teaspoonful
- this adult product is not intended for use in children under 12 years of age

Age	• Dose
• adults and children 12 years of age and over	• 5 mL (1 teaspoonfuls) every 4 hours
• children under 6 years of age	• do not use

Uses

- temporarily relieves runny nose, sneezing, itching of the nose or throat, and itchy watery eyes due to hay fever or other upper respiratory allergies
- temporarily relieves cough from the common cold

Inactive Ingredients:Blue Cohosh root extract, citric acid, Echinacea root extract, Eucalyptus Oil, Flavor, Ginkgo Biloba leaf extract, glycerin, Golden Seal root extract, Honey, Horehound (flower, leaf, stem) extract, Licorice Root extract, Menthol, Methylparaben, Mullein leaf extract, Myrrh gum extract, Potassium Citrate, Potassium Sorbate, Propylene Glycol, Propylparaben, Slippery Elm Bark extract, Sodium Chloride, Sucralose, Water, Wild Cherry Bark extract and Zinc Sulfate.

Questions or Comments?

305-805-3456 Monday - Friday 9AM to 5PM EST

www.efficientlabs.com

Distributed by

Efficient Laboratories, Inc., Miami, FL 33166

Made in U.S.A.

Ask a doctor or pharmacist before use if you are:

taking tranquilizers or sedatives

When using this product

When using this product • may cause marked drowsiness • avoid alcoholic drinks • Alcohol, sedatives, and tranquilizers may increase drowsiness effect • use caution when driving a motor vehicle or operating machinery • excitability may occur, especially in childrens.

FLU Multi Symptoms

Rompe Pecho

EFFICIENT

Rompe Pecho

FLU Multi Symptom
SOMAT FRESH

Itchy Throat
Watery Eyes
Runny Nose
Cough



ALCOHOL FREE
Methamphetamine Hydrochloride, Moxidectin & more
Dextromethorphan HBr (Cough Suppressant)

Adults & children 12 years & over
NET WEIGHT: 6 FL Oz (178 mL)



Drug Facts

Active Ingredients (per each dose, 6 mL) Purpose
Dextromethorphan HBr 4 mg Cough suppressant
Moxidectin 10 mg Cough suppressant

Uses - temporarily relieves runny nose, sneezing, itching of the nose or throat, and itchy watery eyes due to hay fever or other upper respiratory allergies - temporarily relieves cough from the common cold

Warnings
Do not use if you are pregnant or breastfeeding. Contains a prescription medication (Moxidectin) that may be addictive, habit-forming, or cause drowsiness, dizziness, or impaired judgment. Do not use if you are taking other prescription drugs, especially antidepressants, sedatives, or other drugs that may cause drowsiness. Do not use if you are taking other prescription drugs, especially antidepressants, sedatives, or other drugs that may cause drowsiness.

Directions
Adults & children 12 years & over: 2-3 doses daily. Children 6-11 years: 1-2 doses daily. Children 2-5 years: 1/2-1 dose daily. Do not use for more than 10 days. If symptoms do not improve within 7 days, cough lasts by itself, or you have a persistent cough, see your doctor. A persistent cough may be a sign of a serious condition. Do not use if you are pregnant or breastfeeding. Do not use if you are taking any other prescription drugs, especially antidepressants, sedatives, or other drugs that may cause drowsiness.

Other information
Keep out of reach of children. In case of an overdose, get medical help or contact a Poison Control Center right away.

Contains
- Do not exceed more than 6 doses in any 24-hour period
- Alcohol-free formula
- Contains 100% natural ingredients
- No artificial colors or flavors
- No parabens, sulfates, or other harsh chemicals
- No animal products or by-products

Age	Dose
Children 6-11 years	1-2 doses daily
Children 2-5 years	1/2-1 dose daily
Adults & children 12 years & over	2-3 doses daily

Other information
Contains 100% natural ingredients. No artificial colors or flavors. No parabens, sulfates, or other harsh chemicals. No animal products or by-products.

Warnings
Do not use if you are pregnant or breastfeeding. Contains a prescription medication (Moxidectin) that may be addictive, habit-forming, or cause drowsiness, dizziness, or impaired judgment. Do not use if you are taking other prescription drugs, especially antidepressants, sedatives, or other drugs that may cause drowsiness.

Rev. 1
Distributed by: [Company Name]
[Address]

EFFICIENT

Rompe Pecho

FLU Multi Sintomas
SOM FRESH

Picazón en la Garganta
Ojos Lagrimosos
Goteo Nasal
Tos



SIN ALCOHOL
Equisetum, Eucalyptus, Moxidectin y más
Dextromethorphan HBr (Cough Suppressant)

Adultos y Niños mayores de 12 años
PESO NETO: 6 Oz FL (178 mL)

Datos Farmacológicos

Ingredientes activos (por cada dosis, 6 mL)
Dextrometorfano HBr 4 mg
Moxidectina HBr 10 mg

Indicaciones
- Alivia temporalmente los síntomas de resaca, como náuseas, dolor de cabeza y mareos.
- Alivia temporalmente los síntomas de gripe, como congestión nasal y dolor de garganta.

Contraindicaciones
- No usar si está embarazada o lactando.
- No usar si está tomando otros medicamentos que contengan Moxidectina.

Precauciones
- Evitar el alcohol durante el tratamiento.
- Evitar conducir o operar maquinaria pesada si se experimenta somnolencia o mareos.

Interacciones
- Evitar el uso de otros medicamentos que contengan Moxidectina.

Condiciones de almacenamiento
- Guardar en un lugar fresco y seco.
- Evitar la exposición a la luz directa.

Edad	Dosis
Adultos y niños de 12 años de edad y más	2-3 dosis al día
Niños de 6-11 años	1-2 dosis al día
Niños de 2-5 años	1/2-1 dosis al día

Información adicional
- Contiene 100% ingredientes naturales.
- Sin alcohol.

Precauciones
- Evitar el alcohol durante el tratamiento.
- Evitar conducir o operar maquinaria pesada si se experimenta somnolencia o mareos.



NR 102020

5.5 Inch

<h3>Drug Facts</h3> <p>Active Ingredient (by volume, 2 mL): Phosphate Buffered Saline (PBS) 70 mg, Acetaminophen 100 mg, Codeine phosphate 10 mg, Dextromethorphan 10 mg, Erythromycin 10 mg.</p> <p>Uses - Temporarily relieves nasal congestion, headache, fever, and pain. Relieves cough due to cold, flu or other upper respiratory conditions. Temporarily relieves cough that has disrupted sleep.</p> <p>Warnings</p> <p>Do not exceed recommended dosage.</p> <p>Do not use if you are now taking, or planning to take, another medicine that contains MAOI or has contained MAOI within the past 14 days. Do not use if you are now taking, or planning to take, another medicine that contains MAOI, and a doctor or pharmacist tells you to do so.</p> <p>Directions - Adults & Children 12 years & over: 2 tablets (each 2 mL) 3 to 4 times a day as needed. Use after meals. Do not use if you are now taking, or planning to take, another medicine that contains MAOI, and a doctor or pharmacist tells you to do so.</p> <p>Other Important Information - Do not use if you are taking, or planning to take, another medicine that contains MAOI, and a doctor or pharmacist tells you to do so.</p> <p>Other Important Information - Do not use if you are taking, or planning to take, another medicine that contains MAOI, and a doctor or pharmacist tells you to do so.</p> <p>Other Important Information - Do not use if you are taking, or planning to take, another medicine that contains MAOI, and a doctor or pharmacist tells you to do so.</p> <p>Other Important Information - Do not use if you are taking, or planning to take, another medicine that contains MAOI, and a doctor or pharmacist tells you to do so.</p>	 <h2>Rompe Pecho[®]-SF</h2> <h1>FLU</h1> <p>Sugar Free</p> <ul style="list-style-type: none"> • Analgesic/antipyretic • Cough Suppressant • Decongestant • Antibiotic <p>ADVANCED FORMULA ALCOHOL FREE</p> <p>Adults & Children 12 years & over</p> <p>Contents: 9 FL Oz (178 mL)</p>	<h3>Drug Facts (continued)</h3> <p>Directions</p> <p>Adults & Children 12 years & over: 2 tablets (each 2 mL) 3 to 4 times a day as needed. Use after meals. Do not use if you are now taking, or planning to take, another medicine that contains MAOI, and a doctor or pharmacist tells you to do so.</p> <p>Other Important Information - Do not use if you are taking, or planning to take, another medicine that contains MAOI, and a doctor or pharmacist tells you to do so.</p> <p>Other Important Information - Do not use if you are taking, or planning to take, another medicine that contains MAOI, and a doctor or pharmacist tells you to do so.</p> <p>Other Important Information - Do not use if you are taking, or planning to take, another medicine that contains MAOI, and a doctor or pharmacist tells you to do so.</p> <p>Other Important Information - Do not use if you are taking, or planning to take, another medicine that contains MAOI, and a doctor or pharmacist tells you to do so.</p>
---	---	--

3 Inch

brompheniramine maleate, dextromethorphan hbr liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58593-002
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RT19KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg in 5 mL
BROMPHENIRAMINE MALEATE (UNII: IXA7C9Z N03) (BROMPHENIRAMINE - UNII:H57G17P2FN)	BROMPHENIRAMINE MALEATE	4 mg in 5 mL

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
POTASSIUM CITRATE ANHYDROUS (UNII: 86R1NVR0HW)	
EUCALYPTUS OIL (UNII: 2R04ONI662)	
CAULOPHYLLUM THALICTROIDES ROOT (UNII: JTJ6HH6YEH)	
GLYCERIN (UNII: PDC6A3C0OX)	
ECHINACEA ANGUSTIFOLIA ROOT (UNII: D982V7VT3P)	
GINKGO BILOBA LEAF OIL (UNII: Y5967KO1JH)	
GOLDENSEAL (UNII: ZW3Z11D0JV)	
HONEY (UNII: Y9H1V576FH)	
HOREHOUND (UNII: K08036XEJV)	
MENTHOL (UNII: L7T10EIP3A)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
LICORICE (UNII: 61ZBX54883)	
MULLEIN LEAF (UNII: 9936O846LI)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
WATER (UNII: 059QF0KOOR)	
ULMUS RUBRA BARK (UNII: 91QY4PXU8Q)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PRUNUS SEROTINA BARK (UNII: 5D48E975HA)	
ZINC SULFATE (UNII: 89DS0H96TB)	
MYRRH (UNII: JC71GJ1F3L)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58593-002-06	178 mL in 1 BOTTLE; Type 0: Not a Combination Product	10/01/2023	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	10/01/2023	

Labeler - Efficient Laboratories Inc (969044932)

Registrant - Efficient Laboratories Inc (969044932)

Revised: 5/2024

Efficient Laboratories Inc