

**INDUSTROTOX- glycyrrhiza glabra, plantago major, stillingia sylvatica, trifolium pratense, arnica montana, asclepias tuberosa, berberis vulgaris, calendula officinalis, chamomilla, chelidonium majus, echinacea (angustifolia), eucalyptus globulus, lappa major, nasturtium aquaticum, phytolacca decandra, rhamnus frangula, rhamnus purshiana, taraxacum officinale, trigonella foenum-graecum, urtica dioica, xanthoxylum fraxineum, symphytum officinale, hepar suis, lung (suis), lymph node (suis) liquid BioActive Nutritional, Inc.**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----  
**Drug Facts:**

**ACTIVE INGREDIENTS:**

Glycyrrhiza Glabra 3X, Plantago Major 3X, Stillingia Sylvatica 3X, Trifolium Pratense 3X, Arnica Montana 3X, 4X, Asclepias Tuberosa 4X, Berberis Vulgaris 4X, Calendula Officinalis 4X, Chamomilla 4X, Chelidonium Majus 4X, Echinacea (Angustifolia) 4X, Eucalyptus Globulus 4X, Lappa Major 4X, Nasturtium Aquaticum 4X, Phytolacca Decandra 4X, Rhamnus Frangula 4X, Rhamnus Purshiana 4X, Taraxacum Officinale 4X, Trigonella Foenum-Graecum 4X, Urtica Dioica 4X, Xanthoxylum Fraxineum 4X, Symphytum Officinale 3X, Hepar Suis 8X, Lung (Suis) 8X, Lymph Node (Suis) 8X, Belladonna 12X, Lycopodium Clavatum 12X, Nitricum Acidum 12X, Nux Vomica 12X, Phosphoricum Acidum 12X.

**HOMEOPATHIC INDICATIONS:**

For temporary relief of cough with sensation as if something were loose in the chest, rhinitis, hoarseness with rough, scraped feeling of the throat & stuffiness of the nose as a consequence of industrial pollutants.\*\*

\*\*These statements are based upon homeopathic principles. They have not been reviewed by the Food and Drug Administration.

**WARNINGS:**

**If pregnant or breast-feeding,** ask a health care professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

Do not use if tamper evident seal is broken or missing. Store in a cool, dry place.

**KEEP OUT OF REACH OF CHILDREN:**

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**DIRECTIONS:**

10 drops orally, 3 times a day. Consult a physician for use in children under 12 years of age.

**HOMEOPATHIC INDICATIONS:**

For temporary relief of cough with sensation as if something were loose in the chest, rhinitis,

hoarseness with rough, scraped feeling of the throat & stuffiness of the nose as a consequence of industrial pollutants.\*\*

\*\*These statements are based upon homeopathic principles. They have not been reviewed by the Food and Drug Administration.

#### **INACTIVE INGREDIENTS:**

Demineralized Water, 25% Ethanol

#### **QUESTIONS:**

Distributed by:

BioActive Nutritional, Inc.

1803 N. Wickham Rd.

Melbourne, FL 32935

#### **PACKAGE LABEL DISPLAY:**

**BIOActive Nutritional**

**INDUSTROTOX**

**HOMEOPATHIC**

**1 FL OZ (30 ml)**



**WARNINGS:** If pregnant or breast-feeding, ask a health care professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. Do not use if tamper evident seal is broken or missing. Store in a cool, dry place.

#### **LOT:**

Distributed by:  
BioActive Nutritional, Inc.  
1803 N. Wickham Rd.  
Melbourne, FL 32935  
bioactivenutritional.com

## **INDUSTROTOX**

### **HOMEOPATHIC**

#### **ACTIVE INGREDIENTS:**

Glycyrrhiza 3X, Plantago 3X, Stillingia 3X, Trifolium Prat 3X, Arnica 3X, 4X, Asclepias Tub 4X, Berber Vulg 4X, Calendula 4X, Chamomilla 4X, Chelidonium Maj 4X, Echinacea 4X, Eucalyptus 4X, Lappa 4X, Nasturtium 4X, Phytolacca 4X, Rhamnus Frang 4X, Rhamnus Pursh 4X, Taraxacum 4X, Trigonella Foenum-Graecum 4X, Urtica Di 4X, Xanthoxylum 4X, Symphytum 6X, Hepar Suis 8X, Lung 8X, Lymph Node 8X, Belladonna 12X, Lycopodium 12X, Nitricum Ac 12X, Nux Vom 12X, Phosphoricum Ac 12X.

**INACTIVE INGREDIENTS:**  
Demineralized Water, 25% Ethanol

**1 FL OZ (30 ml)**

#### **INDICATIONS:**

For temporary relief of cough with sensation as if something were loose in the chest, rhinitis, hoarseness with rough, scraped feeling of the throat & stuffiness of the nose as a consequence of industrial pollutants.

#### **DIRECTIONS:**

10 drops orally, 3 times a day. Consult a physician for use in children under 12 years of age.

## **INDUSTROTOX**

glycyrrhiza glabra, plantago major, stillingia sylvatica, trifolium pratense, arnica montana, asclepias tuberosa, berberis vulgaris, calendula officinalis, chamomilla, chelidonium majus, echinacea (angustifolia), eucalyptus globulus, lappa major, nasturtium aquaticum, phytolacca decandra, rhamnus frangula, rhamnus purshiana, taraxacum officinale, trigonella foenum-graecum, urtica dioica, xanthoxylum fraxineum, symphytum officinale, hepar suis, lung (suis), lymph node (suis) liquid

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:43857-0451
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>GLYCYRRHIZA GLABRA</b> (UNII: 2788Z9758H) (GLYCYRRHIZA GLABRA - UNII:2788Z9758H)	GLYCYRRHIZA GLABRA	3 [hp_X] in 1 mL
<b>PLANTAGO MAJOR</b> (UNII: W2469WNO6U) (PLANTAGO MAJOR - UNII:W2469WNO6U)	PLANTAGO MAJOR	3 [hp_X] in 1 mL
<b>STILLINGIA SYLVATICA ROOT</b> (UNII: QBR70R4FBK) (STILLINGIA SYLVATICA ROOT - UNII:QBR70R4FBK)	STILLINGIA SYLVATICA ROOT	3 [hp_X] in 1 mL
<b>TRIFOLIUM PRATENSE FLOWER</b> (UNII: 4JS0838828) (TRIFOLIUM PRATENSE FLOWER - UNII:4JS0838828)	TRIFOLIUM PRATENSE FLOWER	3 [hp_X] in 1 mL
<b>ARNICA MONTANA</b> (UNII: O80TY208ZW) (ARNICA MONTANA - UNII:O80TY208ZW)	ARNICA MONTANA	3 [hp_X] in 1 mL
<b>ASCLEPIAS TUBEROSA ROOT</b> (UNII: 1ZL82U5D18) (ASCLEPIAS TUBEROSA ROOT - UNII:1ZL82U5D18)	ASCLEPIAS TUBEROSA ROOT	4 [hp_X] in 1 mL
<b>BERBERIS VULGARIS ROOT BARK</b> (UNII: 1TH8Q20J0U) (BERBERIS VULGARIS ROOT BARK - UNII:1TH8Q20J0U)	BERBERIS VULGARIS ROOT BARK	4 [hp_X] in 1 mL
<b>CALENDULA OFFICINALIS FLOWERING TOP</b> (UNII: 18E7415PXQ) (CALENDULA OFFICINALIS FLOWERING TOP - UNII:18E7415PXQ)	CALENDULA OFFICINALIS FLOWERING TOP	4 [hp_X] in 1 mL
<b>MATRICARIA RECUTITA</b> (UNII: G0R4UBI2ZZ) (MATRICARIA CHAMOMILLA - UNII:G0R4UBI2ZZ)	MATRICARIA RECUTITA	4 [hp_X] in 1 mL
<b>CHELIDONIUM MAJUS</b> (UNII: 7E889U5RNN) (CHELIDONIUM MAJUS - UNII:7E889U5RNN)	CHELIDONIUM MAJUS	4 [hp_X] in 1 mL
<b>ECHINACEA ANGUSTIFOLIA</b> (UNII: VB06AV5US8) (ECHINACEA ANGUSTIFOLIA - UNII:VB06AV5US8)	ECHINACEA ANGUSTIFOLIA	4 [hp_X] in 1 mL
<b>EUCALYPTUS GLOBULUS LEAF</b> (UNII: S546YLW6E6) (EUCALYPTUS GLOBULUS LEAF - UNII:S546YLW6E6)	EUCALYPTUS GLOBULUS LEAF	4 [hp_X] in 1 mL
<b>ARCTIUM LAPPAL ROOT</b> (UNII: 597E9B3Z3) (ARCTIUM LAPPAL ROOT - UNII:597E9B3Z3)	ARCTIUM LAPPAL ROOT	4 [hp_X] in 1 mL
<b>NASTURTIUM OFFICINALE</b> (UNII: YH89GMV676) (NASTURTIUM OFFICINALE - UNII:YH89GMV676)	NASTURTIUM OFFICINALE	4 [hp_X] in 1 mL
<b>PHYTOLACCA AMERICANA ROOT</b> (UNII: 11E6V18VEG) (PHYTOLACCA AMERICANA ROOT - UNII:11E6V18VEG)	PHYTOLACCA AMERICANA ROOT	4 [hp_X] in 1 mL
<b>FRANGULA ALNUS BARK</b> (UNII: S2D77IH61R) (FRANGULA ALNUS BARK - UNII:S2D77IH61R)	FRANGULA ALNUS BARK	4 [hp_X] in 1 mL
<b>FRANGULA PURSHIANA BARK</b> (UNII: 4VBP01X99F) (FRANGULA PURSHIANA BARK - UNII:4VBP01X99F)	FRANGULA PURSHIANA BARK	4 [hp_X] in 1 mL
<b>TARAXACUM OFFICINALE</b> (UNII: 39981FM375) (TARAXACUM OFFICINALE - UNII:39981FM375)	TARAXACUM OFFICINALE	4 [hp_X] in 1 mL
<b>FENUGREEK SEED</b> (UNII: 654825W09Z) (FENUGREEK SEED - UNII:654825W09Z)	FENUGREEK SEED	4 [hp_X] in 1 mL
<b>URTICA DIOICA</b> (UNII: 710FLW4U46) (URTICA DIOICA - UNII:710FLW4U46)	URTICA DIOICA	4 [hp_X] in 1 mL
<b>ZANTHOXYLUM AMERICANUM BARK</b> (UNII: A4KL1HMZ7T) (ZANTHOXYLUM AMERICANUM BARK - UNII:A4KL1HMZ7T)	ZANTHOXYLUM AMERICANUM BARK	4 [hp_X] in 1 mL
<b>COMFREY ROOT</b> (UNII: M9VVZ08EKQ) (COMFREY ROOT - UNII:M9VVZ08EKQ)	COMFREY ROOT	6 [hp_X] in 1 mL
<b>PORK LIVER</b> (UNII: 6EC706HI7F) (PORK LIVER - UNII:6EC706HI7F)	PORK LIVER	8 [hp_X] in 1 mL
<b>SUS SCROFA LUNG</b> (UNII: 7GL3G1COB3) (SUS SCROFA LUNG - UNII:7GL3G1COB3)	SUS SCROFA LUNG	8 [hp_X] in 1 mL
<b>SUS SCROFA LYMPH</b> (UNII: 33A7VYU29L) (SUS SCROFA LYMPH - UNII:33A7VYU29L)	SUS SCROFA LYMPH	8 [hp_X] in 1 mL

<b>ATROPA BELLADONNA</b> (UNII: WQZ3G9PF0H) (ATROPA BELLADONNA - UNII:WQZ3G9PF0H)	ATROPA BELLADONNA	12 [hp_X] in 1 mL
<b>LYCOPODIUM CLAVATUM SPORE</b> (UNII: C88X29Y479) (LYCOPODIUM CLAVATUM SPORE - UNII:C88X29Y479)	LYCOPODIUM CLAVATUM SPORE	12 [hp_X] in 1 mL
<b>NITRIC ACID</b> (UNII: 411VRN1TV4) (NITRIC ACID - UNII:411VRN1TV4)	NITRIC ACID	12 [hp_X] in 1 mL
<b>STRYCHNOS NUX-VOMICA SEED</b> (UNII: 269XH13919) (STRYCHNOS NUX-VOMICA SEED - UNII:269XH13919)	STRYCHNOS NUX-VOMICA SEED	12 [hp_X] in 1 mL
<b>PHOSPHORIC ACID</b> (UNII: E4GA8884NN) (PHOSPHORIC ACID - UNII:E4GA8884NN)	PHOSPHORIC ACID	12 [hp_X] in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43857-0451-1	30 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product	06/16/2017	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		06/16/2017	

**Labeler** - BioActive Nutritional, Inc. (624980496)

**Registrant** - Apotheca Company (844330915)

### Establishment

Name	Address	ID/FEI	Business Operations
Apotheca Company		844330915	manufacture(43857-0451) , api manufacture(43857-0451) , label(43857-0451) , pack(43857-0451)

Revised: 6/2017

BioActive Nutritional, Inc.