

**WART REMOVAL PEN- wart removal pen liquid**  
**Wenchang Panzhijie Trading Co., Ltd.**

-----  
**83717-003**

salicylic acid 0.5%

Chlorhexidine acetate 0.2%

**Purpose**

wart remover

**Use**

For the removal of common and plantar warts. The common wart is easily recognized by the rough "cauliflower like" appearance on the surface. The plantar wart is recognized by its location only on the bottom of the foot, its tenderness, and the interruption of the footprint pattern.

**Warnings**

For external use only. Do not use on irritated skin or on any area that is infected or reddened. Do not use on moles, birthmarks, warts with hairs growing from them, genital warts or warts on the face of mucous membranes. Ask a doctor before you use if you have diabetes or poor blood circulation. When using this product avoid contact with eyes. If product gets into the eye, flush with water for 15 minutes. Avoid inhaling vapors. Stop and ask a doctor if discomfort persists. Extremely flammable. Keep away from fire and flame. Cap bottle tightly and store at room temperature away from heat. Keep out of reach of children. If swallowed, get medical help or contact poison Control Center right away.

**Do not use**

- 1 . On damaged skin ( cuts , abrasions , eczema , sunburn)
- 2 . If you are allergic to any of the ingredients in this product .
- 3 . If you are pregnant or breastfeeding

**STOP USE AND SEE A DOCTOR**

STOP USE AND SEE A DOCTOR IF

You become pregnant , or are planning to become pregnant , while using the product.

Keep away from heat , Keep out of reach of children . If swallowed , get medical help or contact poison Control Center right away.

## **Directions**

- 1 . Wash the corns or warts with warm water
- 2 . Take out the inner plug from the bottle , install the brush into the bottle cap. press the brush tightly and tighten the cap on the bottle
- 3 . Dry the skin , then open the cap , dip the liquid with the brush and apply it on the wart or corn , after the liquid dries and forms to be a mask apply the liquid again . Apply it in the day and night and twice in each time
- 4 . Applying it for 2 weeks until the skin recovers to a healthy situation .

NOTICE : " If warts or corns are big , you should use it for a longer time . if swallowed , get medical help or contact a poison control center right away

## **Inactive ingredients**

water , fructus cnidii , kuh-seng , purslane , the rhizome of large-headed atractylodes , radix angelicae , Peak room , pericarpium citri reticulatae, asarum , fructus forsythiae , burdock , Bamboo leaf , Platycodon grandiflorum , Mint , the root bark of the peony tree , Radix Arnebiae seu lithosperm



52\*14\*128MM



烫金

350G 白卡 光膜

标签——PE过亮油  
尺寸: W: 36mm H: 33mm

## WART REMOVAL PEN

wart removal pen liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:83717-003
<b>Route of Administration</b>	CUTANEOUS		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>CHLORHEXIDINE ACETATE</b> (UNII: 5908Z UF22Y) (CHLORHEXIDINE - UNII:R4KO0DY52L)	CHLORHEXIDINE ACETATE	0.2 mg in 100 mL
<b>SALICYLIC ACID</b> (UNII: O414PZ 4LPZ) (SALICYLIC ACID - UNII:O414PZ 4LPZ)	SALICYLIC ACID	0.5 mg in 100 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>SOPHORA FLAVESCENS ROOT</b> (UNII: IYR6K8KQ5K)	
<b>ATRACTYLODES MACROCEPHALA WHOLE</b> (UNII: 61Q25TS7LH)	
<b>FORSYTHIASIDE</b> (UNII: OUH5BQ893P)	
<b>PURSLANE</b> (UNII: M6S840WYG5)	
<b>PLATYCODON GRANDIFLORUM ROOT</b> (UNII: 2DF0NS002Z)	
<b>LITHOSPERMUM ERYTHORRHIZON ROOT</b> (UNII: 9I70D8O47I)	
<b>ASARUM VIRGINICUM WHOLE</b> (UNII: 3O79Y8452O)	
<b>ARCTIUM LAPPА WHOLE</b> (UNII: 73070DU1LA)	
<b>CNIDIUM MONNIERI FRUIT</b> (UNII: V1A3S3CUS)	
<b>TANGERINE PEEL</b> (UNII: JU3D414057)	
<b>PAEONIA SUFFRUTICOSA ROOT BARK</b> (UNII: BUG255FE7X)	
<b>WATER</b> (UNII: 059QF0K00R)	
<b>BAMBUSA VULGARIS LEAF</b> (UNII: EMY54R518C)	
<b>TRIPALMITOLEIN</b> (UNII: N9836937KG)	
<b>ANGELICA DAHURICA WHOLE</b> (UNII: 667W6C5J4P)	
<b>MINT</b> (UNII: FV98Z8GITP)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83717-003-02	4 in 1 BOX	10/07/2023	
1	NDC:83717-003-01	3 mL in 1 TUBE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M028	10/07/2023	

**Labeler** - Wenchang Panzhijie Trading Co., Ltd. (699321271)

## Establishment

Name	Address	ID/FEI	Business Operations
Wenchang Panzhijie Trading Co., Ltd.		699321271	manufacture(83717-003)

Revised: 11/2023

Wenchang Panzhijie Trading Co., Ltd.