GERMANIUM MURIATICUM- germanium muriaticum pellet Hahnemann Laboratories, INC.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

GERMANIUM MURIATICUM 6C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

• If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901
TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 949 TWIST TO OPEN - USE ONLY IF SEALED

GERMANIUM MURIATICUM 6C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 949 TWIST TO OPEN - USE ONLY IF SEALED

GERMANIUM MURIATICUM 6C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 9496 TWIST TO OPEN - USE ONLY IF SEALED

GERMANIUM MURIATICUM 12C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



GERMANIUM MURIATICUM 12C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



GERMANIUM MURIATICUM 12C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

GERMANIUM MURIATICUM 30C

Min. net wt: 1g HOMEOPATHIC MEDICINE Active ingredient:

Listed above *Use:* Traditional use

such as headache. Keep out of reach

of children

Directions: Take 5 pellets orally once Inactive ingredients:

sucrose

00000

emann Labs Inc. 1940 Fourth St. San Rafa
TWIST TO OPEN - USE ONLY IF SI

GERMANIUM MURIATICUM 30C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



TWIST TO OPEN - USE ONLY IF SEALED

GERMANIUM MURIATICUM 30C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 9490 TWIST TO OPEN - USE ONLY IF SEALED

GERMANIUM MURIATICUM 30C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

GERMANIUM MURIATICUM 100C

Min. net wt: 1g **HOMEOPATHIC** MEDICINE Active ingredient: Listed above

Use: Traditional use

such as headache.

Keep out of reach

of children

Directions: Take 5 pellets orally once

Inactive ingredients:

sucrose

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 9490 TWIST TO OPEN - USE ONLY IF SEALED

GERMANIUM MURIATICUM 100C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



GERMANIUM MURIATICUM 100C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



GERMANIUM MURIATICUM 100C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

GERMANIUM MURIATICUM 200C

Min. net wt: 1g HOMEOPATHIC MEDICINE Active ingredient: Listed above

Use:Traditional use

such as headache.

Keep out of reach

of children

Directions: Take 5 pellets orally once

Inactive ingredients:

sucrose

00000

nemann Labs Inc. 1940 Fourth St. San Rafael,

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 9496 TWIST TO OPEN - USE ONLY IF SEALED

GERMANIUM MURIATICUM 200C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



GERMANIUM MURIATICUM 200C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



GERMANIUM MURIATICUM 200C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

GERMANIUM MURIATICUM 500C

Min. net wt: 1g **HOMEOPATHIC** MEDICINE Active ingredient: Listed above

Use: Traditional use such as headache.

Keep out of reach

of children

Directions: Take 5 pellets orally once Inactive ingredients:

sucrose

GERMANIUM MURIATICUM 500C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



TWIST TO OPEN - USE ONLY IF SEALED

GERMANIUM MURIATICUM 500C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



GERMANIUM MURIATICUM 500C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

GERMANIUM MURIATICUM 1M

Min. net wt: 1g HOMEOPATHIC MEDICINE

Active ingredient: Listed above

Use:Traditional use

such as headache. Keep out of reach

of children

Directions: Take 5 pellets orally once Inactive ingredients: sucrose

00000

emann Labs Inc. 1940 Fourth St. San Rafae TWIST TO OPEN - USE ONLY IF SE.

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 9490 TWIST TO OPEN - USE ONLY IF SEALED

GERMANIUM MURIATICUM 1M

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 949 TWIST TO OPEN - USE ONLY IF SEALED

GERMANIUM MURIATICUM 1M

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc. 1940 Fourth St. San Kafael, CA 949 TWIST TO OPEN - USE ONLY IF SEALED

GERMANIUM MURIATICUM 1M

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: • If pregnant or breast-feeding, ask a

health professional before use.

• If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

GERMANIUM MURIATICUM LM1

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

• If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

GERMANIUM MURIATICUM

germanium muriaticum pellet

Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:37662-4120

Route of Administration

ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
	GERMANIUM TETRACHLORIDE	6 [hp_C]

Inactive Ingredients	
Ingredient Name	Strength
SUCPOSE (LIMIL C151LIOM554)	

Product Characteristics				
Color	white	Score	no score	
Shape	ROUND	Size	3mm	
Flavor		Imprint Code		
Contains				

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:37662- 4120-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	10/09/2023			
2	NDC:37662- 4120-2	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	10/09/2023			
3	NDC:37662- 4120-3	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	10/09/2023			

Marketing Information					
Marketing Application Number or Monograph Marketing Start Marketing End Category Citation Date Date					
unapproved homeopathic		10/09/2023			

GERMANIUM MURIATICUM

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-4125	
Route of Administration	ORAL			

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
GERMANIUM TETRACHLORIDE (UNII: YSV1R803C0) (GERMANIUM - UNII:00072J7XWS)	GERMANIUM TETRACHLORIDE	500 [hp_C]

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics					
Color white Score no score					
Shape	ROUND	Size	2mm		
Flavor		Imprint Code			
Contains					

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:37662- 4125-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	10/09/2023			
2	NDC:37662- 4125-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	10/09/2023			
3	NDC:37662- 4125-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	10/09/2023			
4	NDC:37662- 4125-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	10/09/2023			

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		10/09/2023	

GERMANIUM MURIATICUM

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-4121	
Route of Administration	ORAL			

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
GERMANIUM TETRACHLORIDE (UNII: YSV1R803C0) (GERMANIUM - UNII:00072J7XWS)	GERMANIUM TETRACHLORIDE	12 [hp_C]	

Inactive Ingredients	
Ingredient Name	Strength

SUCROSE (UNII: C151H8M554)

Product Characteristics				
Color	white	Score	no score	
Shape	ROUND	Size	3mm	
Flavor		Imprint Code		
Contains				

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:37662- 4121-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	10/09/2023			
2	NDC:37662- 4121-2	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	10/09/2023			
3	NDC:37662- 4121-3	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	10/09/2023			

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved homeopathic		10/09/2023		
unapproved	Cication			

GERMANIUM MURIATICUM

germanium muriaticum pellet

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-4124
Route of Administration	ORAL		

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
GERMANIUM TETRACHLORIDE (UNII: YSV1R803C0) (GERMANIUM - UNII:00072J7XWS)	GERMANIUM TETRACHLORIDE	200 [hp_C]		

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	2mm
Flavor		Imprint Code	
Contains			

Packaging					
# Item Code Package Description		Marketing Start Date	Marketing End Date		
NDC:37662- 4124-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	10/09/2023			
NDC:37662- 4124-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	10/09/2023			
NDC:37662- 4124-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	10/09/2023			
NDC:37662- 4124-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	10/09/2023			

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved homeopathic		10/09/2023		

GERMANIUM MURIATICUM

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-4126	
Route of Administration	ORAL			

l	Active Ingredient/Active Moiety				
l	Ingredient Name	Basis of Strength	Strength		
	GERMANIUM TETRACHLORIDE (UNII: YSV1R803C0) (GERMANIUM - UNII:00072J7XWS)	GERMANIUM TETRACHLORIDE	1 [hp_M]		

Inactive Ingredients				
Ingredient Name	Strength			
SUCROSE (UNII: C151H8M554)				

Product Characteristics				
Color	white	Score	no score	
Shape	ROUND	Size	2mm	
Flavor		Imprint Code		

Contains

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:37662- 4126-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	10/09/2023			
2	NDC:37662- 4126-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	10/09/2023			
3	NDC:37662- 4126-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	10/09/2023			
4	NDC:37662- 4126-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	10/09/2023			

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved homeopathic		10/09/2023		

GERMANIUM MURIATICUM

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-4123	
Route of Administration	ORAL			

l	Active Ingredient/Active Moiety				
	Ingredient Name	Basis of Strength	Strength		
	GERMANIUM TETRACHLORIDE (UNII: YSV1R803C0) (GERMANIUM - UNII:00072J7XWS)	GERMANIUM TETRACHLORIDE	100 [hp_C]		

Inactive Ingredients		
Ingredient Name	Strength	
SUCROSE (UNII: C151H8M554)		

Product Characteristics					
Color	white	Score	no score		
Shape	ROUND	Size	2mm		
Flavor		Imprint Code			
Contains					

P	Packaging					
#	# Item Code Package Description		Marketing Start Date	Marketing End Date		
1	NDC:37662- 4123-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	10/09/2023			
2	NDC:37662- 4123-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	10/09/2023			
3	NDC:37662- 4123-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	10/09/2023			
4	NDC:37662- 4123-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	10/09/2023			

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved homeopathic		10/09/2023		

GERMANIUM MURIATICUM

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-4127	
Route of Administration	ORAL			

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
GERMANIUM TETRACHLORIDE (UNII: YSV1R803C0) (GERMANIUM UNII:00072J7XWS)	- GERMANIUM TETRACHLORIDE	1 [hp_Q]

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics				
Color	white	Score	no score	
Shape	ROUND	Size	1mm	
Flavor		Imprint Code		
Contains				

Packaging			
# Hom Code	Dackage Decarintion	Marketing Start	Marketing End

#	item Code	Раскаде резсприон	Date	Date
1	NDC:37662- 4127-1	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	10/09/2023	

Marketing Information				
Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
	10/09/2023			
	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date		

GERMANIUM MURIATICUM

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-4122
Route of Administration	ORAL		

l	Active Ingredient/Active Moiety		
l	Ingredient Name	Basis of Strength	Strength
	GERMANIUM TETRACHLORIDE (UNII: YSV1R803C0) (GERMANIUM - UNII:00072J7XWS)	GERMANIUM TETRACHLORIDE	30 [hp_C]

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics				
Color	white	Score	no score	
Shape	ROUND	Size	3mm	
Flavor		Imprint Code		
Contains				

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:37662- 4122-1	80 in 1 VIAL, GLASS; Type 0: Not a Combination Product	10/09/2023		
2	NDC:37662- 4122-2	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	10/09/2023		
3	NDC:37662- 4122-3	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	10/09/2023		
4	NDC:37662- 4122-4	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	10/09/2023		

Marketing Information		
Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
	10/09/2023	
	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date

Labeler - Hahnemann Laboratories, INC. (147098081)

Establishment			
Name	Address	ID/FEI	Business Operations
Hahnemann Laboratories, INC.		147098081	manufacture(37662-4120, 37662-4125, 37662-4121, 37662-4122, 37662-4123, 37662-4124, 37662-4126, 37662-4127)

Revised: 10/2023 Hahnemann Laboratories, INC.