NIOBIUM MURIATICUM- niobium muriaticum pellet Hahnemann Laboratories, INC.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

NIOBIUM MURIATICUM 6C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: • If pregnant or breast-feeding, ask a

health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901
TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 949 TWIST TO OPEN - USE ONLY IF SEALED

NIOBIUM MURIATICUM 6C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms

persist beyond 2 days, consult a health professional

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 949 TWIST TO OPEN - USE ONLY IF SEALED

NIOBIUM MURIATICUM 6C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: • If pregnant or breast-feeding, ask a

health professional before use.

• If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

NIOBIUM MURIATICUM 30C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE
Active ingredient:
Listed above
Use:Traditional use

such as headache.

Keep out of reach

of children

Directions: Take 5 pellets orally once Inactive ingredients: sucrose

00000

nemann Labs Inc. 1940 Fourth St. San Rafael,

TWIST TO OPEN - USE ONLY IF SEALED

NIOBIUM MURIATICUM 30C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

• If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



NIOBIUM MURIATICUM 30C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



NIOBIUM MURIATICUM 30C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

NIOBIUM MURIATICUM 100C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE
Active ingredient:
Listed above
Use:Traditional use
such as headache.
Keep out of reach

of children

Directions: Take 5
pellets orally once
Inactive ingredients:
sucrose

00000

nemann Labs Inc. 1940 Fourth St. San Rafael,

NIOBIUM MURIATICUM 100C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



NIOBIUM MURIATICUM 100C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



NIOBIUM MURIATICUM 100C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

NIOBIUM MURIATICUM 200C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE
Active ingredient:
Listed above
Use:Traditional use
such as headache.
Keep out of reach

of children

Directions: Take 5 pellets orally once Inactive ingredients: sucrose

00000

emann Labs Inc. 1940 Fourth St. San Rafael, (
TWIST TO OPEN - USE ONLY IF SEAL

TWIST TO OPEN - USE ONLY IF SEALED

NIOBIUM MURIATICUM 200C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



NIOBIUM MURIATICUM 200C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



NIOBIUM MURIATICUM 200C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

• If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

NIOBIUM MURIATICUM 500C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE
Active ingredient:
Listed above
Use:Traditional use
such as headache.

Keep out of reach

of children

Directions: Take 5 pellets orally once Inactive ingredients: sucrose

00000

emann Labs Inc. 1940 Fourth St. San Rafael, (
TWIST TO OPEN - USE ONLY IF SEAL

NIOBIUM MURIATICUM 500C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



NIOBIUM MURIATICUM 500C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



NIOBIUM MURIATICUM 500C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: • If pregnant or breast-feeding, ask a

health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

NIOBIUM MURIATICUM **1M**

Min. net wt: 1g **HOMEOPATHIC** MEDICINE Active ingredient: Listed above

Use: Traditional use such as headache.

Keep out of reach

of children

Directions: Take 5 pellets orally once Inactive ingredients: sucrose

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 949 TWIST TO OPEN - USE ONLY IF SEALED

NIOBIUM MURIATICUM 1M

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: • If pregnant or breast-feeding, ask a

health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

NIOBIUM MURIATICUM LM1

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

NIOBIUM MURIATICUM

niobium muriaticum pellet

| Droc | | INTARMATIAN |
|------|------|-------------|
| | IUCL | Information |

Route of Administration

Product Type HUMAN OTC DRUG

ORAL

Item Code (Source)

NDC:37662-4134

Active Ingredient/Active Moiety

| l | Ingredient Name | Basis of Strength | Strength |
|---|--|------------------------|----------|
| ı | NIOBIUM PENTACHLORIDE (UNII: 9S1BC7865F) (NIOBIUM - UNII:051751654G) | NIOBIUM PENTACHI ORIDE | 1 [hp M] |

| Inactive Ingredients | | | |
|----------------------------|----------|--|--|
| Ingredient Name | Strength | | |
| SUCROSE (UNII: C151H8M554) | | | |

| Product Characteristics | | | | | |
|----------------------------|----------|--------------|-----|--|--|
| Color white Score no score | | | | | |
| Shape | ROUND | Size | 2mm | | |
| Flavor | | Imprint Code | | | |
| Contains | Contains | | | | |

| P | Packaging | | | | | |
|---|--|---|-----------------------|--|--|--|
| # | Item Code Package Description Marketing Start Date | | Marketing End Date | | | |
| 1 | NDC:37662- 4134-1 | 200 in 1 VIAL, GLASS; Type 0: Not a Combination Product | 10/09/2023 | | | |
| 2 | NDC:37662- 4134-2 | 500 in 1 VIAL, GLASS; Type 0: Not a Combination Product | 10/09/2023 | | | |
| 3 | NDC:37662- 4134-3 | 3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | 10/09/2023 | | | |
| 4 | NDC:37662- 4134-4 | 10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | 10/09/2023 | | | |

| Marketing Information | | | | |
|---|--|------------|--|--|
| Marketing Application Number or Monograph Marketing Start Marketing En Category Citation Date Date | | | | |
| unapproved homeopathic | | 10/09/2023 | | |
| homeopathic | | 10/09/2023 | | |

niobium muriaticum pellet

| Product Information | | | | |
|-------------------------|----------------|--------------------|----------------|--|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:37662-4129 | |
| Route of Administration | ORAL | | | |

| Active Ingredient/Active Moiety | | | | |
|--|--------------------------|-----------|--|--|
| Ingredient Name | Basis of Strength | Strength | | |
| NIOBIUM PENTACHLORIDE (UNII: 9S1BC7865F) (NIOBIUM - UNII:05175J654G) | NIOBIUM PENTACHLORIDE | 12 [hp_C] | | |
| | | | | |

| Inactive Ingredients | | | |
|----------------------------|----------|--|--|
| Ingredient Name | Strength | | |
| SUCROSE (UNII: C151H8M554) | | | |

| Product Characteristics | | | | |
|----------------------------|----------|--------------|-----|--|
| Color white Score no score | | | | |
| Shape | ROUND | Size | 3mm | |
| Flavor | | Imprint Code | | |
| Contains | Contains | | | |

| P | Packaging | | | | | |
|---|----------------------|--|----------------------|-----------------------|--|--|
| # | Item Code | Package Description | Marketing Start Date | Marketing End Date | | |
| 1 | NDC:37662- 4129-1 | 200 in 1 VIAL, GLASS; Type 0: Not a Combination Product | 10/09/2023 | | | |
| 2 | NDC:37662- 4129-2 | 1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | 10/09/2023 | | | |
| 3 | NDC:37662- 4129-3 | 4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | 10/09/2023 | | | |

| Marketing Information | | | | |
|---|--|------------|--|--|
| Marketing Application Number or Monograph Marketing Start Marketing En Category Citation Date Date | | | | |
| unapproved homeopathic | | 10/09/2023 | | |
| потпеораспіс | | | | |

niobium muriaticum pellet

| Product Information | | | |
|-------------------------|----------------|--------------------|----------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:37662-4130 |
| Route of Administration | ORAL | | |

| Active Ingredient/Active Moiety | | | | |
|--|-----------------------|-----------|--|--|
| Ingredient Name | Basis of Strength | Strength | | |
| NIOBIUM PENTACHLORIDE (UNII: 9S1BC7865F) (NIOBIUM - UNII:05175J654G) | NIOBIUM PENTACHLORIDE | 30 [hp_C] | | |

| Inactive Ingredients | |
|----------------------------|----------|
| Ingredient Name | Strength |
| SUCROSE (UNII: C151H8M554) | |
| | |

| Product Characteristics | | | | |
|-------------------------|-------|--------------|----------|--|
| Color | white | Score | no score | |
| Shape | ROUND | Size | 3mm | |
| Flavor | | Imprint Code | | |
| Contains | | | | |

| P | Packaging | | | | | |
|---|----------------------|--|-------------------------|-----------------------|--|--|
| # | Item Code | Package Description | Marketing Start Date | Marketing End Date | | |
| 1 | NDC:37662- 4130-1 | 80 in 1 VIAL, GLASS; Type 0: Not a Combination Product | 10/09/2023 | | | |
| 2 | NDC:37662- 4130-2 | 200 in 1 VIAL, GLASS; Type 0: Not a Combination Product | 10/09/2023 | | | |
| 3 | NDC:37662- 4130-3 | 1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | 10/09/2023 | | | |
| 4 | NDC:37662- 4130-4 | 4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | 10/09/2023 | | | |

| Marketing In | Marketing Information | | | | |
|---------------------------|---|-------------------------|-----------------------|--|--|
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date | | |
| unapproved homeopathic | | 10/09/2023 | | | |
| | | | | | |

niobium muriaticum pellet

| Product Information | | | |
|-------------------------|----------------|--------------------|----------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:37662-4131 |
| Route of Administration | ORAL | | |

Active Ingredient/Active Moiety Ingredient Name Basis of Strength NIOBIUM PENTACHLORIDE (UNII: 951BC7865F) (NIOBIUM - UNII:05175J654G) NIOBIUM PENTACHLORIDE 100 [hp_C]

| Inactive Ingredients | |
|----------------------------|----------|
| Ingredient Name | Strength |
| SUCROSE (UNII: C151H8M554) | |

| Product Characteristics | | | |
|-------------------------|-------|-------|----------|
| Color | white | Score | no score |
| Shape | ROUND | Size | 2mm |

| Flavor | Imprint Code | |
|----------|--------------|--|
| Contains | | |

| l | P | Packaging | | | | |
|---|---|----------------------|---|-------------------------|-----------------------|--|
| | # | Item Code | Package Description | Marketing Start Date | Marketing End Date | |
| | 1 | NDC:37662- 4131-1 | 200 in 1 VIAL, GLASS; Type 0: Not a Combination Product | 10/09/2023 | | |
| | 2 | NDC:37662- 4131-2 | 500 in 1 VIAL, GLASS; Type 0: Not a Combination Product | 10/09/2023 | | |
| | 3 | NDC:37662- 4131-3 | 3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | 10/09/2023 | | |
| | 4 | NDC:37662- 4131-4 | 10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | 10/09/2023 | | |

| Marketing Information | | | | |
|---------------------------|---|-------------------------|-----------------------|--|
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date | |
| unapproved homeopathic | | 10/09/2023 | | |

niobium muriaticum pellet

| Product Information | | | |
|----------------------------|----------------|--------------------|----------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:37662-4132 |
| Route of Administration | ORAL | | |

Active Ingredient/Active Moiety Ingredient Name Basis of Strength NIOBIUM PENTACHLORIDE (UNII: 951BC7865F) (NIOBIUM - UNII:05175J654G) NIOBIUM PENTACHLORIDE 200 [hp_C]

| Inactive Ingredients | |
|----------------------------|----------|
| Ingredient Name | Strength |
| SUCROSE (UNII: C151H8M554) | |

| Product Characteristics | | | | |
|-------------------------|-------|--------------|----------|--|
| Color | white | Score | no score | |
| Shape | ROUND | Size | 2mm | |
| Flavor | | Imprint Code | | |
| Contains | | | | |
| | | | | |

| P | ackaging | | | |
|---|----------------------|---|-------------------------|-----------------------|
| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
| 1 | NDC:37662- 4132-1 | 200 in 1 VIAL, GLASS; Type 0: Not a Combination Product | 10/09/2023 | |
| 2 | NDC:37662- 4132-2 | 500 in 1 VIAL, GLASS; Type 0: Not a Combination Product | 10/09/2023 | |
| 3 | NDC:37662- 4132-3 | 3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | 10/09/2023 | |
| 4 | NDC:37662- 4132-4 | 10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | 10/09/2023 | |

| Marketing Information | | | |
|---------------------------|---|-------------------------|-----------------------|
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
| unapproved homeopathic | | 10/09/2023 | |
| потпеорание | | | |

niobium muriaticum pellet

Route of Administration

| Product Information |
|---------------------|
|---------------------|

ORAL

Product Type HUMAN OTC DRUG Item Code (Source) NDC:37662-4128

Active Ingredient/Active Moiety

Ingredient Name

Basis of Strength

NIOBIUM PENTACHLORIDE (UNII: 951BC7865F) (NIOBIUM - UNII:05175J654G)

NIOBIUM PENTACHLORIDE | 6 [hp_C]

Inactive Ingredients

Ingredient Name Strength
SUCROSE (UNII: C151H8M554)

Product Characteristics

| Color | white | Score | no score |
|----------|-------|--------------|----------|
| Shape | ROUND | Size | 3mm |
| Flavor | | Imprint Code | |
| Contains | | | |

| Pa | cka | ging |
|----|-----|------|
| | | 9 |

Item Code Package Description Marketing Start Date Date

| 1 | NDC:37662- 4128-1 | 200 in 1 VIAL, GLASS; Type 0: Not a Combination Product | 10/09/2023 | |
|---|----------------------|--|------------|--|
| | NDC:37662- 4128-2 | 1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | 10/09/2023 | |
| 3 | NDC:37662- 4128-3 | 4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | 10/09/2023 | |

| Marketing Information | | | | |
|-----------------------|-------------------|-------------------------|---|---------------------------|
| | Marketing Date | Marketing Start Date | Application Number or Monograph Citation | Marketing Category |
| | | 10/09/2023 | | unapproved homeopathic |
| | | | | unapproved |

niobium muriaticum pellet

Product Information

| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:37662-4133 |
|--------------|----------------|--------------------|----------------|
|--------------|----------------|--------------------|----------------|

Route of Administration ORAL

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|-----------------|--------------------------|----------|
| | | |

NIOBIUM PENTACHLORIDE (UNII: 9S1BC7865F) (NIOBIUM - UNII:05175J654G) NIOBIUM PENTACHLORIDE 500 [hp_C]

Inactive Ingredients

| I | Ingredient Name | Strength |
|---|----------------------------|----------|
| I | SUCROSE (UNII: C151H8M554) | |

Product Characteristics

| roduct characteristics | | | |
|------------------------|-------|--------------|----------|
| Color | white | Score | no score |
| Shape | ROUND | Size | 2mm |
| Flavor | | Imprint Code | |
| Contains | | | |

| P | ackaging | | | |
|---|----------------------|--|-------------------------|-----------------------|
| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
| 1 | NDC:37662- 4133-1 | 200 in 1 VIAL, GLASS; Type 0: Not a Combination Product | 10/09/2023 | |
| 2 | NDC:37662- 4133-2 | 500 in 1 VIAL, GLASS; Type 0: Not a Combination Product | 10/09/2023 | |
| 3 | NDC:37662- 4133-3 | 3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | 10/09/2023 | |

| Marketing Information | | | |
|---------------------------|---|-------------------------|-----------------------|
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
| unapproved homeopathic | | 10/09/2023 | |
| потпеорание | | | |

niobium muriaticum pellet

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:37662-4135

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name Basis of Strength Strength

NIOBIUM PENTACHLORIDE (UNII: 9S1BC7865F) (NIOBIUM - UNII:05175J654G) | NIOBIUM PENTACHLORIDE | 1 [hp_Q]

Inactive Ingredients

Ingredient Name Strength

SUCROSE (UNII: C151H8M554)

Product Characteristics

| Color | white | Score | no score |
|----------|-------|--------------|----------|
| Shape | ROUND | Size | 1mm |
| Flavor | | Imprint Code | |
| Contains | | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|----------------------|---|-------------------------|-----------------------|
| | NDC:37662- 4135-1 | 10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | 10/09/2023 | |

Marketing Information

| Marketing | Application Number or Monograph | Marketing Start | Marketing End |
|---------------------------|---------------------------------|-----------------|---------------|
| Category | Citation | Date | Date |
| unapproved homeopathic | | 10/09/2023 | |

Labeler - Hahnemann Laboratories, INC. (147098081)

Establishment Name Address ID/FEI Business Operations Hahnemann Laboratories, INC. 147098081 manufacture(37662-4129, 37662-4130, 37662-4131, 37662-4132, 37662-4133, 37662-4134, 37662-4135)

Revised: 10/2023 Hahnemann Laboratories, INC.