

**CHILDRENS MUCUS AND COUGH RELIEF - dextromethorphan hbr,  
guaifenesin liquid  
Family Dollar Services, Inc.**

-----  
**Family Wellness Children's Mucus Relif 552**

**ACTIVE INGREDIENTS (in each 5 mL)**

Dextromethorphan HBr 5 mg  
Guaifenesin 100 mg

**PURPOSE**

Cough suppressant  
Expectorant

**USE(S)**

- helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes and make coughs more productive
- temporarily relieves:
- cough due to minor throat and bronchial irritation as may occur with a cold or inhaled irritants
- the impulse to cough to help your child get to sleep
- the intensity of coughing

**WARNING**

**DO NOT USE**

in a child who is taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your child's prescription drug contains an MAOI, ask a doctor or pharmacist before giving this product.

**ASK A DOCTOR BEFORE USE IF YOU HAVE**

- persistent or chronic cough such as occurs with asthma
- cough that occurs with too much phlegm (mucus)

## **STOP USE AND A ASK DOCTOR IF**

- cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious illness.

## **KEEP OUT OF REACH OF CHILDREN**

In case of overdose, get medical help or contact a Poison Control Center right away.

## **DIRECTIONS**

- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided
- do not use dosing cup with other products
- mL=milliliter

Age	Dose
children 6 years to under 12 years	5 mL-10 mL every 4 hours
children 4 years to under 6 years	2.5 mL - 5 mL every 4 hours
children under 4 years	do not use

## **OTHER INFORMATION**

- **each 5 mL contains:** potassium 5 mg, sodium 5 mg
- store between 20 to 25°C (68 to 77°F)
- do not refrigerate
- dosing cup provided

## **INACTIVE INGREDIENTS**

citric acid anhydrous, D&C red #33, dextrose, FD&C red #40, flavor, glycerin, methylparaben, potassium sorbate, propylene glycol, propyl paraben, purified water, saccharin sodium, sodium hydroxide, sorbitol, sucralose, xanthan gum.

## **PRINCIPAL DISPLAY PANEL**

FAMILY **Wellness**<sup>™</sup>

COMPARE TO THE ACTIVE INGREDIENTS IN CHILDREN'S MUCINEX COUGH\*

children's

**MUCUS RELIEF**

AGES **4-12** YEARS

**COUGH SUPPRESSANT & EXPECTORANT**

Dextromethorphan HBr 5mg

Guaifenesin 100 mg

- Controls cough
- Relieves chest congestion
- Thins and Loosens Mucus
- Alcohol Free

**CHERRY FLAVORED** LIQUID

**4 FL OZ (118 mL)**

OPTIONAL COMPARE TO STATEMENT  
FOR USE ON THE POP.

\* Compare to the Active Ingredients  
in CHILDREN'S MUCUS RELIEF

No Coating  
Area

**Drug Facts**

**Active ingredients (in each 5 mL) Purpose**  
Dextromethorphan HBr 5 mg.....Cough suppressant  
Guaifenesin 100mg.....Expectorant

**Uses**

- helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes and make coughs more productive
- temporarily relieves:
  - cough due to irritate throat and bronchial irritation as may occur with a cold or inhaled irritant
  - the impulse to cough to help your child get to sleep
  - the intensity of coughing

**Warnings**

Do not use in a child who is taking a prescription medication (MAOI) (see list of drugs for monoamine oxidase inhibitors) or emotional conditions, or Parkinson's disease) or for 2 weeks after stopping the MAOI drug, if you do not know if your child's prescription drug contains an MAOI, ask a doctor or pharmacist before giving this product.

Ask a doctor before use if the child has:

- persistent or chronic cough since as occurs with asthma
- cough that occurs with a runny nose (rhinitis)

Stop use and ask a doctor if:

- cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious illness.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided
- do not use dosing cup with other products
- mL = milliliter

Age	Dose
children 6 years to under 12 years	5 mL - 10 mL every 4 hours
children 4 years to under 6 years	2.5 mL - 5 mL every 4 hours
children under 4 years	do not use

**Drug Facts (continued)**

**Other information**

- each 5 mL contains: potassium 5 mg, sodium 5 mg
- store between 20-25°C (68-77°F)
- do not refrigerate
- dosing cup provided

**Inactive ingredients:** citric acid anhydrous, D,L-Tartaric Acid, croscarmellose sodium, hydroxypropyl methylcellulose, polyethylene glycol, propylparaben, purified water, saccharin sodium, sodium hydroxide, sorbitol, sucralose, xanthan gum

KEEP THIS BOX FOR COMPLETE INFORMATION.

DO NOT USE IF SEAL UNDER CAP DAMAGED WITH "SEAL" FOR YOUR PROTECTION. SEE UNDERNEATH WARNING.

DISTRIBUTED BY:  
MIMACON BRANDS, LLC  
300 YOLVO PKWY  
CHESAPEAKE, VA 23320 USA

PRODUCT OF USA



**NOT 100% SATISFIED?**  
Return within 30 days to the store of purchase for a refund (with receipt) or exchange.

Need facts or comments?  
Call 1-(800) 990-2800  
Monday-Friday 8:00AM-4:30PM EST

\*This product is not manufactured or distributed by Reichle-Bendisco, the distributor of CHILDREN'S MUCUS RELIEF LIQUID.

FAMILY Wellness

children's **MUCUS RELIEF**

COUGH SUPPRESSANT & EXPECTORANT

Dextromethorphan HBr 5mg  
Guaifenesin 100mg

AGES 4-12 YEARS

FAMILY Wellness

COMPARE TO THE ACTIVE INGREDIENTS IN CHILDREN'S MUCUS RELIEF

children's **MUCUS RELIEF**

COUGH SUPPRESSANT & EXPECTORANT

Dextromethorphan HBr 5mg  
Guaifenesin 100mg

AGES 4-12 YEARS

- Controls Coughs
- Relieves Chest Congestion
- Thins & Loosens Mucus
- Alcohol-Free



CHERRY FLAVOR LIQUID

4 FL OZ (118 mL)



FAMILY Wellness

children's

**MUCUS RELIEF**

COUGH SUPPRESSANT & EXPECTORANT

Dextromethorphan HBr 5mg  
Guaifenesin 100mg

AGES 4-12 YEARS

Glue N.C.

No Coating  
Area

MFR# 53241 REV 0723  
SKU 00364



Area Left blank for  
LOT & EXP.

DO NOT USE IF SEAL UNDER CAP IMPRINTED WITH  
"SEALED FOR YOUR PROTECTION" IS BROKEN OR MISSING.

**Drug Facts**

**Active ingredients (in each 5 mL) Purpose**  
Dextromethorphan HBr 5 mg.....Cough suppressant  
Guaifenesin 100 mg.....Expectorant

**Uses** ■ helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes and make coughs more productive ■ temporarily relieves: • cough due to minor throat and bronchial irritation as may occur with a cold or inhaled irritants • the impulse to cough to help your child get to sleep • the intensity of coughing

**Warnings**  
Do not use in a child who is taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your child's prescription drug contains an MAOI, ask a doctor or pharmacist before giving this product.

**FAMILY Wellness**

children's

**MUCUS RELIEF**

AGES 4-12 YEARS

**COUGH SUPPRESSANT & EXPECTORANT**

Dextromethorphan HBr 5mg  
Guaifenesin 100mg

**CHERRY FLAVOR LIQUID**

**4 FL OZ (118 mL)**

**Drug Facts (continued)**

**Directions** ■ do not take more than 6 doses in any 24-hour period ■ measure only with dosing cup provided ■ do not use dosing cup with other products

Age	Dose
children 6 years to under 12 years	5 mL - 10 mL every 4 hours
children 4 years to under 6 years	2.5 mL - 5 mL every 4 hours
children under 4 years	do not use

**Other information** ■ each 5 mL contains: potassium 5 mg, sodium 5 mg ■ store between 20°-25°C (68°-77°F) ■ do not refrigerate ■ dosing cup provided

Refer to carton for full labeling information MFR# 53041 REV 07/13

DISTRIBUTED BY:  
MIDWOOD BRANDS, LLC  
500 VOLVO PKWY  
CHESAPEAKE, VA 23320 USA

PRODUCT OF USA

LOT: \_\_\_\_\_  
EXP: \_\_\_\_\_

UNVARNISHED AREA TO BE LEFT BLANK FOR LOT & EXP. INFORMATION

## CHILDRENS MUCUS AND COUGH RELIEF

dextromethorphan hbr, guaifenesin liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:55319-924
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RT19KYH) (DEXTROMETHORPHAN - UNII: 7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	5 mg in 5 mL
<b>GUAIFENESIN</b> (UNII: 495W7451VQ) (GUAIFENESIN - UNII: 495W7451VQ)	GUAIFENESIN	100 mg in 5 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)	
<b>DEXTROSE, UNSPECIFIED FORM</b> (UNII: IY9XDZ35W2)	
<b>D&amp;C RED NO. 33</b> (UNII: 9DBA0SBB0L)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	

<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SACCHARIN SODIUM</b> (UNII: SB8ZUX40TY)	
<b>SORBITOL</b> (UNII: 506T60A25R)	
<b>SODIUM HYDROXIDE</b> (UNII: 55X04QC32I)	
<b>SUCRALOSE</b> (UNII: 96K6UQ3ZD4)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	

### Product Characteristics

<b>Color</b>	RED	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	CHERRY	<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55319-924-03	1 in 1 CARTON	04/17/2024	
1		118 mL in 1 BOTTLE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH DRUG	part341	04/17/2024	

**Labeler** - Family Dollar Services, Inc. (024472631)

### Establishment

Name	Address	ID/FEI	Business Operations
Guardian Drug Company		119210276	MANUFACTURE(55319-924)

Revised: 4/2024

Family Dollar Services, Inc.