

MONISTAT COMPLETE CARE CHAFING RELIEF- dimethicone gel
Insight Pharmaceuticals LLC

Monistat Chafing Gel

Monistat Care Chafing Relief Powder Gel®

Drug Facts

Active ingredient

Dimethicone 1.2%

Purpose

Skin Protectant

Use

- Temporarily protects and helps relieve chafed, chapped or cracked skin.

Warnings

For external use only.

Do not use on

- deep or puncture wounds
- animal bites
- serious burns

When using this product

do not get into eyes.

Stop use and ask a doctor if

- condition worsens
- symptoms last more than 7 days or clear up and occur again within a few days

Keep out of reach of children.

If swallowed get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

Apply as needed.

Other information

Store at 20°-25° C (68°-77° F)

Inactive ingredients

cyclomethicone, dimethicone, dimethicone/vinyl dimethicone crosspolymer, silica dimethyl silylate, vinyl dimethicone/methicone silsesquioxane crosspolymer

Questions?

1-877-666-4782 Monistat.com

PRINCIPAL DISPLAY PANEL

MONISTAT

Care[®]

Chafing Relief Powder Gel[®]

DIMETHICONE /SKIN PROTECTANT

NET WT/ Peso Neto 1.5 oz (42g)

NEW & IMPROVED FORMULA GOES ON SMOOTHER
 La fórmula nueva y mejorada otorga más suavidad

MONISTAT Care

MONISTAT Care

Chafing Relief Powder Gel®
 Gel para rozaduras
 DIMETHICONE / SKIN PROTECTANT
 DIMETICONA / PROTECTOR PARA LA PIEL

Prevents & Relieves Chafing
 Previene y alivia las rozaduras

Lightweight • Non-Greasy
 Ligero • No es graso

LONG LASTING COMFORT
 Bienestar duradero

CLINICALLY TESTED
 CLINICAMENTE PRUBADO

NET WT / Peso Neto 1.5 oz (42 g)

MONISTAT Care

Long-lasting prevention and relief of chafing on delicate areas:

- Inner thighs
- Bikini area
- Under arms
- Breasts

Prevenção y alivio de larga duración contra las rozaduras en zonas delicadas:

- Parte interna de los muslos
- Área del bikini
- Axilas
- Pechos

Drug Facts

Active ingredient	Purpose
Dimethicone 1.2%	Skin protectant

Use Temporarily protects and helps relieve chafed, chapped, or cracked skin.

Warnings
 For external use only.
 Do not use on • deep or puncture wounds • animal bites • serious burns
 When using this product do not get into eyes.
 Stop use and ask a doctor if
 • condition worsens
 • symptoms last more than 7 days or clear up and occur again within a few days

Keep out of reach of children. If swallowed get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions Apply as needed.

Other information Store at 20°-25°C (68°-77°F).

Inactive ingredients cyclopentasiloxane, dimethicone, dimethicone/vinyl dimethicone crosspolymer, silica dimethyl silylate, vinyl dimethicone/methicone silsesquioxane crosspolymer

Questions? 1-877-666-4782 Monistat.com

Información sobre el medicamento

Ingrediente activo	Propiedades
Dimeticona 1.2%	Protector para la piel

Uso Protege temporalmente y ayuda a aliviar la piel irritada, resquebrajada o agrietada.

Advertencias
 Para uso externo solamente.
 No utilizar en • heridas profundas o punzantes • mordeduras de animales • quemaduras graves
 Cuando utilice este producto, evite el contacto con los ojos.
 Suspenda el uso del producto y consulte a su médico si
 • la afección empeora
 • los síntomas persisten más de 7 días o desaparecen y vuelven a aparecer a los pocos días.
 Mantenga fuera del alcance de los niños. En caso de ingestión, obtenga ayuda médica o póngase en contacto con un centro de control de envenenamiento.

Instrucciones Aplicar según sea necesario.

Otra información Conservar a 20°-25 °C (68°-77 °F).

Ingredientes inactivos ciclopentasiloxano, dimeticona, polímero cruzado de dimeticona/vinil dimeticona, dimetilsilato de sílice, polímero cruzado de dimeticona de vinilo/meticona silsesquioxano

¿Preguntas? 1-877-666-4782 Monistat.com

Silhouette of tube is actual size. La silueta de tubo es de tamaño real.

MONISTAT COMPLETE CARE CHAFING RELIEF

dimethicone gel

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63736-031
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIMETHICONE (UNII: 92RU3N3Y1O) (DIMETHICONE - UNII:92RU3N3Y1O)	DIMETHICONE	1.2 g in 100 g

Inactive Ingredients

Ingredient Name			Strength	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)				
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)				
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)				
VINYL DIMETHICONE/METHICONE SILSESQUIOXANE CROSSPOLYMER (UNII: 9NH1UDD2RR)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63736-031-01	1 in 1 CARTON	11/15/2013	
1		42 g in 1 TUBE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M016	11/15/2013		

Labeler - Insight Pharmaceuticals LLC (055665422)

Revised: 4/2024

Insight Pharmaceuticals LLC