UDDERDINE 110- iodine solution Empire Repair Services, LLC

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Udderdine 110

IODINE TEAT DIP OR SPRAY

Helps reduce the spread of organisms which may cause Mastitis

USE DIRECTIONS

NOT FOR HUMAN USE

FOR EXTERNAL USE ONLY

USE AT FULL STRENGTH

PRE-DIPPING: Before milking, dip or spray entire teat with this product. Wipe teats dry after application using single-service towels to avoid contamination of milk.

POST-DIPPING: After milking, spray or dip entire teat with this product. Allow to air dry. Note: If solution in cup becomes visibly dirty, replenish with a fresh mixture of this product. Do not return unused product to original container.

CAUTION

KEEP OUT OF REACH OF CHILDREN

NOT FOR HUMAN USE

FIRST AID: If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present after the first 5 minutes, then continue rinsing. Contact a physician immediately. If swallowed: Have person sip a glass of water if able to swallow. Do not give anything to an unconscious person. Do not induce vomiting. Contact a physician immediately. If breathing difficulty occurs: Move person to fresh air. Contact a physician immediately. If on skin: Take off contaminated clothing. Rinse skin with soap and water. If irritation develops and persists, contact a physician. Have the product container or label with you when going for treatment, calling a physician, the emergency number listed on the label or MSDS, or a poison control center.

PRECAUTION: Avoid eye contact. Do not ingest. Do not mix with any chemicals except as directed.

STORAGE: Store in a closed container away from sources of heat. If product becomes frozen, thaw and mix well before use.

SEE MATERIAL SAFETY DATA SHEET

Emergency no. Only/No. d'urgence Seulement/No. de Emergencia Solo: (ChemTel, Inc.) (1-800-255-3924) or (+01-813-248-0585) International

Udderdine

IODINE TEAT DIP OR SPRAY

Helps reduce the spread of organisms which may cause Mastitis

VAPORISATEUR

USE DIRECTIONS
NOT FOR HUMAN USE
FOR EXTERNAL USE ONLY USE AT FULL STRENGTH

PRE-DIPPING: Before miking, dip or spray entire test with this product. Whee tests dry after application using single-service towels to avoid contamination of milk. After miking UTILISER A POUVOIR MAXIMAL NE PAS EMPLOYER SUR L'HU-POUR L'USAGE EXTERNE SEULE-

POST-TREMPER: Après la traite, tremper ou puivériser le trayon au complet avec ce produit. Laisser sétrayon avec le produit. Essuyez les trayons après l'application, à l'aide d'une serviette à usage unique, afia d'éviter la contamination du lait. PRE-TRAITE: Avant la traite, trempez ou vapousez

visiblemeate suda, reemplácala con una nueva mezda de este producto. No regrese el producto sin usar a los seque al aire libre. Nota: Si lá solución en la copa se ve

contenedores originales.

lity dirty, replenish with a fresh mix-ture of this product. Do not return unused product to original container.

spray or dip entire test with this prod-uct. Allow to air dry, Note: If solution in cup becomes vis-

POST-DIPPING:

remplacer avec une solution fraiche. Ne returner jamais au récipient on-Note: Si la solution dans le gobe-let à trayon devient visiblement sale, cher à l'air.

TRAYONS IODÉE OU TREMPAGE POUR SOLUTION DE

Alde à réduirs la prolifération des organismes pouvant causer la main-

DIRECCIONES DE USO NO PARA USO HUMANO PARA USO EXTERNO SOLAMENTE UTILICELO SIN DILUIR

que puedan causar la Mastitis Reduce la propagación de organismos

selle o spray completamente el pazón con este producto. Limple y seque el pezón después de aplicar este producto coe una toella para prevenir la conteminación de le leche. PRE-SELLADO: Antes de ordeñar,

POST-SELLADO: Después de order far, spray o selle completamente el

pezón con este producto. Deje que

SELLADOR DE YODO O SPRAY

Active Ingredient (Iodine 1%) Emollients 10%

.

ginal.

Ingrediénts Actifs (fode 1%) Emollients 10%

Boulfiette Po Box 8050 Madison, Wisconsin 53708 www.boumetic.com

Ingredientes Activos (Yodo 1%) Emolientes 10%

UDDERDINE 110

iodine solution

Product Information						
Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:28868-1108			
Route of Administration	TOPICAL					

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
Iodine (UNII: 9679TC07X4) (Iodine - UNII:9679TC07X4)	Io dine	1 L in 100 L		

Ingredient Name Strength

Water (UNII: 059QF0KO0R)

Packaging

	# Item Code	Package Description	Marketing Start Date	Marketing End Date
ı	1 NDC:28868-1108-6	1041 L in 1 CONTAINER		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		04/19/2009	

Labeler - Empire Repair Services, LLC (830798950)

Revised: 12/2010 Empire Repair Services, LLC