

**MEIJER PAIN RELIEF CREAM- lidocaine cream**  
**Meijer Distribution**

-----  
**Meijer Pain Relief Cream with 4% Lidocaine**

**Active Ingredient**

Lidocaine HCl 4%

**Purpose**

Topical anesthetic

**Uses**

Temporarily relieves minor pain

**Warnings**

For external use only.

Avoid contact with eyes.

**Do not use**

- on large areas of the body or cut, irritated, or swollen skin
- on puncture wounds
- for more than one week without consulting a doctor

**When using this product**

- use only as directed. Read and follow all directions and warnings on this carton
- do not allow contact with the eyes
- do not bandage or apply local heat (such as heating pads) to the area of use

**Stop use and ask a doctor if**

- condition worsens
- symptoms persist for more than 7 days or clear up and occur again within a few days

**If pregnant or breastfeeding**

ask a health professional before use

**Keep out of reach of children and pets**

If swallowed, get medical help or contact Poison Control Center (1-800-222-1222) right

away.

## Directions

- adults and children over 12 years: apply a thin layer to affected area every 6 to 8 hours, not to exceed 3 applications in a 24 hour period.
- Children 12 years or younger: ask a doctor

## Other information

- Store at room temperature

## Inactive ingredient

aloe vera leaf, aminomethylpropanol, carbomer interpolymer type A, cyclopentasiloxane 5, dihexadecyl phosphate, dimethicone, dimethicone/vinyl dimethicone crosspolymer, edetate disodium, ethylhexylglycerin, glyceryl 1 stearate, hydroxyethyl acrylate / sodium acryloyldimethyl taurate copolymer, isohexadecane, phenoxyethanol, SD alcohol, steareth-21, water

## Questions or comments?

Call toll-free 1-866-326-1313

The image shows the front of a Meijer Lidocaine Cream box. The top half is blue, the middle is red, and the bottom is yellow. The Meijer logo is in red. The text 'MAXIMUM OTC STRENGTH' is in red, and 'Lidocaine Cream' is in large blue letters. Below that, a red bar contains 'TOPICAL ANESTHETIC | 4% LIDOCAINE'. A yellow bar features five circular icons showing pain relief on the back, neck, shoulder, elbow, and knee, each with a corresponding label. The bottom half of the box is blue, with the Meijer logo and 'MAXIMUM OTC STRENGTH Lidocaine Cream' repeated. A yellow box on the right side contains the text 'COMPARE TO THE ACTIVE INGREDIENT IN ASPERCREME® LIDOCAINE PAIN RELIEF CREAM'. At the bottom right, it says 'Desensitizes Aggravated'.

**meijer**  
MAXIMUM OTC STRENGTH  
**Lidocaine Cream**  
TOPICAL ANESTHETIC | 4% LIDOCAINE

For Back   For Neck   For Shoulder   For Elbow   For Knee

**meijer**  
MAXIMUM OTC STRENGTH  
**Lidocaine Cream**  
TOPICAL ANESTHETIC | 4% LIDOCAINE

COMPARE TO THE ACTIVE INGREDIENT IN ASPERCREME® LIDOCAINE PAIN RELIEF CREAM

Desensitizes Aggravated

NET WT 2.7 OZ (76.5g)

UNSCENTED

Nerves

Fast, Penetrating  
Pain Relief

LOT  
EXP



DISTRIBUTED BY MEIJER  
DISTRIBUTION, INC.  
GRAND RAPIDS, MI 49544  
www.meijer.com

MADE IN CHINA  
Model 74-93027  
92-74119 2/2/23  
VCS10047

CHILD-RESISTANT PACKAGING

PID 4092918



\*The product is not manufactured or distributed by Chatham Inc., owner of the registered trademark Aspirin®.

<b>Drug Facts</b>	<b>Drug Facts (continued)</b>
<b>Active ingredient</b> Lidocaine HCl 4% <b>Purpose</b> Topical anesthetic	Keep out of reach of children and pets. If swallowed, get medical help or contact Poison Control Center (1-800-222-1222) right away.
Uses: Temporarily relieves minor pain	<b>Directions</b> ■ adults and children over 12 years: apply a thin layer to affected area every 6 to 8 hours, not to exceed 3 applications in a 24-hour period. ■ children 12 years or younger: ask a doctor.
Warnings: For external use only. Avoid contact with eyes.	<b>Other information</b> ■ Store at room temperature
Do not use ■ on large areas of the body or on out, irritated or swollen skin ■ on puncture wounds ■ for more than one week without consulting a doctor.	<b>Questions or comments?</b> Call toll-free 1-866-826-1313
When using the product ■ use only as directed. Read and follow all directions and warnings on this carton ■ do not allow contact with the eyes ■ do not bandage or apply local heat (such as heating pads) to the area of use.	<b>Ingredients</b> Lidocaine hydrochloride, ethylhexylglycerin, glycerin, stearyl alcohol, hydroxyethyl acrylate / sodium methacrylate copolymer, sorbitol, stearic acid, phenoxethanol, SD alcohol, steareth-21, water.
Stop use and ask a doctor if ■ condition worsens ■ symptoms persist for more than 7 days or clear up and occur again within a few days.	
If pregnant or breast-feeding, ask a health professional before use.	

Keep carton as it contains important information

## Lidocaine Cream

MAXIMUM OTC STRENGTH



MAXIMUM OTC STRENGTH

## Lidocaine Cream

TOPICAL ANESTHETIC | 4% LIDOCAINE



For Back



For Neck



For Shoulder



For Elbow



For Knee



NDC 7947-0048-4



# MAXIMUM OTC STRENGTH Lidocaine Cream

TOPICAL ANESTHETIC | 4% LIDOCAINE

UNSCENTED

NET WT 4.7 OZ (133g)

COMPARE TO THE  
ACTIVE INGREDIENT IN  
ASPERCREME® LIDOCAINE  
PAIN RELIEF CREAM

Desensitizes  
Aggravated  
Nerves

Fast, Penetrating  
Pain Relief

NOT  
EP



DISTRIBUTED BY MEIJER  
DISTRIBUTION, INC.  
GRAND RAPIDS, MI 49544  
www.meijer.com

MADE IN CHINA  
Model 74-93047  
3E-74 1 2 1 2  
VCS10047

CHILD-RESISTANT PACKAGING

PID 4323805



<b>Drug Facts</b>	Uses: Temporarily relieves minor pain.
<b>Warnings</b>	For external use only. Avoid contact with eyes.
<b>Directions</b>	Do not use on large areas of the body or on cuts, itches or swollen skin. Do not use on puncture wounds or more than one week without consulting a doctor.
<b>Other information</b>	When using this product use only as directed. Read and follow all directions and warnings on this carton. Do not allow contact with the eyes. Do not bandage or apply local heat (such as heating pads) to the area of use.
<b>Questions or comments?</b>	Stop use and ask a doctor if condition worsens. Symptoms persist for more than 7 days or clear up and occur again within a few days.
<b>Call toll-free 1-888-326-1313</b>	If pregnant or breast feeding, ask a health professional before use.

*(Note: The image shows a mirrored/rotated version of the Drug Facts label.)*

Keep carton as it contains important information

## Lidocaine Cream MAXIMUM OTC STRENGTH meijer

### MEIJER PAIN RELIEF CREAM

lidocaine cream

#### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:79481-0048
Route of Administration	TOPICAL		

#### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	4 g in 100 g

## Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>HYDROXYETHYL ACRYLATE/SODIUM ACRYLOYLDIMETHYL TAURATE COPOLYMER (45000 MPA.S AT 1%)</b> (UNII: 86FQE96TZ4)	
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	
<b>GLYCERYL 1-STEARATE</b> (UNII: 258491E1RZ)	
<b>CARBOMER INTERPOLYMER TYPE A (55000 CPS)</b> (UNII: 59TL3WG5CO)	
<b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>DIHEXADECYL PHOSPHATE</b> (UNII: 2V6E5WN99N)	
<b>STEARETH-21</b> (UNII: 53J3F32P58)	
<b>ISOHEXADECANE</b> (UNII: 918X1OUF1E)	
<b>AMINOMETHYLPROPANOL</b> (UNII: LU49E6626Q)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:79481-0048-2	76.5 g in 1 BOTTLE; Type 0: Not a Combination Product	03/01/2024	
2	NDC:79481-0048-4	133 g in 1 BOTTLE; Type 0: Not a Combination Product	03/01/2024	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	03/01/2024	

**Labeler** - Meijer Distribution (006959555)

## Establishment

Name	Address	ID/FEI	Business Operations
Nantong Health & Beyond Hygienic Products Inc		421280161	manufacture(79481-0048)