MI ACID- aluminum hydroxide, magnesium hydroxide, simethicone suspension Major Pharmaceuticals

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Major Pharmaceuticals Mi-Acid[™] Drug Facts

Active ingredients (in each 10 mL)

Aluminum hydroxide (equiv. to dried gel, USP) 400 mg Magnesium hydroxide 400 mg Simethicone 40 mg

Purposes

Antacid

Antigas

Uses

relieves

- heartburn
- acid indigestion
- sour stomach
- upset stomach due to these symptoms
- pressure and bloating commonly referred to as gas

Warnings

Ask a doctor before use if you have

- kidney disease
- a magnesium-restricted diet

Ask a doctor or pharmacist before use if you are

presently taking a prescription drug. Antacids may interact with certain prescription drugs.

When using this product

do not exceed 120 mL in a 24-hour period, or use the maximum dosage for more than 2 weeks, unless directed by a doctor

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- shake well before use
- measure with dosing cup provided
- **adults and children 12 years and over:** 10 mL 20 mL between meals, at bedtime or as directed by a doctor
- do not take more than 120 mL in any 24 hour period
- do not use the maximum dosage for more than 2 weeks
- children under 12 years: ask a doctor
- mL = milliliter

Other information

- each 10 mL contains: magnesium 175 mg
- does not meet USP requirements for preservative effectiveness
- store at 20-25°C (68-77°F), do not freeze

Inactive ingredients

butylparaben, flavor, hypromellose, microcrystalline cellulose and carboxymethylcellulose sodium, peppermint oil, propylparaben, purified water, simethicone emulsion, sorbitol, sorbitol solution

Questions or comments?

1-800-616-2471

Principal Display Panel

FAST ACTING MI-ACID™ Regular Strength ANTACID / ANTIGAS CLASSIC SOOTHING RELIEF OF: HEARTBURN ACID INDIGESTION SOUR STOMACH ALCOHOL 0.2% 12 FL OZ (355mL)



MI ACID

aluminum hydroxide, magnesium hydroxide, simethicone suspension

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0904-6833
Route of Administration	ORAL		

Active Ingredient/Active Moiety					
Ingredient Name	Basis of Strength	Strength			
ALUMINUM HYDRO XIDE (UNII: 5QB0T2IUN0) (ALUMINUM HYDRO XIDE - UNII:5QB0T2IUN0)	ALUMINUM HYDRO XIDE	400 mg in 10 mL			
MAGNESIUM HYDRO XIDE (UNII: NBZ3Q Y004S) (MAGNESIUM CATION - UNII: T6 V3L HY838, HYDRO XIDE ION - UNII: 9 159 UV38 1P)	MAGNES IUM HYDRO XIDE	400 mg in 10 mL			
DIMETHICONE (UNII: 92RU3N3Y1O) (DIMETHICONE - UNII:92RU3N3Y1O)	DIMETHICONE	40 mg in 10 mL			

Inactive Ingredients				
Ingredient Name	Strength			
SILICON DIO XIDE (UNII: ETJ7Z6 XBU4)				
BUTYLPARABEN (UNII: 3QPI1U3FV8)				
HYPROMELLOSES (UNII: 3NXW29V3WO)				
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)				
CARBOXYMETHYLCELLULOSE SODIUM (UNII: K679OBS311)				
PEPPERMINT OIL (UNII: AV092KU4JH)				
PROPYLPARABEN (UNII: Z8IX2SC10H)				
WATER (UNII: 059QF0KO0R)				
SORBITOL (UNII: 506T60A25R)				

Product Characteristics							
Color	WHITE (opaque)	Score					
Shape		Size					
Flavor	MINT, LEMON	Imprint Code					
Contains							
Packaging							
# Item Code	Package Description	Marketing Start Date	Marketing E	nd Date			
	Package Description 55 mL in 1 BOTTLE; Type 0: Not a Combination Produc		Marketing E	nd Date			
			Marketing E	nd Date			
			Marketing E	nd Date			
	55 mL in 1 BOTTLE; Type 0: Not a Combination Produc		Marketing E	nd Date			
1 NDC:0904-6833-14 3	55 mL in 1 BOTTLE; Type 0: Not a Combination Produc		Marketing E Marketing E				
1 NDC:0904-6833-14 3 Marketing Info	55 mL in 1 BOTTLE; Type 0: Not a Combination Produc	t 12/28/2018					

Labeler - Major Pharmaceuticals (191427277)

Revised: 12/2018

Major Pharmaceuticals