

ATROPINE SULFATE - atropine sulfate injection, solution
Covetrus North America

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

ATROPINE SULFATE Injections

(0.54 mg/mL)

FOR ANIMAL USE ONLY

KEEP OUT OF REACH OF CHILDREN

CAUTION: Federal law restricts this drug to use by or on the order of a licensed veterinarian.

INDICATIONS

For use in Dogs and Cats as an antidote in the treatment of organophosphate insecticide poisoning; to reduce salivation, bronchial secretions or intestinal peristalsis associated with colic or diarrhea, and as a preanesthetic adjuvant.

DOSAGE AND ADMINISTRATION:

Dogs and Cats: Inject intravenously, intramuscularly, or subcutaneously, 1 mL for each 20 lbs of body weight as a preanesthetic adjuvant, or to reduce salivation, bronchial secretions, or intestinal peristalsis associated with colic or diarrhea.

As an antidote for parasympathomimetic drugs, inject 1 mL for each 5 lbs of body weight administered to effect and repeat as necessary. It is suggested that 1/4 of the dosage be injected intravenously and the remainder intramuscularly or subcutaneously.

WARNING

Poisonous alkaloid.

Antidotes: Warmth, emetics, cholinergics

COMPOSITION

Each mL of sterile solution contains:

Atropine Sulfate	0.54 mg
Sodium Chloride	9 mg
Benzyl Alcohol	1.5%
Water for Injection	QS

Store at controlled room temperature between 15° and 30°C (59°-86°F)

PROTECT FROM LIGHT

TAKE TIME OBSERVE LABEL DIRECTIONS

INDICATIONS: For use in dogs and cats as an antidote in the treatment of organophosphate insecticide poisoning, to reduce salivation, bronchial secretions or intestinal peristalsis associated with colic or diarrhea, and as a preanesthetic adjunct.

DOSE AND ADMINISTRATION:
Dogs and cats: Inject intravenously, intramuscularly, or subcutaneously, 1 mL for each 20 lbs of body weight as a preanesthetic adjunct, or to reduce salivation, bronchial secretions, or intestinal peristalsis associated with colic or diarrhea.
 As an antidote for parasympathomimetic drugs, inject 1 mL for each 5 lbs of body weight administered to effect and repeat as necessary. It is suggested that 1/4 of the dosage be injected intravenously and the remainder intramuscularly or subcutaneously.

WARNING: Poisonous alkaloid.
Antidotes: Warmth, emetics, cholinergics.



AH-002452-L-02
A-3054-04
REV: 0621

covetrus 

NDC: 11695-7000-1

Atropine sulfate Injection

(0.54 mg/mL)
INJECTABLE SOLUTION

**FOR ANIMAL USE ONLY
KEEP OUT OF REACH OF CHILDREN**

CAUTION: Federal law restricts this drug to use by or on the order of a licensed veterinarian.

Net contents: 100 mL

COMPOSITION: Each mL of sterile solution contains:
 Atropine sulfate 0.54 mg
 Sodium chloride 9 mg
 Benzyl alcohol 1.5 %
 Water for injection QS

Store at controlled room temperature between 15° and 30°C (59°-86°F).
PROTECT FROM LIGHT

Questions?
(855) 724-3461

Reorder #074760

For additional information about adverse drug experience reporting for animals contact FDA at 1-888-FDA-VETS or <http://www.fda.gov/AnimalVeterinary/SafetyHealth>
 Distributed by: Covetrus North America, 400 Metro Place North, Dublin, OH 43017
covetrus.com

Lot No. Exp. Date

INDICATIONS: For use in dogs and cats as an antidote in the treatment of organophosphate insecticide poisoning, to reduce salivation, bronchial secretions or intestinal peristalsis associated with colic or diarrhea, and as a preanesthetic adjunct.

DOSE AND ADMINISTRATION:
Dogs and cats: Inject intravenously, intramuscularly, or subcutaneously, 1 mL for each 20 lbs of body weight as a preanesthetic adjunct, or to reduce salivation, bronchial secretions, or intestinal peristalsis associated with colic or diarrhea.
 As an antidote for parasympathomimetic drugs, inject 1 mL for each 5 lbs of body weight administered to effect and repeat as necessary. It is suggested that 1/4 of the dosage be injected intravenously and the remainder intramuscularly or subcutaneously.

WARNING: Poisonous alkaloid.
Antidotes: Warmth, emetics, cholinergics.



AH-002452-L-02
A-3054-04
REV: 0621

covetrus 

NDC: 11695-7000-1

Atropine sulfate Injection

(0.54 mg/mL)
INJECTABLE SOLUTION

**FOR ANIMAL USE ONLY
KEEP OUT OF REACH OF CHILDREN**

CAUTION: Federal law restricts this drug to use by or on the order of a licensed veterinarian.

Net contents: 100 mL

COMPOSITION: Each mL of sterile solution contains:
 Atropine sulfate 0.54 mg
 Sodium chloride 9 mg
 Benzyl alcohol 1.5 %
 Water for injection QS

Store at controlled room temperature between 15° and 30°C (59°-86°F).
PROTECT FROM LIGHT

Questions?
(855) 724-3461

Reorder #074760

For additional information about adverse drug experience reporting for animals contact FDA at 1-888-FDA-VETS or <http://www.fda.gov/AnimalVeterinary/SafetyHealth>
 Distributed by: Covetrus North America, 400 Metro Place North, Dublin, OH 43017
covetrus.com

Lot No. Exp. Date

ATROPINE SULFATE

atropine sulfate injection, solution

Product Information

Product Type	PRESCRIPTION ANIMAL DRUG	Item Code (Source)	NDC:11695-7000
Route of Administration	INTRAVENOUS, INTRAMUSCULAR, SUBCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ATROPINE SULFATE (UNII: 03J5ZE7KA5) (ATROPINE - UNII:7C0697DR9I)	ATROPINE SULFATE	0.54 mg in 1 mL

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11695-7000-1	100 mL in 1 VIAL		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		06/01/2021	

