

# ATHLETES FOOT ULTRA- butenafine hydrochloride cream H E B

-----  
**Athlete's Foot Cream Ultra**

## ***Drug Facts***

### **Active ingredient**

Butenafine hydrochloride 1%

### **Purpose**

Antifungal

### **Uses**

- cures most athlete's foot between the toes. Effectiveness on the bottom or sides of foot is unknown.
- cures most jock itch and ringworm
- relieves itching, burning, cracking, and scaling which accompany these conditions

### **Warnings**

#### **For external use only**

#### **Do not use**

- on nails or scalp
- in or near the mouth or the eyes
- for vaginal yeast infections

**When using this product** do not get into the eyes. If eye contact occurs, rinse thoroughly with water.

**Stop use and ask a doctor if** too much irritation occurs or irritation gets worse

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

### **Directions**

- adults and children 12 years and older:
  - use the tip of the cap to break the seal and open the tube
  - wash the affected skin with soap and water and dry completely before applying
  - **for athlete's foot between the toes:** apply to affected skin between and around the toes twice a day for 1 week (morning and night), or once a day for 4 weeks, or as directed by a doctor. Wear well-fitting, ventilated shoes. Change shoes and socks at least once daily.

#### **Apply between and around the toes**



#### **1 week twice a day or 4 weeks once a day**

- **for jock itch and ringworm:** apply once a day to affected skin for 2 weeks or as directed by a doctor.
- wash hands after each use
- children under 12 years: ask a doctor

**Other information**

- do not use if seal on tube is broken or not visible
- store between 20° to 25° C (68° to 77° F)

**Inactive ingredients**

benzyl alcohol, cetyl alcohol, glycerin, glyceryl monostearate SE, polyoxyethylene (23) cetyl ether, propylene glycol dicaprylate, purified water, sodium benzoate, stearic acid, trolamine, white petrolatum

**Questions?**

Call **1-866-923-4914**

**PRINCIPAL DISPLAY PANEL - 12 g Tube Carton**

Compare to Lotrimin Ultra<sup>®</sup>\* active ingredient

NDC 37808-013-02

H-E-B<sup>®</sup>

Clinically Proven to Cure Most Athlete's Foot between the Toes

Athlete's Foot Cream Ultra

Butenafine Hydrochloride Cream 1%

Antifungal

NET WT 12 g (0.42 oz)



NDC 37808-013-02

Clinically Proven to Cure Most Athlete's Foot between the Toes

# Athlete's Foot Cream Ultra

Butenafine Hydrochloride Cream 1%

Antifungal

Contains the Drug: BUTENAFINE HYDROCHLORIDE

1 Week

Treatment Option For Athlete's Foot - See Directions

T174  
B75.2  
ENG19.53

- Prescription Strength
- Relieves Itching, Burning and Cracking

Compare to Lotrimin Ultra<sup>®</sup> active ingredient



NDC 37808-013-02

Clinically Proven to Cure Most Athlete's Foot between the Toes

# Athlete's Foot Cream Ultra

Butenafine Hydrochloride Cream 1%

Antifungal

NET WT 12 g (0.42 oz)

Athlete's Foot  
Cream Ultra

Butenafine Hydrochloride  
Cream 1%

Antifungal

NO VARNISH/NO AQ  
NO COPY / NO COLOR  
THIS FLAP FOR LOT #  
AND EXP DATE PRINT

**100% GUARANTEE promise**

If you aren't completely pleased with this product, we'll be happy to replace it or refund your money. You have our word on it.

\*All trademarks are property of their respective owners. This product is not affiliated with the makers/owners of Lotrimin Ultra<sup>®</sup>.



MADE WITH PRIDE & CARE FOR H-E-B<sup>®</sup>  
SAN ANTONIO, TX 78204  
MADE IN CANADA

LPK-8788-1  
0818-1  
58

NO VARNISH  
ON THIS FLAP

**Butenafine hydrochloride 1%.....Antifungal**

**Uses**

- cures most athlete's foot between the toes. Effectiveness on the bottom or sides of foot is unknown.
- cures most foot itching and ringworm
- relieves itching, burning, cracking, and scaling which accompany these conditions

**Warnings**

For external use only

- Do not use
- on nails or scalp
- in or near the mouth or the eyes
- for vaginal yeast infections

When using this product do not get into the eyes. If eye contact occurs, rinse thoroughly with water.

Stop use and ask a doctor if too much irritation occurs or irritation gets worse

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Questions? Call 1-866-923-4914**

**Inactive ingredients**

benzyl alcohol, cetyl alcohol, glycerin, glyceryl monostearate SE, polyoxyethylene (23) cetyl ether, propylene glycol dicaprylate, purified water, sodium benzoate, stearic acid, trielamine, white petrolatum


**Other information**

- do not use if seal on tube is broken or not visible
- store between 20° to 25° C (68° to 77° F)

**Apply between socks at least once daily.**

- wash the affected skin with soap and water and dry completely before applying
- for athlete's foot between the toes: apply to affected skin between and around the toes twice a day for 1 week (morning and night), or once a day for 4 weeks, or as directed by a doctor. Wear well-fitting, ventilated shoes. Change shoes and socks at least once daily.
- for foot itching and ringworm: apply once a day to affected skin for 2 weeks or as directed by a doctor
- wash hands after each use
- children under 12 years: ask a doctor 4 weeks once a day

**1 week 4 weeks**



## ATHLETES FOOT ULTRA

butenafine hydrochloride cream

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:37808-013
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>Butenafine Hydrochloride</b> (UNII: R8XA2029ZI) (Butenafine - UNII:91Y494NL0X)	Butenafine Hydrochloride	10 mg in 1 g

### Inactive Ingredients

Ingredient Name	Strength
<b>benzyl alcohol</b> (UNII: LKG8494WBH)	
<b>cetyl alcohol</b> (UNII: 936JST6JCN)	
<b>glycerin</b> (UNII: PDC6A3C0OX)	
<b>glyceryl stearate SE</b> (UNII: FCZ5MH785I)	
<b>ceteth-23</b> (UNII: 495CTZ441V)	
<b>propylene glycol dicaprylate</b> (UNII: 581437HWX2)	
<b>water</b> (UNII: 059QF0KO0R)	
<b>sodium benzoate</b> (UNII: OJ245FE5EU)	
<b>stearic acid</b> (UNII: 4ELV7Z65AP)	
<b>trolamine</b> (UNII: 9O3K93S3TK)	
<b>petrolatum</b> (UNII: 4T6H12BN9U)	

### Product Characteristics

<b>Color</b>	WHITE	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37808-013-02	1 in 1 CARTON	12/12/2017	
1		12 g in 1 TUBE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA205181	11/17/2017	

**Labeler** - HEB (007924756)

Revised: 8/2018

HEB