

**VAMOUSSE LICE PROTECTION- eucalyptus globulus leaf and sodium chloride shampoo**  
**TyraTech, Inc.**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----

**Vamousse® Lice Protection Shampoo**

**Drug Facts**

| <b>Active Ingredients:</b>    | <b>Purpose:</b>     |
|-------------------------------|---------------------|
| Eucalyptus globulus 2X (HPUS) | Head lice preventer |
| Natrum muriaticum 2X (HPUS)   | Pediculicide        |

**Uses**

For protection against head lice infestations.

**Warnings**

**For external use only.**

Do not use

- near eyes
- inside nose or mouth
- on eyebrows or eyelashes. See a doctor if lice are present in these areas.

**When using this product:**

- Do not use in or near the eyes. Close eyes while product is being applied.
- Do not permit contact with mucous membranes, such as inside the nose, as irritation or stinging may occur.

**Stop use and ask a doctor**

- if eye irritation occurs
- skin or scalp irritation or infection occurs.

**Keep out of reach of children. If pregnant or breast-feeding,** ask a health professional before use. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

**Adults and children 2 years and older:**

- Apply a generous amount of shampoo to wet hair, work into a lather and massage into scalp. Leave shampoo in hair for at least 3 minutes. Rinse.
- For protection against a head lice infestation, use daily for at least 10 to 14 days to kill any lice that may have hatched.
- For an active head lice infestation, use Vamousse® Lice Treatment before using this shampoo.

Children under 2 years: ask a doctor.

Product may be used as often as needed.

**Other Information**

Store between 59-86°F (15 -30°C).

**Inactive Ingredients**

Benzyl alcohol, Butyl lactate, Cocamidopropyl betaine, Diazolidinyl urea, Fragrance, Isopropyl myristate, Magnesium lauryl sulfate, Sodium chloride, Water

**Questions?**

1.855.373.7210 or [www.VamousseLice.com](http://www.VamousseLice.com)

**PRINCIPAL DISPLAY PANEL - 236 mL Bottle Label****GENTLE DAILY SHAMPOO****NDC 58962-004-01****PESTICIDE-FREE****100% EFFECTIVE\*****PROTECTION****AGAINST HEAD LICE****VAMOUSSE®**

- **KILLS LICE BEFORE YOU  
KNOW THEY ARE THERE**
- **HELPS KEEP YOUR  
FAMILY LICE FREE**
- **SAFE, NON-TOXIC**

**LICE****PROTECTION****SATISFACTION****100%****GUARANTEED****8 FL OZ (236 ML)****HOMEOPATHIC****19160FRT2014338**

# GENTLE DAILY SHAMPOO

NDC 58962-004-01

PESTICIDE-FREE

# 100% EFFECTIVE\* PROTECTION AGAINST HEAD LICE

# VAMOUSSE®

- KILLS LICE BEFORE YOU KNOW THEY ARE THERE
- HELPS KEEP YOUR FAMILY LICE FREE
- SAFE, NON-TOXIC

## LICE PROTECTION



8 FL OZ (236 ML)

HOMEOPATHIC

19160FF2014318

### Drug Facts

**Active Ingredients:**

Eucalyptus globulus 2X (HPUS)  
Natrum muriaticum 2X (HPUS)

**Purpose:**

Head lice preventer  
Pediculicide

**Uses:** For protection against head lice infestations.

**Warnings:****For external use only.**

Do not use • near eyes • inside nose or mouth  
• on eyebrows or eyelashes. See a doctor if lice are present in these areas.

**When using this product:**

- Do not use in or near the eyes. Close eyes while product is being applied.
- Do not permit contact with mucous membranes, such as inside the nose, as irritation or stinging may occur.

**Stop use and ask a doctor** • if eye irritation occurs  
• skin or scalp irritation or infection occurs.

**Keep out of reach of children. If pregnant or breast-feeding,** ask a health professional before use. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions:****Adults and children 2 years and older:**

- Apply a generous amount of shampoo to wet hair, work into a lather and massage into scalp. Leave shampoo in hair for at least 3 minutes. Rinse.
- For protection against a head lice infestation, use daily for at least 10 to 14 days to kill any lice that may have hatched.
- For an active head lice infestation, use Vamousse® Lice Treatment before using this shampoo.

**Children under 2 years: ask a doctor.**

Product may be used as often as needed.

**Other Information:** Store between 59-86°F (15-30°C).

**Inactive Ingredients:** Benzyl alcohol, Butyl lactate, Cocamidopropyl betaine, Diazolidinyl urea, Fragrance, Isopropyl myristate, Magnesium lauryl sulfate, Sodium chloride, Water

**Questions?** 1.855.373.7210 or [www.VamousseLice.com](http://www.VamousseLice.com)

Vamousse is a trademark of TyraTech, Inc.

PATENTS: [www.tyratech.com/legal](http://www.tyratech.com/legal)

Manufactured For:

**TYRATECH**®

5151 McCrimmon Parkway, Suite 275, Morrisville, NC 27560

\*When used as directed. Data on file.



19160BLCX2014338

## VAMOUSSE LICE PROTECTION

eucalyptus globulus leaf and sodium chloride shampoo

**Product Information**

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:58962-004 |
| <b>Route of Administration</b> | TOPICAL        |                           |               |

**Active Ingredient/Active Moiety**

| <b>Ingredient Name</b>  | <b>Basis of Strength</b> | <b>Strength</b>  |
|---|--------------------------|------------------|
| <b>EUCALYPTUS GLOBULUS LEAF</b> (UNII: S546YLW6E6) (EUCALYPTUS GLOBULUS LEAF - UNII:S546YLW6E6)             | EUCALYPTUS GLOBULUS LEAF | 2 [hp_X] in 1 mL |
| <b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X) (CHLORIDE ION - UNII:Q32ZN48698, SODIUM CATION - UNII:LYR4M0NH37) | SODIUM CHLORIDE          | 2 [hp_X] in 1 mL |

**Inactive Ingredients**

| <b>Ingredient Name</b>                             | <b>Strength</b> |
|--|-----------------|
| <b>BENZYL ALCOHOL</b> (UNII: LKG8494WBH)           |                 |
| <b>BUTYL LACTATE</b> (UNII: 0UI63W814U)            |                 |
| <b>COCAMIDOPROPYL BETAINE</b> (UNII: 5OCF3O11KX)   |                 |
| <b>DIAZOLIDINYL UREA</b> (UNII: H5RIZ3MPW4)        |                 |
| <b>GERANIOL</b> (UNII: L837108USY)                 |                 |
| <b>ISOPROPYL MYRISTATE</b> (UNII: 0RE8K4LNJS)      |                 |
| <b>MAGNESIUM LAURYL SULFATE</b> (UNII: T88HA2N17X) |                 |
| <b>WATER</b> (UNII: 059QF0KO0R)                    |                 |

**Packaging**

| <b>#</b> | <b>Item Code</b> | <b>Package Description</b>                                     | <b>Marketing Start Date</b> | <b>Marketing End Date</b> |
|----------|------------------|--|-----------------------------|---------------------------|
| 1        | NDC:58962-004-01 | 1 in 1 CARTON  |                             |                           |
| 1        |                  | 236 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product |                             |                           |

**Marketing Information**

| <b>Marketing Category</b> | <b>Application Number or Monograph Citation</b> | <b>Marketing Start Date</b> | <b>Marketing End Date</b> |
|---------------------------|---|-----------------------------|---------------------------|
| UNAPPROVED HOMEOPATHIC    |   | 04/29/2016                  |                           |

**Labeler** - TyraTech, Inc. (782845882)**Establishment**

| <b>Name</b>             | <b>Address</b> | <b>ID/FEI</b> | <b>Business Operations</b>                |
|-------------------------|----------------|---------------|---|
| Tropical Products, Inc. |                | 157469086     | MANUFACTURE(58962-004) , LABEL(58962-004) |