TRILLIUM PENDULUM- trillium pendulum pellet Hahnemann Laboratories, INC.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

TRILLIUM PENDULUM 6C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901
TWIST TO OPEN - USE ONLY IF SEALED

TRILLIUM PENDULUM 6C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



TRILLIUM PENDULUM 6C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



TRILLIUM PENDULUM 12C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



TRILLIUM PENDULUM 12C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



TRILLIUM PENDULUM 12C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

TRILLIUM PENDULUM 30C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE HPUS
Active ingredient:
Listed above
Use:Traditional use
such as diarrhea.
Keep out of reach
of children
Directions: Take 5
pellets orally once
Inactive ingredients:

sucrose

nemann Labs Inc. 1940 Fourth St. San Rafael, C.
TWIST TO OPEN - USE ONLY IF SEALE

TRILLIUM PENDULUM 30C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



TRILLIUM PENDULUM 30C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



TRILLIUM PENDULUM 30C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

TRILLIUM PENDULUM 100C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE HPUS
Active ingredient:
Listed above
Use:Traditional use
such as diarrhea.
Keep out of reach
of children
Directions: Take 5
pellets orally once
Inactive ingredients:

00000

sucrose

nemann Labs Inc. 1940 Fourth St. San Rafael, C TWIST TO OPEN - USE ONLY IF SEALI

TRILLIUM PENDULUM 100C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



TRILLIUM PENDULUM 100C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



TRILLIUM PENDULUM 100C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

TRILLIUM PENDULUM 200C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE HPUS
Active ingredient:
Listed above
Use:Traditional use
such as diarrhea.
Keep out of reach
of children
Directions: Take 5
pellets orally once
Inactive ingredients:

||||||||||||||| 00000

sucrose

TRILLIUM PENDULUM 200C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



TRILLIUM PENDULUM 200C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 9496 TWIST TO OPEN - USE ONLY IF SEALED

TRILLIUM PENDULUM 200C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

TRILLIUM PENDULUM 500C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE HPUS
Active ingredient:
Listed above
Use:Traditional use
such as diarrhea.
Keep out of reach
of children
Directions: Take 5
pellets orally once
Inactive ingredients:

00000

sucrose

nemann Labs Inc. 1940 Fourth St. San Rafael, C TWIST TO OPEN - USE ONLY IF SEAL

TRILLIUM PENDULUM 500C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



TRILLIUM PENDULUM 500C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



TRILLIUM PENDULUM 500C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

TRILLIUM PENDULUM 1M

Min. net wt: 1g
HOMEOPATHIC
MEDICINE HPUS
Active ingredient:
Listed above
Use:Traditional use
such as diarrhea.
Keep out of reach
of children
Directions: Take 5
pellets orally once
Inactive ingredients:

||||||||||||||| 00000

sucrose

nemann Labs Inc. 1940 Fourth St. San Rafael, C.

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 9496 TWIST TO OPEN - USE ONLY IF SEALED

TRILLIUM PENDULUM 1M

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



TRILLIUM PENDULUM 1M

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



TRILLIUM PENDULUM 1M

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

TRILLIUM PENDULUM LM1

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

TRILLIUM PENDULUM

trillium pendulum pellet

D		£ +!
Prod	IICT I	Information
FIUU	uct	ıııı vı illativli

Product Type HUN

HUMAN OTC DRUG

Item Code (Source)

NDC:37662-4182

Route of Administration

ORAL

Active Ingredient/Active Moiety

Ingredient Name Basis of Strength TRILLIUM ERECTUM ROOT (UNII: AHW6F0T2X0) (TRILLIUM ERECTUM ROOT - UNII: AHW6F0T2X0) TRILLIUM ERECTUM ROOT - TRILLIUM ERECTUM ROOT - UNII: AHW6F0T2X0) TRILLIUM ERECTUM ROOT - TRILLIUM ERECTUM ROOT - UNII: AHW6F0T2X0)

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics				
Color	white	Score	no score	
Shape	ROUND	Size	2mm	
Flavor		Imprint Code		
Contains				

P	Packaging				
#	Item Code	tem Code Package Description		Marketing End Date	
1	NDC:37662- 4182-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	10/23/2023		
2	NDC:37662- 4182-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	10/23/2023		
3	NDC:37662- 4182-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	10/23/2023		
4	NDC:37662- 4182-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	10/23/2023		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		10/23/2023	
unapproved homeopathic		10/23/2023	

TRILLIUM PENDULUM

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-4177	
Route of Administration	ORAL			

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength

TRILLIUM ERECTUM ROOT (UNII: AHW6F0T2X0) (TRILLIUM ERECTUM ROOT - UNII: AHW6F0T2X0)

TRILLIUM ERECTUM ROOT

12 [hp_C]

Inactive Ingredients

Ingredient Name Strength

SUCROSE (UNII: C151H8M554)

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	3mm
Flavor		Imprint Code	
Contains			

Dackaging

l	P	Packaging Packaging			
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date
	1	NDC:37662- 4177-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	10/23/2023	
	2	NDC:37662- 4177-2	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	10/23/2023	
	3	NDC:37662- 4177-3	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	10/23/2023	

Marketing Information

That Recting into inaction			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		10/23/2023	

TRILLIUM PENDULUM

trillium pendulum pellet

Product Information

Route of Administration ORAL

Active Ingredient/Active Moiety

ı	Active Ingredient/Active Molety			
ı	Ingredient Name	Basis of Strength	Strength	
	TRILLIUM ERECTUM ROOT (UNII: AHW6F0T2X0) (TRILLIUM ERECTUM ROOT - UNII: AHW6F0T2X0)	TRILLIUM ERECTUM ROOT	30 [hp_C]	

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics			
Color	white	Score	no score
Shape	ROUND	Size	3mm
Flavor		Imprint Code	
Contains			

P	ackaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37662- 4178-1	80 in 1 VIAL, GLASS; Type 0: Not a Combination Product	10/23/2023	
2	NDC:37662- 4178-2	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	10/23/2023	
3	NDC:37662- 4178-3	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	10/23/2023	
4	NDC:37662- 4178-4	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	10/23/2023	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		10/23/2023	

TRILLIUM PENDULUM

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-4179
Route of Administration	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
TRILLIUM ERECTUM ROOT (UNII: AHW6F0T2X0) (TRILLIUM ERECTUM ROOT - UNII: AHW6F0T2X0)	TRILLIUM ERECTUM ROOT	100 [hp_C]	

Inactive Ingredients	
Ingredient Name	Strength

SUCROSE (UNII: C151H8M554)

Product Characteristics			
Color	white	Score	no score
Shape	ROUND	Size	2mm
Flavor		Imprint Code	
Contains			

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:37662- 4179-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	10/23/2023		
2	NDC:37662- 4179-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	10/23/2023		
3	NDC:37662- 4179-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	10/23/2023		
4	NDC:37662- 4179-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	10/23/2023		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		10/23/2023	

TRILLIUM PENDULUM

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-4176
Route of Administration	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
TRILLIUM ERECTUM ROOT (UNII: AHW6F0T2X0) (TRILLIUM ERECTUM ROOT - UNII: AHW6F0T2X0)	TRILLIUM ERECTUM ROOT	6 [hp_C]	

Inactive Ingredients			
Ingredient Name	Strength		
SUCROSE (UNII: C151H8M554)			

Product Characteristics				
Color white Score no score				
Shape	ROUND	Size	3mm	
Flavor		Imprint Code		
Contains				

P	Packaging						
#	Item Code	Package Description	Marketing Start Date	Marketing End Date			
1	NDC:37662- 4176-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	10/23/2023				
2	NDC:37662- 4176-2	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	10/23/2023				
3	NDC:37662- 4176-3	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	10/23/2023				

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved homeopathic		10/23/2023		

TRILLIUM PENDULUM

Product Information					
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-4181		
Route of Administration	ORAL				

Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
TRILLIUM ERECTUM ROOT (UNII: AHW6F0T2X0) (TRILLIUM ERECTUM ROOT UNII: AHW6F0T2X0)	-	TRILLIUM ERECTUM ROOT	500 [hp_C]

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics				
Color	white	Score	no score	

Shape	ROUND	Size	2mm
Flavor		Imprint Code	
Contains			

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:37662- 4181-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	10/23/2023			
2	NDC:37662- 4181-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	10/23/2023			
3	NDC:37662- 4181-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	10/23/2023			
4	NDC:37662- 4181-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	10/23/2023			

Marketing Information					
Marketing Application Number or Monograph Marketing Start Marketing End Category Citation Date Date					
	10/23/2023				
	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date			

TRILLIUM PENDULUM

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-4183	
Route of Administration	ORAL			

l	Active Ingredient/Active Moiety		
	Ingredient Name	Basis of Strength	Strength
	TRILLIUM ERECTUM ROOT (UNII: AHW6F0T2X0) (TRILLIUM ERECTUM ROOT - UNII: AHW6F0T2X0)	TRILLIUM ERECTUM ROOT	1 [hp_Q]

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics			
Color	white	Score	no score
Shape	ROUND	Size	1mm
Flavor		Imprint Code	

Contains

P	ackaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
	NDC:37662- 4183-1	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	10/23/2023	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		10/23/2023	

TRILLIUM PENDULUM

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-4180
Route of Administration	ORAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
	TRILLIUM ERECTUM ROOT	200 [hp_C]

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics			
Color	white	Score	no score
Shape	ROUND	Size	2mm
Flavor		Imprint Code	
Contains			

Packaging			
# Item Code	Package Description	Marketing Start Date	Marketing End Date
NDC:37662-	200 in 1 VIAL, GLASS; Type 0: Not a Combination	10/22/2022	

1	4180-1	Product	10/23/2023	
2	NDC:37662- 4180-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	10/23/2023	
3	NDC:37662- 4180-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	10/23/2023	
4	NDC:37662- 4180-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	10/23/2023	

Marketing Information			
arketing End Date	Marketing Start Date	Application Number or Monograph Citation	Marketing Category
	10/23/2023		unapproved homeopathic
	10/23/2023		

Labeler - Hahnemann Laboratories, INC. (147098081)

Establishment			
Name	Address	ID/FEI	Business Operations
Hahnemann Laboratories, INC.		147098081	manufacture(37662-4177, 37662-4178, 37662-4179, 37662-4180, 37662-4181, 37662-4182, 37662-4183, 37662-4176)

Revised: 10/2023 Hahnemann Laboratories, INC.