

**COPPERTONE PURE AND SIMPLE BABY SUNSCREEN SPF 50- zinc oxide  
24.08% aerosol, spray  
Beiersdorf Inc**

-----  
**Coppertone P&S Baby Spray SPF 50**

***Drug Facts***

***Active ingredient***

Zinc Oxide (24.08%)

***Purpose***

Sunscreen

***Uses***

- helps prevent sunburn

***Warnings***

**For external use only**

**Flammable:** Do not use near heat, flame, or while smoking

**Do not use** on damaged or broken skin

**When using this product**

- keep away from face to avoid breathing it
- keep out of eyes. Rinse with water to remove.
- use only as directed. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.
- do not puncture or incinerate. Contents under pressure. Do not store at temperatures above 120°F.

**Stop use and ask a doctor if** rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

***Directions***

- shake well before each use
- spray liberally and spread evenly by hand 15 minutes before sun exposure
- hold container 4 to 6 inches from the skin to apply

■ do not spray directly into face. Spray on hands then apply to face.

■ do not apply in windy conditions

■ use in a well-ventilated area

■ reapply:

■ after 80 minutes of swimming or sweating

■ immediately after towel drying

■ at least every 2 hours

■ **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

■ limit time in the sun, especially from 10 a.m. – 2 p.m.

■ wear long-sleeve shirts, pants, hats, and sunglasses

■ children under 6 months: Ask a doctor

### ***Other information***

■ protect this product from excessive heat and direct sun

■ store between 20° to 25° C (68° to 77° F)

■ may stain or damage some fabrics or surfaces

### ***Inactive ingredients***

isobutane, water, C12-15 alkyl benzoate, isopropyl palmitate, butyloctyl salicylate, ethylhexyl isononanoate, cetyl PEG/PPG-10/1 dimethicone, propylene glycol, cyclopentasiloxane, bis-octyldodecyl dimer dilinoleate/propanediol copolymer, dimethicone, ethylhexyl pelargonate, ethylhexyl methoxycrylene, polyester-27, cetyl dimethicone, triethoxycaprylylsilane, beeswax, tocopherol (vitamin E), hydroxyacetophenone, sodium chloride, PEG-12 dimethicone crosspolymer, 1,2-hexanediol, caprylyl glycol, caprylyl methicone

### ***Questions?***

1-866-288-3330

Coppertone

Zinc Oxide Sunscreen Spray

Pure&Simple

#1 Pediatrician Recommended Sunscreen Spray

Baby

50

100% Mineral Sun Protection

Hypoallergenic & Tear Free

Suitable for Sensitive Skin

Free of Oxybenzone, Octinoxate, PABA, Parabens, Dyes, Fragrance

Water Resistant (80 Minutes)

Broad Spectrum SPF 50

**Coppertone.**  
ZINC OXIDE SUNSCREEN SPRAY  
**Pure & Simple**



**Baby  
50**

**100% MINERAL  
SUN PROTECTION†**

**Hypoallergenic & Tear Free  
Suitable for Sensitive Skin**

**Free of Oxybenzone, Octinoxate,  
PABA, Parabens, Dyes, Fragrance**

**Water Resistant (80 Minutes)  
Broad Spectrum SPF 50**

**NET WT 5 OZ (142 g)**

Shake well before each use.

Pure & Simple means 100% mineral sun protection† with naturally sourced zinc oxide and is free of oxybenzone, octinoxate, PABA, parabens, dyes, fragrance.

<b>Drug Facts</b>	
<b>Active ingredient</b> (To Deliver) Zinc Oxide 24.08%	<b>Purpose</b> Sunscreen
<b>Use</b> ■ helps prevent sunburn	
<b>Warnings</b> For external use only	
<b>Flammable:</b> Do not use near heat, flame, or while smoking	
Do not use on damaged or broken skin	
<b>When using this product</b>	
■ keep away from face to avoid breathing it	
■ keep out of eyes. Rinse with water to remove.	
■ use only as directed. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.	
■ do not puncture or incinerate. Contents under pressure. Do not store at temperatures above 120°F.	
Stop use and ask a doctor if rash occurs	
Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b>	
■ shake well before each use ■ spray liberally and spread evenly by hand 15 minutes before sun exposure ■ hold container 4 to 6 inches from the skin to apply ■ do not spray directly into face. Spray on hands then apply to face. ■ do not apply in windy conditions ■ use in a well-ventilated area ■ reapply: ■ after 80 minutes of swimming or sweating ■ immediately after towel drying ■ at least every 2 hours ■ Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m. – 2 p.m. ■ wear long-sleeve shirts, pants, hats, and sunglasses ■ children under 6 months: Ask a doctor	
<b>Other information</b>	
■ protect this product from excessive heat and direct sun	
■ store between 20° to 25°C (68° to 77°F)	
■ may stain or damage some fabrics or surfaces	
<b>Inactive ingredients</b> isobutane, water, C12-15 alkyl benzoate, isopropyl palmitate, butyloctyl salicylate, ethylhexyl isononanoate, cetyl PEG/PPG-10/1 dimethicone, propylene glycol, cyclopentasiloxane, bis-octyldodecyl dimethylsiloxane/propanediol copolymer, dimethicone, ethylhexyl pelargonate, ethylhexyl methoxycrylene, polyester-27, cetyl dimethicone, triethoxycaprylylsilane, beeswax, tocopherol (vitamin E), hydroxyacetophenone, sodium chloride, PEG-12 dimethicone crosspolymer, 1,2-hexanediol, caprylyl glycol, caprylyl methicone	
<b>Questions?</b> 1-866-288-3330	

†Based on zinc oxide active


www.coppertone.com

**Beiersdorf**

Beiersdorf Inc. Stamford, CT 06901  
©=reg. TM. of Beiersdorf AG,  
Germany



how2recycle.info



DOT-2P M5655



10013029

**COPPERTONE PURE AND SIMPLE BABY SUNSCREEN SPF 50**

zinc oxide 24.08% aerosol, spray

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:66800-2881
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	24.08 g in 100 g

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
ISOBUTANE (UNII: BXR49TP611)	
ETHYLHEXYL ISONONANOATE (UNII: I6KB4GE3K4)	
WATER (UNII: 059QF0KO0R)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PEG-12 DIMETHICONE (UNII: ZEL54N6W95)	
ETHYLHEXYL METHOXYCRYLENE (UNII: S3KFG6Q5X8)	
CETYL DIMETHICONE 150 (UNII: 5L694Y0T22)	
HYDROXYACETOPHENONE (UNII: G1L3HT4CMH)	
ISOPROPYL PALMITATE (UNII: 8CRQ2TH63M)	
TOCOPHEROL (UNII: R0ZB2556P8)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
SYNTHETIC BEESWAX (UNII: 08MNR5YE2R)	
1,2-HEXANEDIOL (UNII: TR046Y3K1G)	
POLYESTER-7 (UNII: 0841698D2F)	
BIS-OCTYLDODECYL DIMER DILINOLEATE/PROPANEDIOL COPOLYMER (UNII: TY3J98ZR7R)	
ETHYLHEXYL PELARGONATE (UNII: 3YU1SQ04DV)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	

**Product Characteristics**

<b>Color</b>	white (White to Clear)	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
---	-----------	---------------------	----------------------	--------------------

<b>1</b>	NDC:66800-2881-5	142 g in 1 CAN; Type 0: Not a Combination Product	01/08/2024	
<b>Marketing Information</b>				
	<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
	OTC Monograph Drug	M020	01/08/2024	

**Labeler** - Beiersdorf Inc (001177906)

Revised: 10/2023

Beiersdorf Inc