

**MECLIZINE HCL 25 MG- meclizine hydrochloride tablet, chewable  
Pharmpak, Inc.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Meclizine HCl 25 mg Chewable Tablets**

***Active ingredient (in each chewable tablet)***

Meclizine HCl, USP 25 mg

***Purpose***

Antiemetic

***Uses***

prevents and treats nausea, vomiting or dizziness due to motion sickness

***Warnings***

**Do not use** in children under 12 years of age unless directed by a doctor.

**Ask a doctor before use if you have**

- glaucoma
- a breathing problem such as emphysema or chronic bronchitis
- trouble urinating due to an enlarged prostate gland

**Ask a doctor or pharmacist before use if you are** taking sedatives or tranquilizers.

**If pregnant or breast-feeding,** ask a health professional before use

**Keep out of reach of children.**

In case of overdose, get medical help or contact the poison control center immediately.

***Directions***

- Dosage should be taken one hour before travel starts.
- **Adults and children 12 years of age and older:** Chew 1-2 tablets once daily or as directed by a doctor
- **Children under 12 years:** do not give this product to children under 12 years of age unless directed by a doctor.

***Other information***

- store at room temperature
- Phenylketonurics: Contains phenylalanine 0.28 mg per tablet
- **Do not use if imprinted safety seal under cap is broken or missing**

***Inactive ingredients***

aspartame, croscarmellose sodium, dextrose, FD&C Red #40 Lake, magnesium stearate, maltodextrin,

microcrystalline cellulose, natural and artificial flavors, silicon dioxide, sodium sulfate, sugar, tricalcium phosphate.

***Questions or comments?***

If you have any questions or comments or to report an adverse event, please contact **(800) 795-9775**.

**Distributed by:** Plus Pharma, Commack, NY 11725

\*Plus Pharma is not affiliated with the owner of the registered trademark Bonine®.

**When using this product**

- may cause drowsiness
- alcohol, sedatives, and tranquilizers may increase drowsiness
- avoid alcoholic drinks
- use caution when driving a motor vehicle or operating machinery

NDC 54348-151-12

**Meclizine HCl 25 mg**

**ANTIEMETIC**

Treats and Prevents Motion Sickness

Prevents nausea, dizziness and vomiting

\*Compare to the Active Ingredient in Bonine®

Raspberry

12 CHEWABLE TABLETS

25 mg each

NDC 51645-994-01

PlusPHARMA™

**MECLIZINE HCl**  
**ANTIEMETIC 25 mg**

Treats and Prevents Motion Sickness

Prevents nausea,  
dizziness and vomiting

Compare to  
the Active  
Ingredient in  
Bonine®

Raspberry



100 CHEWABLE TABLETS • 25 mg each

Rev. 09/15

**Drug Facts**

**Active ingredient**  
(in each chewable tablet) Purpose  
Meclizine HCl, USP 25 mg.....Antiemetic

**Uses** prevents and treats nausea, vomiting or dizziness due to motion sickness

**Warnings**  
Do not use in children under 12 years of age unless directed by a doctor.

**Ask a doctor before use if you have**

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- trouble urinating due to an enlarged prostate gland

**Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.**

**When using this product**

- may cause drowsiness
- alcohol, sedatives, and tranquilizers may increase drowsiness
- avoid alcoholic drinks
- use caution when driving a motor vehicle or operating machinery

Drug Facts (continued under label)

DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

\*Plus Pharma is not affiliated with the owner of the registered trademark Bonine®.



Lot# Exp.



**Drug Facts (continued)**

If pregnant or breast-feeding, ask a health professional before use.  
**Keep out of reach of children.**  
In case of overdose, get medical help or contact the poison control center immediately.

**Directions**

- Dosage should be taken one hour before travel starts
- Adults and children 12 years of age and older:

Chew 1-2 tablets once daily, or as directed by a doctor

• Children under 12 years: do not give this product to children under 12 years of age unless directed by a doctor

**Other information**

- Phenylethanamines: Contains Phenyldamine 0.28 mg per tablet
- store at room temperature

**Inactive ingredients**

aspartame, croscarmellose sodium, dextrose, FD&C Red #40 Lake, magnesium stearate, maltodextrin, microcrystalline cellulose, natural and artificial flavors, silicon dioxide, sodium sulfate, sugar, tricalcium phosphate.

**Questions or comments?**

If you have any questions or comments or to report an adverse event, please contact (800) 795-9775.

Distributed by: Plus Pharma, Commack, NY 11725

NDC 54348-151-12  
Store at 68-77 deg F

PKGD by PHARMPAK  
SAN RAFAEL, CA 94901

MECLIZINE CHEWABLE TABS  
25MG #12

Lot 12345  
Exp. 6/19/20

12345  
6/19/20

GTIN 00354348151123  
Serial BH00000002



RX Only

RX 0000551

PT: \_\_\_\_\_ Date: \_\_\_\_\_

**MECLIZINE CHEWABLE TABS 25MG #12**

**MFG: PLUS PHARMA**

Chew \_\_\_\_\_ tablet(s) orally \_\_\_\_\_ times a day as directed. May cause drowsiness. Mascadura tableta(s) \_\_\_\_\_ veces al dia como dirigido. Puede causar sueno.

**MECLIZINE HCL 25 MG**  
meclizine hydrochloride tablet, chewable

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:54348-151(NDC:51645-994)
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
MECLIZINE HYDROCHLORIDE (UNII: HDP7W44CIO) (MECLIZINE - UNII:3L5TQ84570)	MECLIZINE HYDROCHLORIDE	25 mg

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
ASPARTAME (UNII: Z0H242BBR1)	
SUCROSE (UNII: C151H8M554)	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
DEXTROSE (UNII: IY9XDZ35W2)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SODIUM SULFATE (UNII: 0YPR65R21J)	
TRICALCIUM PHOSPHATE (UNII: K4C08XP666)	

**Product Characteristics**

<b>Color</b>	pink (Uncoated)	<b>Score</b>	2 pieces
<b>Shape</b>	ROUND (Biconvex)	<b>Size</b>	8mm
<b>Flavor</b>	RASPBERRY	<b>Imprint Code</b>	21G
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:54348-151-12	1 in 1 BOX	08/09/2019	
1		12 in 1 BOTTLE; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part336	08/09/2019	

**Labeler** - Pharmpak, Inc. (175493840)**Establishment**

Name	Address	ID/FEI	Business Operations
------	---------	--------	---------------------

Pharmpak, Inc.		175493840	repack(54348-151)
----------------	--	-----------	-------------------

Revised: 8/2019

Pharmpak, Inc.