

**EQUATE PAIN RELIEVER ACETAMINOPHEN FOR ADULTS 250 MG-  
acetaminophen bar, chewable  
Walmart Inc**

-----  
**Equate Pain Reliever Acetaminophen for Adults 250 mg**

**Active ingredient (in each chewable bar)**

Acetaminophen 250mg

**Purpose**

Pain reliever/fever reducer

**Uses**

- temporarily relieves minor aches and pains due to:
- the common cold
- headache
- backache
- minor pain of arthritis
- toothache
- muscular aches
- premenstrual and menstrual cramps
- temporarily reduces fever

**Warnings**

**Liver warning:** this product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000mg of acetaminophen in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product.

**Allergy alert:**

acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away

**Do not Use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or

pharmacist.

- if you are allergic to acetaminophen or any of the inactive ingredients in this product.

**Ask a doctor before use if you have**

- liver disease
- a sodium-restricted diet

**Ask a doctor or pharmacist before use if you are** taking the blood thinning drug warfarin

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.**

**Overdose warning:**

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- **do not give more than directed (see overdose warning)**

---

<b>Age (yrs.)</b>	<b>Dose (chewable bar)</b>
Adults and children 12 years and over	<ul style="list-style-type: none"><li>• take 4 chewable bars every 6 hours while symptoms last</li><li>• do not take more than 12 chewable bars in 24 hours, unless directed by a doctor</li><li>• do not use for more than 10 days unless directed by a doctor</li></ul>
Children under 12 years	ask a doctor

---

**Other information**

- **each chewable bar contains:** potassium 5mg, sodium 17mg.
- Store in a cool dry place between 20-25°C (68-77°F).
- **Child Resistant Container;** do not use if printed seal under cap is broken or missing.

**Inactive ingredients:**

ammonium glycyrrhizate, D & C red # 33, FD & C blue # 1, flavors, geleol mono and diglycerides, glucose syrup, hydroxypropyl betadex, maltitol solution, maltodextrin, menthol, neotame, polyethylene glycol 400, povidone, propylene glycol, purified water, seaweed extract (carrageenan), sodium chloride, starch, sucralose, sucrose, trisodium citrate dihydrate.

**Questions or comments?**

Call **1-888-287-1915**

U.S. Patent 11,273,123

**Principal Display Panel - Equate Pain Reliever Acetaminophen for Adults 250 mg-Cool Blueberry Flavor**

**NDC 79903-238-40**

**equate™**

**Compare to Tylenol® active ingredient\*\***

**Pain Reliever Acetaminophen for Adults 250 mg**

**Pain Reliever/Fever Reducer**

**Contains No Aspirin**

**Soft Chew Bars**

**Cool Bluberry Flavor**

**250 mg EACH 40 CHEWABLE BARS**

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.**

NDC 79903-238-40



**Pain Reliever**  
Acetaminophen for Adults  
250 mg

Cool Blueberry Flavor

Soft Chew Bars

250 mg  
500 mg  
40 CHEWABLE BARS

Pain Reliever/  
Fever Reducer  
Contains No Aspirin

Compare to Tylenol with the Inactive...  
TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

**Drug Facts**

**Active ingredient (in each chewable bar)** **Purpose**  
Acetaminophen 250mg Pain reliever/fever reducer

**Uses**

- Temporarily relieves minor aches and pains due to:
  - the common cold
  - headache
  - backache
  - minor pain of arthritis
  - toothache
  - muscular aches
  - premenstrual and menstrual cramps
- Temporarily reduces fever

**Warnings**

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000mg of acetaminophen in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blistering
- rash

If a skin reaction occurs, stop use and seek medical help right away

5606248.2

how2recycle.info

PLASTIC BOTTLE

Satisfaction guaranteed - Or we'll replace for free you your way. For questions or comments please call 1-888-287-1915

DISTRIBUTED BY Walmart Inc., Bentonville, AR 72716  
This product is not manufactured or distributed by KENNAUC Inc., owner of the registered trademark Tylenol.

6346  
1 94346 13669 8

Post Here

**Drug Facts (continued)**

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product.

**Ask a doctor before use if you have**

- liver disease
- a sodium-restricted diet

**Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin**

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children.

**Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- do not give more than directed (see overdose warning)

Age (yrs.)	Dose (chewable bar)
Adults and children 12 years and over	take 4 chewable bars every 6 hours while symptoms last do not take more than 12 chewable bars in 24 hours, unless directed by a doctor do not use for more than 10 days unless directed by a doctor
Children under 12 years	ask a doctor

**Other information**

- each chewable bar contains potassium 5mg, sodium 17mg.
- store in a cool dry place between 20-25°C (68-77°F).
- Child Resistant Container, do not use if printed seal under cap is broken or missing.

**Inactive ingredients:** ammonium glycyrrhizate, D&C red #33, FD&C blue #1, flavors, gelcol mono and diglycerides, glucose syrup, hydroxypropyl betadex, maltitol solution, methylcellulose, neotame, polyethylene glycol 400, polydextrose, propylene glycol, purified water, seaweed extract (carrageenan), sodium chloride, starch, sucrose, sucrose, trisodium citrate dihydrate.

**Questions or comments?**  
Call 1-888-287-1915

U.S. Patent 11,273,123

EQUATE PAIN RELIEVER ACETAMINOPHEN FOR ADULTS 250 MG			
acetaminophen bar, chewable			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:79903-238
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)		ACETAMINOPHEN	250 mg
Inactive Ingredients			
Ingredient Name			Strength

<b>POLYETHYLENE GLYCOL 400</b> (UNII: B697894SGQ)
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)
<b>POVIDONE K30</b> (UNII: U725QWY32X)
<b>CORN SYRUP</b> (UNII: 9G5L16BK6N)
<b>HYDROXYPROPYL BETADEX</b> (UNII: 1I96OHX6EK)
<b>NEOTAME</b> (UNII: VJ597D52EX)
<b>AMMONIUM GLYCYRRHIZATE</b> (UNII: 3VRD35U26C)
<b>GLYCERYL MONO AND DIPALMITOSTEARATE</b> (UNII: KC98RO82HJ)
<b>SUCRALOSE</b> (UNII: 96K6UQ3ZD4)
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)
<b>CARRAGEENAN</b> (UNII: 5C69YCD2YJ)
<b>TRISODIUM CITRATE DIHYDRATE</b> (UNII: B22547B95K)
<b>SUCROSE</b> (UNII: C151H8M554)
<b>MALTITOL</b> (UNII: D65DG142WK)
<b>MALTODEXTRIN</b> (UNII: 7CVR7L4A2D)
<b>LEVOMENTHOL</b> (UNII: BZ1R15MTK7)
<b>D&amp;C RED NO. 33</b> (UNII: 9DBA0SBB0L)
<b>FD&amp;C BLUE NO. 1</b> (UNII: H3R47K3TBD)
<b>WATER</b> (UNII: 059QF0KO0R)
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)

### Product Characteristics

<b>Color</b>	purple (Dark Purple)	<b>Score</b>	no score
<b>Shape</b>	RECTANGLE	<b>Size</b>	25mm
<b>Flavor</b>	BLUEBERRY (Cool Blueberry)	<b>Imprint Code</b>	0
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:79903-238-40	40 in 1 BOTTLE; Type 0: Not a Combination Product	06/01/2024	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	06/01/2024	

**Labeler** - Walmart Inc (051957769)

### Establishment

Name	Address	ID/FEI	Business Operations
USpharma Ltd		080664601	manufacture(79903-238)

