

**OBAGI SKINTRINSIQ CLARIFYING PROTOCOL- salicylic acid, titanium dioxide, and zinc oxide**

**Obagi Cosmeceuticals LLC**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Obagi<sup>®</sup> Skintrinsiq<sup>™</sup> Clarifying Protocol Kit**

**Obagi<sup>®</sup> Medical CLENZIderm M.D.<sup>®</sup> Pore Therapy**

***Drug Facts***

**Active ingredient**

Salicylic Acid 2%

**Purpose**

Acne treatment

**Uses**

- or the treatment of acne
- dries up acne pimples
- helps prevent new acne pimples

**Warnings**

**For external use only**

**When using this product**

- skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time.

**Stop use and ask a doctor if** irritation becomes severe.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Cleanse the skin thoroughly before applying this product.
- Shake product well before use.
- Cover the entire affected area with a thin layer one to three times daily. Because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor.

- If bothersome dryness or peeling occurs, reduce application to once a day or every other day.

### **Other information**

- store away from heat and direct sunlight
- store at controlled room temperature: 15°–25°C (59°–77°F)

### **Inactive ingredients**

benzyl alcohol, chamomilla recutita (matricaria) flower extract, ethoxydiglycol, ext. violet 2, fragrance, glycerin, menthol, menthoxypropanediol, menthyl lactate, SD alcohol 40-B, water (aqua)

### **Questions or comments?**

**1.800.636.7546** Monday–Friday 9a.m.–4p.m. Pacific Time

Distributed by Obagi Cosmeceuticals LLC, Long Beach, CA 90806

### **Obagi™ Sun Shield Mineral Broad Spectrum SPF 50 Sunscreen**

#### ***Drug Facts***

<b><i>Active ingredients</i></b>	<b><i>Purpose</i></b>
Titanium dioxide 6.2%	Sunscreen
Zinc oxide 15.6%	Sunscreen

#### **Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

#### **Warnings**

##### **For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask doctor** if rash occurs

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

#### **Directions**

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating

- reapply at least every 2 hours
- children under 6 months: Ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m.-2 p.m.
  - wear long-sleeved shirts, pants, hats, and sunglasses

## **Inactive ingredients**

Water (Aqua), Caprylic/Capric Triglyceride, Dicaprylyl Carbonate, Pentylene Glycol, Steareth-2, Glycerin, Silica, Polyhydroxystearic Acid, Steareth-21, Cetearyl Alcohol, Propanediol, Alumina, Stearic Acid, Sodium Stearoyl Glutamate, Caprylyl Glycol, Triethoxycaprylylsilane, Cetearyl Glucoside, Xanthan Gum, Dipotassium Glycyrrhizate, Trisodium Ethylenediamine Disuccinate, Caprylhydroxamic Acid, Tropaeolum Majus Flower/Leaf/Stem Extract

## **Other information**

- store at controlled room temperature: 15°C–25°C (59°F–77°F)
- protect this product from excessive heat and direct sun

## **Questions or comments?**

**1.800.636.7546**

Monday–Friday 9 a.m.–4 p.m. Pacific Time

Distributed by Obagi Cosmeceuticals LLC  
Long Beach, CA 90806

## **PRINCIPAL DISPLAY PANEL - Kit Carton**

SKINTRINSIQ™

CLARIFYING  
PROTOCOL KIT

### **INCLUDES:**

- 60 Tips
- Obagi Nu-Derm® Gentle Cleanser, 2 FL. OZ.
- Obagi Nu-Derm® Toner, 2 FL. OZ.
- CLENZIderm M.D.® Pore Therapy, 5 FL. OZ.
- Obagi Hydrate® Facial Moisturizer, 1.7 OZ.
- Obagi Sun Shield™ Mineral Broad Spectrum SPF 50 Sunscreen, 3 OZ.

OBAGI®

OBAGI

SKINTRINSIQ™

2.742




## CLARIFYING PROTOCOL KIT

**INCLUDES:**


- 60 Tips
- Obagi Nu-Derm® Gentle Cleanser, 2 FL. OZ.
- Obagi Nu-Derm® Toner, 2 FL. OZ.
- CLENZIderm M.D.® Pore Therapy, 5 FL. OZ.
- Obagi Hydrate® Facial Moisturizer, 1.7 OZ.
- Obagi Sun Shield™ Mineral Broad Spectrum SPF 50 Sunscreen, 3 OZ.

SKINTRINSIQ™

OBAGI



CLARIFYING  
PROTOCOL KIT



## PRINCIPAL DISPLAY PANEL - 148 mL Bottle Label



OBAGI<sup>®</sup>  
MEDICAL

CLENZIderm M.D.<sup>®</sup>

Pore Therapy

Salicylic Acid 2%  
Acne Treatment

5 FL. OZ. (148 mL)

  <b>CLENZIderm M.D.<sup>®</sup></b>  Pore Therapy  Salicylic Acid 2% Acne Treatment   5 FL. OZ. (148 mL)	Refreshing CLENZIderm M.D. <sup>™</sup> Pore Therapy helps unclog and refine pores while clearing away dead skin cells with 2% salicylic acid.	 3 62032 90509 1																									
	<table border="1"> <tr> <th colspan="2">Drug Facts</th> </tr> <tr> <td><b>Active ingredient</b></td> <td><b>Purpose</b></td> </tr> <tr> <td>Salicylic Acid 2%</td> <td>Acne treatment</td> </tr> <tr> <td colspan="2"><b>Uses</b> ■ or the treatment of acne ■ dries up acne pimples ■ helps prevent new acne pimples</td> </tr> <tr> <td colspan="2"><b>Warnings</b></td> </tr> <tr> <td colspan="2"><b>For external use only</b></td> </tr> <tr> <td colspan="2"><b>When using this product</b> ■ skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time. <b>Stop use and ask a doctor if</b> irritation becomes severe. <b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.</td> </tr> <tr> <td colspan="2"><b>Directions</b> ■ Cleanse the skin thoroughly before applying this product. ■ Shake product well before use. ■ Cover the entire affected area with a thin layer one to three times daily. Because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed</td> </tr> </table>		Drug Facts		<b>Active ingredient</b>	<b>Purpose</b>	Salicylic Acid 2%	Acne treatment	<b>Uses</b> ■ or the treatment of acne ■ dries up acne pimples ■ helps prevent new acne pimples		<b>Warnings</b>		<b>For external use only</b>		<b>When using this product</b> ■ skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time. <b>Stop use and ask a doctor if</b> irritation becomes severe. <b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.		<b>Directions</b> ■ Cleanse the skin thoroughly before applying this product. ■ Shake product well before use. ■ Cover the entire affected area with a thin layer one to three times daily. Because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed		<table border="1"> <tr> <th colspan="2">Drug Facts (continued)</th> </tr> <tr> <td colspan="2">or as directed by a doctor. ■ If bothersome dryness or peeling occurs, reduce application to once a day or every other day.</td> </tr> <tr> <td colspan="2"><b>Other information</b> ■ store away from heat and direct sunlight ■ store at controlled room temperature: 15°–25°C (59°–77°F)</td> </tr> <tr> <td colspan="2"><b>Inactive ingredients</b> benzyl alcohol, chamomilla recutita (matricaria) flower extract, ethoxydiglycol, ext. violet 2, fragrance, glycerin, menthol, menthoxypropanediol, menthyl lactate, SD alcohol 40-B, water (aqua)</td> </tr> <tr> <td colspan="2"><b>Questions or comments?</b> 1.800.636.7546 Monday–Friday 9a.m.–4p.m. Pacific Time</td> </tr> </table> <p>Distributed by Obagi Cosmeceuticals LLC, Long Beach, CA 90806 All products/brand names, whether designated by notice or not (®/TM), are trademarks of Obagi Cosmeceuticals LLC and/or its affiliates. ©2018 Obagi Cosmeceuticals LLC. All rights reserved. www.obagi.com Made in USA with US and imported components. 9426304</p>	Drug Facts (continued)		or as directed by a doctor. ■ If bothersome dryness or peeling occurs, reduce application to once a day or every other day.		<b>Other information</b> ■ store away from heat and direct sunlight ■ store at controlled room temperature: 15°–25°C (59°–77°F)		<b>Inactive ingredients</b> benzyl alcohol, chamomilla recutita (matricaria) flower extract, ethoxydiglycol, ext. violet 2, fragrance, glycerin, menthol, menthoxypropanediol, menthyl lactate, SD alcohol 40-B, water (aqua)	
Drug Facts																											
<b>Active ingredient</b>	<b>Purpose</b>																										
Salicylic Acid 2%	Acne treatment																										
<b>Uses</b> ■ or the treatment of acne ■ dries up acne pimples ■ helps prevent new acne pimples																											
<b>Warnings</b>																											
<b>For external use only</b>																											
<b>When using this product</b> ■ skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time. <b>Stop use and ask a doctor if</b> irritation becomes severe. <b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.																											
<b>Directions</b> ■ Cleanse the skin thoroughly before applying this product. ■ Shake product well before use. ■ Cover the entire affected area with a thin layer one to three times daily. Because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed																											
Drug Facts (continued)																											
or as directed by a doctor. ■ If bothersome dryness or peeling occurs, reduce application to once a day or every other day.																											
<b>Other information</b> ■ store away from heat and direct sunlight ■ store at controlled room temperature: 15°–25°C (59°–77°F)																											
<b>Inactive ingredients</b> benzyl alcohol, chamomilla recutita (matricaria) flower extract, ethoxydiglycol, ext. violet 2, fragrance, glycerin, menthol, menthoxypropanediol, menthyl lactate, SD alcohol 40-B, water (aqua)																											
<b>Questions or comments?</b> 1.800.636.7546 Monday–Friday 9a.m.–4p.m. Pacific Time																											

## PRINCIPAL DISPLAY PANEL - 85 g Tube Carton

OBAGI™  
MEDICAL

Sun Shield  
Broad  
Spectrum  
SPF 50

MINERAL

Sunscreen  
Lotion

PA++++  
Non-comedogenic  
Dermatologist Tested

Net wt. 3 oz. (85 g)

**Drug Facts** (continued)

**Inactive ingredients**

Water (Aqua), Caprylic/Capric Triglyceride, Dicaprylyl Carbonate, Pentylene Glycol, Steareth-2, Glycerin, Silica, Polyhydroxystearic Acid, Steareth-21, Cetearyl Alcohol, Propanediol, Alumina, Stearic Acid, Sodium Stearoyl Glutamate, Caprylyl Glycol, Triethoxycaprylylsilane, Cetearyl Glucoside, Xanthan Gum, Dipotassium Glycyrrhizate, Trisodium Ethylenediamine Disuccinate, Caprylylhydroxamic Acid, Tropaeolum Majus Flower/Leaf/Stem Extract

**Other information**

- store at controlled room temperature: 15°C–25°C (59°F–77°F)
- protect this product from excessive heat and direct sun

**Questions or comments?**

1.800.636.7546  
Monday–Friday 9 a.m.–4 p.m. Pacific Time



Distributed by Obagi Cosmeceuticals LLC  
Long Beach, CA 90806  
All products/brand names, whether designated by notice or not (®/TM), are trademarks of Obagi Cosmeceuticals LLC and/or its affiliates  
©2020 Obagi Cosmeceuticals LLC.  
All rights reserved. www.obagi.com  
Made in USA with U.S. and Imported components  
9457602



Sun Shield  
Broad Spectrum  
SPF 50



Sunscreen  
Lotion

MINERAL

PA++++  
Non-comedogenic  
Dermatologist Tested

Net wt. 3 oz. (85 g)



3 62032 81109 3

**Sun Shield Mineral  
Broad Spectrum SPF 50**

An elegant daily sunscreen that protects from UVA and UVB rays with a 100% mineral blend of zinc oxide and titanium dioxide, and provides a lightweight satin finish. This high protection physical sunscreen is also formulated with Nasturtium flower extract to help defend against blue and visible light.

Formulated for all skin types, including sensitive skin.

**Drug Facts**

Active ingredients	Purpose
Titanium dioxide 6.2%	Sunscreen
Zinc oxide 15.6%	Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**

**Do not use** on damaged or broken skin  
**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- children under 6 months: Ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m.–2 p.m.
  - wear long-sleeved shirts, pants, hats, and sunglasses

# OBAGI SKINTRINSIQ CLARIFYING PROTOCOL

salicylic acid, titanium dioxide, and zinc oxide kit

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:62032-909
---------------------	----------------	---------------------------	---------------

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62032-909-09	1 in 1 BOX	08/01/2021	

## Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	1 BOTTLE, PLASTIC	60 mL
Part 2	1 BOTTLE, PLASTIC	59 mL
Part 3	1 BOTTLE, PLASTIC	148 mL
Part 4	1 BOTTLE, PUMP	48 g
Part 5	1 TUBE	85 g

## Part 1 of 5

### OBAGI NU-DERM GENTLE CLEANSER

cleansing (cold creams, cleansing lotions, liquids, and pads) gel

## Product Information

<b>Route of Administration</b>	TOPICAL
--------------------------------	---------

## Other Ingredients

Ingredient Kind	Ingredient Name	Quantity
INGR	<b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)	
INGR	<b>APRICOT KERNEL OIL</b> (UNII: 54JB35T06A)	
INGR	<b>BORAGO OFFICINALIS SEED</b> (UNII: 2GXJ790US0)	
INGR	<b>BUTYLPARABEN</b> (UNII: 3QPI1U3FV8)	
INGR	<b>CARBOMER INTERPOLYMER TYPE A (ALLYL SUCROSE CROSSLINKED)</b> (UNII: 59TL3WG5CO)	
INGR	<b>COCAMIDOPROPYL BETAINE</b> (UNII: 5OCF3O11KX)	
INGR	<b>DIETHYLENE GLYCOL MONOETHYL ETHER</b> (UNII: A1A1I8X02B)	



INGR	<b>ETHYLPARABEN</b> (UNII: 14255EXE39)	
INGR	<b>FD&amp;C YELLOW NO. 5</b> (UNII: I753WB2F1M)	
INGR	<b>GLYCERETH-7</b> (UNII: 3D2Y91QZ2H)	
INGR	<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
INGR	<b>ISOBUTYLPARABEN</b> (UNII: 0QQJ25X58G)	
INGR	<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
INGR	<b>OLEYL LACTATE</b> (UNII: B3AWW0N3GM)	
INGR	<b>PANTHENOL</b> (UNII: WW9CM0067Z)	
INGR	<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
INGR	<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)	
INGR	<b>SAGE</b> (UNII: 065C5D077J)	
INGR	<b>SODIUM LAURETH-3 SULFATE</b> (UNII: BPV390UAP0)	
INGR	<b>SODIUM LAUROYL OAT AMINO ACIDS</b> (UNII: FSW2K9B9N5)	
INGR	<b>TROLAMINE</b> (UNII: 9O3K93S3TK)	
INGR	<b>WATER</b> (UNII: 059QF0KO0R)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		60 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
Cosmetic		08/01/2021	

## Part 2 of 5

### OBAGI NU-DERM TONER

face and neck (excluding shaving preparations) liquid

## Product Information

**Route of Administration** TOPICAL

## Other Ingredients

Ingredient Kind	Ingredient Name	Quantity
INGR	<b>ALLANTOIN</b> (UNII: 344S277G0Z)	
INGR	<b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)	
INGR	<b>BORAGO OFFICINALIS SEED</b> (UNII: 2GXJ790US0)	
INGR	<b>CALENDULA OFFICINALIS FLOWER</b> (UNII: P0M7O4Y7YD)	
INGR	<b>DMDM HYDANTOIN</b> (UNII: BYR0546TOW)	
INGR	<b>FD&amp;C BLUE NO. 1</b> (UNII: H3R47K3TBD)	

INGR	<b>GLYCERIN</b> (UNII: PDC6A3C00X)	
INGR	<b>HAMAMELIS VIRGINIANA TOP WATER</b> (UNII: NT00Y05A2V)	
INGR	<b>IODOPROPYNYL BUTYLCARBAMATE</b> (UNII: 603P14DHEB)	
INGR	<b>POLYSORBATE 80</b> (UNII: 6OZP39ZG8H)	
INGR	<b>POTASSIUM ALUM</b> (UNII: 1L24V9R23S)	
INGR	<b>SAGE</b> (UNII: 065C5D077J)	
INGR	<b>SODIUM PYRROLIDONE CARBOXYLATE</b> (UNII: 469OTG57A2)	
INGR	<b>WATER</b> (UNII: 059QF0K00R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		59 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
Cosmetic		08/01/2021	

### Part 3 of 5

## CLENZIDERM PORE THERAPY ACNE TREATMENT

salicylic acid liquid

### Product Information

<b>Item Code (Source)</b>	NDC:62032-612
<b>Route of Administration</b>	TOPICAL

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>SALICYLIC ACID</b> (UNII: 0414PZ4LPZ) (SALICYLIC ACID - UNII:0414PZ4LPZ)	SALICYLIC ACID	20 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>3-((L-MENTHYL)OXY)PROPANE-1,2-DIOL</b> (UNII: KD6TZ2QICH)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>BENZYL ALCOHOL</b> (UNII: LKG8494WBH)	
<b>CHAMOMILE</b> (UNII: FGL3685T2X)	
<b>DIETHYLENE GLYCOL MONOETHYL ETHER</b> (UNII: A1A1I8X02B)	
<b>EXT. D&amp;C VIOLET NO. 2</b> (UNII: G5UX3K0728)	

<b>GLYCERIN</b> (UNII: PDC6A3C00X)	
<b>MENTHOL, UNSPECIFIED FORM</b> (UNII: L7T10EIP3A)	
<b>MENTHYL LACTATE, (-)-</b> (UNII: 2BF9E65L7I)	
<b>WATER</b> (UNII: 059QF0KO0R)	

### Product Characteristics

<b>Color</b>	purple	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62032-612-04	148 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	M006	08/01/2021	

## Part 4 of 5

### OBAGI HYDRATE FACIAL MOISTURIZER

moisturizing lotion

### Product Information

<b>Route of Administration</b>	TOPICAL
--------------------------------	---------

### Other Ingredients

Ingredient Kind	Ingredient Name	Quantity
INGR	<b>ALLANTOIN</b> (UNII: 344S277G0Z)	
INGR	<b>AVOCADO OIL</b> (UNII: 6VNO72PFC1)	
INGR	<b>CAESALPINIA SPINOSA RESIN</b> (UNII: WL3883U2PO)	
INGR	<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
INGR	<b>CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE</b> (UNII: 0A5MM307FC)	
INGR	<b>CETYL ALCOHOL</b> (UNII: 936JST6JCN)	
INGR	<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	
INGR	<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
INGR	<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII:	

INGR	9E4CO0W6C5)	
INGR	<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
INGR	<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
INGR	<b>GLYCERYL MONOSTEARATE</b> (UNII: 230OU9XXE4)	
INGR	<b>HEXYLENE GLYCOL</b> (UNII: KEH0A3F75J)	
INGR	<b>LAURETH-12</b> (UNII: OAH19558U1)	
INGR	<b>LEVOMENOL</b> (UNII: 24WE03BX2T)	
INGR	<b>MANGIFERA INDICA SEED BUTTER</b> (UNII: 4OXD9M35X2)	
INGR	<b>MEDIUM-CHAIN TRIGLYCERIDES</b> (UNII: C9H2L21V7U)	
INGR	<b>PANTHENOL</b> (UNII: VW9CM0O67Z)	
INGR	<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
INGR	<b>SACCHARIDE ISOMERATE</b> (UNII: W8K377W98I)	
INGR	<b>SHEA BUTTER</b> (UNII: K49155WL9Y)	
INGR	<b>SODIUM HYDROXIDE</b> (UNII: 55X04QC32I)	
INGR	<b>SODIUM STEAROYL GLUTAMATE</b> (UNII: 65A9F4P024)	
INGR	<b>SOY STEROL</b> (UNII: PL360EPO9J)	
INGR	<b>SOYBEAN</b> (UNII: L7HT8F1ZOD)	
INGR	<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
INGR	<b>TETRAHYDRODIFERULOYLMETHANE</b> (UNII: 00U0645U03)	
INGR	<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
INGR	<b>WATER</b> (UNII: 059QF0KO0R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		1 in 1 CARTON		
1		48 g in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
Cosmetic		08/01/2021	

### Part 5 of 5

## SUN SHIELD MINERAL BROAD SPECTRUM SPF 50 SUNSCREEN

titanium dioxide and zinc oxide lotion

### Product Information

Item Code (Source)	NDC:62032-811
Route of Administration	TOPICAL

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	6.2 g in 100 g
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	15.6 g in 100 g

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>ALUMINUM OXIDE</b> (UNII: LMI26O6933)	
<b>CAPRYLHYDROXAMIC ACID</b> (UNII: UPY805K99W)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>CETEARYL GLUCOSIDE</b> (UNII: 09FUA47KNA)	
<b>CETOSTEARYL ALCOHOL</b> (UNII: 2DMT128M1S)	
<b>DICAPRYLYL CARBONATE</b> (UNII: 609A3V1SUA)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>GLYCYRRHIZINATE DIPOTASSIUM</b> (UNII: CA2Y0FE3FX)	
<b>MEDIUM-CHAIN TRIGLYCERIDES</b> (UNII: C9H2L21V7U)	
<b>PENTYLENE GLYCOL</b> (UNII: 50C1307PZG)	
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)	
<b>PROPANEDIOL</b> (UNII: 5965N8W85T)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>SODIUM STEAROYL GLUTAMATE</b> (UNII: 65A9F4P024)	
<b>STEARETH-2</b> (UNII: V56DFE46J5)	
<b>STEARETH-21</b> (UNII: 53J3F32P58)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>TRISODIUM ETHYLENEDIAMINE DISUCCINATE</b> (UNII: YA22H34H9Q)	
<b>TROPAEOLUM MAJUS FLOWERING TOP</b> (UNII: RGT30824HY)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	

**Product Characteristics**

<b>Color</b>	white	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

**Packaging**

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:62032-811-09	1 in 1 CARTON		
1		85 g in 1 TUBE; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	M020	08/01/2021	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	M020	08/01/2021	

**Labeler -** Obagi Cosmeceuticals LLC (790553353)

Establishment			
Name	Address	ID/FEI	Business Operations
G.S.COSMECEUTICAL USA, INC.		017014734	manufacture(62032-909)

Establishment			
Name	Address	ID/FEI	Business Operations
Denison Pharmaceuticals, LLC		001207208	manufacture(62032-909)

Establishment			
Name	Address	ID/FEI	Business Operations
Swiss-American CDMO, LLC		080170933	manufacture(62032-909)

Establishment			
Name	Address	ID/FEI	Business Operations
TENCO ASSEMBLIES, INC		075535609	pack(62032-909)

Revised: 3/2023

Obagi Cosmeceuticals LLC